

Author Index, Volume 49, (1994)

c=correspondence; f=forum

- ABBOTT, M. A., MCLAREN, A. D. & ALGIE, T. Intra-ocular pressure during cardiopulmonary bypass – a comparison of crystalloid and colloid solutions, 343 (f)
- ACCORRA, F. *See* DORDONI, P. L., 1046
- ADAMS, A. P. *See* O'FLAHERTY, D., 181 (c)
- ADAMSKI, J. *See* RYHÄNEN, P., 57 (f)
- ADRIAENSEN, H.A. *See* VERCAUTEREN, M.P., 767
- AHUJA, S., DATTA, A., KRISHNA, A. & BHATTACHARYA, A. Infra-orbital nerve block for relief of postoperative pain following cleft lip surgery in infants, 441 (f)
- AITKENHEAD, A. R. *See* MAHAJAN, R. P., 583
- AITKENHEAD, A. R. *See* MAHAJAN, R. P., 1028
- AITKENHEAD, A.R. *See* WALDER, A.D., 804 (f)
- ALCOCK, R., PEACHEY, T., MALLETT, S. DAVIDSON, B & ROLLES, K. Conjunctival oxygen tension monitoring during liver transplantation, 394
- ALDERSON, J. D. Phantom limb pain and spinal anaesthesia, 924 (c)
- ALEXANDER, R. *See* LOVELL, A. T., 453 (c)
- ALGHAMDI, A. H. *See* ZUBAIR, N. A., 873
- ALGIE, T. *See* ABBOTT, M. A., 343 (f)
- ALI, H. H. *See* SHORTEN, G. D., 74 (c)
- ALI, P. B. Blind oral intubation using the Augustine guide, 644 (c)
- ALI, S., VIVEKANANDAN, P. & TIERNEY, E. Patients' perception of the anaesthetist and anaesthesia, 644 (c)
- ALI-MELKKILÄ, T. *See* VIRKKILÄ, M., 853
- ALLSOP, E. *See* IP-YAM, C., 355 (c)
- AMADO, J. A. & DIAGO, M. C. Delayed ACTH response to human corticotropin releasing hormone during cardiopulmonary bypass under diazepam-high dose fentanyl anaesthesia, 300
- AMANN, R. *See* BÖHRER, H., 551 (c)
- ANDERSEN, B. D. *See* HODGSON, C. A., 507
- ANDERSON, S. K. *See* MORRIS, W. W., 41
- ANDERSSON, T. *See* NOBLE, D. W., 497
- ANDREWS, P. J. D. & COLQUHOUN, A. D. Detection of cerebral hypoperfusion during cardiopulmonary bypass. Continuous measurement of cerebral venous oxyhaemoglobin saturation during myocardial revascularisation, 949
- ANSELM, L. *See* SCHAEFER, H. G., 331 (f)
- AOUAD, M. *See* BARAKA, A., 304
- APPADURAI, I. R. *See* HAYNES, T. K., 54 (f)
- APPADURAI, I. R. *See* IP YAM, P. C., 391
- AQUILINA, R. *See* ELLIOTT, M. W., 279
- ARFEEN, Z., ARMSTRONG, P. J. & WHITFIELD, A. The effects of Entonox and epidural analgesia on arterial oxygen saturation of women in labour, 32
- ARMSTRONG, I. R. *See* FREEMAN, J. A., 579
- ARMSTRONG, P. J. *See* ARFEEN, Z., 32
- ARNOLD, B.D.C. & BILSKI, A.J.T. Drawing up propofol, 738 (c)
- ARNSTEIN, F. E. & SMITH, G. B. Portable suction devices, 260 (c)
- ARNSTEIN, F. E. The Baxter disposable patient-controlled analgesia system, 354 (c)
- ASAI, T. *See* BARCLAY, K., 159 (f)
- ASAI, T. & MORRIS, S. The laryngeal mask and patients with 'collapsible' airways, 169 (c)
- ASAI, T., LATTO, I. P. & VAUGHAN, R. S. The distance between the grille of the laryngeal mask airway and the vocal cords: a reply, 170 (c)
- ASAI, T. & STACEY, M. Confirmation of feeding tube position: how about capnography?, 451 (c)
- ASAI, T. & VAUGHAN, R. S. Misuse of the laryngeal mask airway: editorial, 467
- ASAI, T. Fixation of capnograph sampling tube to a Hudson mask, 745 (c)
- ASAI, T. *See* BARCLAY, K., 833 (c)
- ASAI, T. & MORRIS, S. Inflation of the cuff of the laryngeal mask, 1098 (c)
- ASBURY, A. J. *See* QUINN, A. C., 62 (f)
- ASBURY, A. J. *See* CONN, D. A., 623 (f)
- ASBURY, A.J. *See* HUME, M.A., 715 (f)
- ASHCROFT, G. S. *See* MASTERSON, G. R., 991 (f)
- AUN, C. S. T. *See* HOUGHTON, I. T., 197
- AUTY, B. A comparison of the performance of two types of infusion device, 177 (c)
- AWAL, A. *See* PUGH, S., 35
- AYEKO, M. *See* BRAHMA, A. K., 1003 (f)
- BACH, A. *See* BÖHRER, H., 742 (c)
- BACON, R. C. & RAZIS, P. A. The effect of propofol sedation in pregnancy on neonatal condition, 1058
- BAIER, F. *See* TELFORD, R.J., 691
- BAILEY, A. R. & GERAGHTY, I. F. Intubation following propofol and alfentanil, 348 (c)
- BAILEY, C. R. & CALDER, I. Pre-operative anxiety – a single blind 'crossover' study, 1010 (c)
- BAILEY, C.R. *See* RUGGIER, R., 759
- BAILEY, P. W. *See* MYINT, Y., 85 (c)
- BAINTON, R. *See* READ, J. R. M., 73 (c)

- BAKER, C. E. & MAJOR, E. Munchausen's syndrome. A case presenting as asthma requiring ventilation, 1050
- BALA, A. S. See GAJRAJ, N. M., 559 (c)
- BALA, I. See GUPTA, S., 959
- BALAJI, B. See MASSEY, S. R., 356 (c)
- BALCHIN, J. D. Further leaks: a reply, 648 (c)
- BALCHIN, J. D. Hazard of reinforced tracheal tubes: a reply, 918 (c)
- BALCHIN, J. D. An incorrectly labelled Mallinckrodt double-lumen endobronchial tube: a reply, 744 (c)
- BALDO, B. A. See PEPYS, J., 470
- BALDOCK, G. J. The performance of two intensive care humidifiers at high gas flows, 269 (c)
- BALL, A. J. See BELL, C. T., 830 (c)
- BALL, D. Fiberoptic intubation and cervical spine problems, 737 (c)
- BALL, D. R. Awake versus asleep fiberoptic intubation, 921 (c)
- BANKS, I. C. The application of Read Codes to anaesthesia, 324
- BANNISTER, J. See NOBLE, D. W., 497
- BAR, Z. G. Preventing postspinal headache: a new technique, 458 (c)
- BARAKA, A., JABBOUR, S., HAMMOUD, R., AOUAD, M., NAJJAR, F., KHOURY, G. & SIBAI, A. End-tidal carbon dioxide tension during laparoscopic cholecystectomy. Correlation with the baseline value prior to carbon dioxide insufflation, 304
- BARAKA, A. Differential lung ventilation as an alternative to one-lung ventilation during thoracotomy. Report of three cases, 881
- BARCLAY, K., CALVERT, J. P., CATLING, S. J., EDWARDS, N. D. & REES, A. Analgesia after laparoscopic sterilisation. Effect of 2% lignocaine gel applied to Filshie clips, 68 (f)
- BARCLAY, K., WALL, T., WAREHAM, K. & ASAI, T. Intra-ocular pressure changes in patients with glaucoma. Comparison between the laryngeal mask airway and tracheal tube, 159 (f)
- BARCLAY, K. & ASAI, T. Intra-ocular pressure changes in patients with glaucoma: a reply, 833 (c)
- BARKER, I. See MCEWEN, A. W., 987 (f)
- BARLOW, J. See OSBORNE, G. A., 287
- BARRETT, P. J., SKINNER, A. C. & WHELAN, E. Chair dental anaesthesia: a survey of current and intended practice in Mersey Region, 728 (f)
- BARRIE, J. R. & BEATTY, P. C. W. The terminology of deadspace and rebreathing in non-absorber breathing systems, 351 (c)
- BARRY, J. E. S. See LIU, R., 382
- BARTHRAM, C. N. & TAYLOR, L. The oesophageal and precordial stethoscope transducer as a monitoring and teaching aid, 713
- BARTON, F. L. Monitoring line failure, 457 (c)
- BASKETT, P. J. F. The use of the laryngeal mask airway by nurses during cardiopulmonary resuscitation: a reply, 731 (c)
- BASNYAT, N. B. See SHRESTHA, B. M., 703
- BASS, S. P. & FIELD, L. M. Repeat percutaneous tracheostomy, 649 (c)
- BEARDS, S. C. & LIPMAN, J. Decreased cardiac index as an indicator of tension pneumothorax in the ventilated patient, 137
- BEARDS, S. C., EDWARDS, J. D. & NIGHTINGALE, P. The need for quality control in measurement of mixed venous oxygen saturation, 886
- BEARDS, S. C., DOEDENS, L., JACKSON, A. & LIPMAN, J. A comparison of arterial lines and insertion techniques in critically ill patients, 968
- BEARDS, S. C., KRAUS, P. & LIPMAN, J. Paralytic ileus as a complication of atropine therapy following severe organophosphate poisoning, 791
- BEATTY, P. C. W. See BARRIE, J. R., 351 (c)
- BEATTY, P. C. W. & CAMPBELL, I. T. Paying the piper - calling the tune?: editorial, 931
- BEAULIEU, P. Intravenous administration of paracetamol (propacetamol) for postoperative analgesia, 739 (c)
- BECK, G. N., MASTERSON, G. R., RICHARDS, J. & BUNTING, P. Intubation following propofol and alfentanil: a reply, 348 (c)
- BELL, C. T. & BALL, A. J. An unusual communication?, 830 (c)
- BELL, G. T. Problems with soda lime, 550 (c)
- BELL, G. T. & TAYLOR, J. C. Subdural block - further points, 794
- BELL, M. Reversal of mivacurium apnoea with neostigmine, 350 (c)
- BELL, M. D. D. & MORGAN, P. W. Critical incident due to inappropriate resterilisation, 269 (c)
- BELLON, J. S. Experience with desflurane, 451 (c)
- BEMBRIDGE, J. L. See BENNETT, M. W. R., 155 (f)
- BEMBRIDGE, J. L. See BENNETT, M. W. R., 675
- BENGTSOON, J. P., BENGTSOON, A. & STENQVIST, O. Nitrous oxide uptake during spontaneous and controlled ventilation, 25
- BENGTSOON, J. P., BENGTSOON, A. & STENQVIST, O. Predictable nitrous oxide uptake enables simple oxygen uptake monitoring during low flow anaesthesia, 29
- BENGTSOON, A. See BENGTSOON, J. P., 25
- BENGTSOON, A. See BENGTSOON, J. P., 29
- BENNETT, M. W. R., SHAH, M. V. & BEMBRIDGE, J. L. A comparison of the effect on gastric emptying of alfentanil or morphine given during anaesthesia for minor surgery, 155 (f)
- BENNETT, M. W. R., BEMBRIDGE, J. L. & SHAH, M. V. A comparison of the effect on gastric emptying of either enflurane or propofol given during maintenance of anaesthesia for minor surgery, 675
- BENSON, J. P., PATLA, V. R. & FAROQUI, M. Incorrect setting of a Manley ventilator, 544 (c)
- BERRIDGE, J. C. See VUCEVIC, M., 889
- BERRY, A. See BRIMACOMBE, J., 82 (c)
- BERRY, A. See BRIMACOMBE, J., 358 (c)
- BERRY, A. See BRIMACOMBE, J., 447 (c)
- BERRY, A. See BRIMACOMBE, J., 1009 (c)
- BEST, C. J. See PODDAR, S., 736 (c)
- BEXTON, M. D. R. See RAPHAEL, J. H., 338 (f)
- BHANUMURTHY, S. & MCCAUGHEY, W. Gum elastic bougie for nasotracheal intubation, 824 (c)
- BHATTACHARYA, A. See KUMAR, A., 387
- BHATTACHARYA, A. See AHUJA, S., 441 (f)
- BHATTACHARYA, A. See KUMAR, A., 533 (f)
- BHIMSAN, N. R., ROUT, C. C. & MURRAY, W. B. Laboratory assessment of a user-assembled oxygen generation kit, 419
- BICKFORD SMITH, P. J. Cardiorespiratory arrest and combined spinal/epidural anaesthesia for Caesarean section, 83 (c)
- BICKFORD SMITH, P. J. Use of the Association of Anaesthetists' checklist to detect leaks from the back bar of anaesthetic machines, 86 (c)
- BIGGAM, M. See RIDLEY, S., 192
- BILSKI, A. J. T. See ARNOLD, B. D. C., 738 (c)
- BINNING, A. R. See SCOTT, N. B., 594
- BIRD, J. An aid to epidural or subarachnoid space location, 923 (c)

- BLACK, A. E. & TRATMAN, A. J. Stylets for small tracheal tubes, 549 (c)
- BLACK, A. E. *See* HASAN, M. A., 1031
- BLAKE, D. *See* WARWICK, J. P., 172 (c)
- BLÄSS, J. *See* SJÖSTRÖM, S., 700
- BLOCK, R. *See* SERPELL, M. G., 538 (f)
- BLOOR, G. K. *See* HOUGH, M. B., 259 (c)
- BOADEN, R. W. *See* TELFORD, R. J., 691
- BODDU, K. *See* MACKIE, D., 458 (c)
- BOGOD, D. G. The postpartum stomach – when is it safe?: editorial, 1
- BOGOD, D. G. The use of the laryngeal mask airway by nurses during cardiopulmonary resuscitation, 3
- BOGOD, D. G. Cardiorespiratory arrest and combined spinal/epidural anaesthesia for Caesarean section, 86 (c)
- BOHN, D. *See* PETROS, A. J., 317
- BÖHRER, H., SCHMIDT, H., AMANN, R. & BÖTTIGER, B. W. Superiority of continuous intra-arterial blood gas monitoring over pulse oximetry in patients with acute respiratory failure, 551 (c)
- BÖHRER, H., SCHMIDT, H., BACH, A. & MOTSCH, J. Interference of continuous venovenous haemofiltration with vasoactive drug administration, 742 (c)
- BOISSON-BERTRAND, D., HANNHART, B., ROUSSELOT, J. M., DUVIVIER, C., QUILICI, N. & PESLIN, R. Comparative effects of laryngeal mask and tracheal tube on total respiratory resistance in anaesthetised patients, 846
- BOMAN, I. *See* NILSSON, A., 70 (f)
- BOOI, L. H. D. J. *See* VANLINTHOUT, L. E. H., 509
- BOSE, S. *See* KUMAR, A., 533 (f)
- BÖSENBERG, A. T. Coiled epidural catheter – a source of frustration, 832 (c)
- BÖTTIGER, B. W. *See* BÖHRER, H., 551 (c)
- BOVILL, J. G. *See* HAAK-VAN DER LELY, F., 116
- BOVILL, J. G. *See* HAAK-VAN DER LELY, F., 119
- BOVILL, J. G. *See* HAAK-VAN DER LELY, F., 850
- BOVILL, J. G. *See* HAAK-VAN DER LELY, F., 1034
- BOWER, S. *See* SNOWDEN, C. P., 546 (c)
- BOYLAN, M. *See* VUCEVIC, M., 889
- BRAHMA, A. K., PEMBERTON, C. J., AYEKO, M. & MORGAN, L. H. Single medial injection peribulbar anaesthesia using prilocaine, 1003 (f)
- BRAIN, A. I. J. Rotation of reinforced laryngeal mask airway: a reply, 541 (c)
- BRAIN, A. I. J. Bronchospasm and the laryngeal mask airway, 542 (c)
- BRIGHOUSE, D. & WILKINS, A. Failure of pencil-point spinal needles to enter the subarachnoid space, 176 (c)
- BRIGHOUSE, D. *See* HOUGH, M. B., 259 (c)
- BRIGHOUSE, D. *See* BURDEN, R. J., 546 (c)
- BRIGHOUSE, D. *See* PRIESTLEY, G. S., 744 (c)
- BRIMACOMBE, J. & BERRY, A. The laryngoscope and the laryngeal mask airway, 82 (c)
- BRIMACOMBE, J., SHER, M. & LAING, D. Incendiary characteristics of the laryngeal and reinforced laryngeal mask airway, 171 (c)
- BRIMACOMBE, J. & BERRY, A. Laryngeal mask insertion – a useful tip?, 358 (c)
- BRIMACOMBE, J. & BERRY, A. Laryngeal mask cuff pressures, 447 (c)
- BRIMACOMBE, J. The Guedel airway and the laryngeal mask airway?, 643 (c)
- BRIMACOMBE, J. Laryngeal mask insertion aid and minor morbidity, 732 (c)
- BRIMACOMBE, J. The laryngeal mask as an aid to intubation, 823 (c)
- BRIMACOMBE, J. & SHER, M. The laryngeal mask for laser surgery to the pharynx, 1009 (c)
- BROADWAY, J. W. Forestier's disease (ankylosing hyperostosis): a cause for difficult tracheal intubation, 919 (c)
- BROMAGE, P. R. Postpartum meningitis, 260 (c)
- BROMLEY, P. & COTTAM, S. Pleural effusions and anaesthesia, 558 (c)
- BROOK, J. & MOSS, E. Air in the cavernous sinus following scalp vein cannulation, 219
- BROOKS, R. Faulty central venous catheter: a reply, 455 (c)
- BROOME, I. *See* MCCANN, N., 829 (c)
- BROOME, I. *See* MUNRO, F. J., 1102 (c)
- BROOME, I. J. *See* LAM, F. Y., 65 (f)
- BROOME, I. J. *See* LAM, F. Y., 372
- BROOME, I. J. Combined chest drain and intrapleural catheter, 549 (c)
- BROQUETAS, J. M. *See* GALLART, L., 175 (c)
- BROWN, J. H. *See* QUINN, A. C., 62 (f)
- BUCX, M. J. L., SNIJDERS, C. J., VAN GEEL, R. T. M., ROBERS, C., VAN DE GIESSEN, H., ERDMANN, W. & STIJNEN, T. Forces acting on the maxillary incisor teeth during laryngoscopy using the Macintosh laryngoscope, 1064
- BULLINGHAM, A., HAMPSON-EVANS, D. & PALAZZO, M. An impaled neck. Management of difficult airway access, 866
- BUNTING, P. *See* BECK, G. N., 348 (c)
- BURDEN, G. *See* STEVENS, J. E., 79 (c)
- BURDEN, R. J. & BRIGHOUSE, D. Ritodrine toxicity during interhospital transport, 546 (c)
- BURDEN, R. J. & LAYCOCK, J. R. D. Raised intracranial compliance and termination of anaesthesia, 743 (c)
- BURKE, A. & POLLOCK, J. Propofol and paediatric MRI, 647 (c)
- BURM, A. G. L. *See* HAAK-VAN DER LELY, F., 116
- BURM, A. G. L. *See* HAAK-VAN DER LELY, F., 119
- BURM, A. G. L. *See* HAAK-VAN DER LELY, F., 850
- BURM, A. G. L. *See* HAAK-VAN DER LELY, F., 1034
- BURNELL, J. C. Myalgia and suxamethonium, 87 (c)
- BURTLES, R. Avoiding calculations for preparing continuous infusions, 264 (c)
- BYRNE, A. J., HILTON, P. J. & LUNN, J. N. Basic simulations for anaesthesia. A pilot study of the ACCESS system, 376
- CALDER, I. *See* SILK, J. M., 170 (c)
- CALDER, I. *See* RANASINGHE, D. N., 512
- CALDER, I. *See* BAILEY, C. R., 1010 (c)
- CALDICOTT, L. D., TEHAN, B. & JAYARATNASINGAM, S. Another cause of failure of patient-controlled analgesia, 456 (c)
- CALDICOTT, L. D. *See* GAMLIN, F., 883
- CALDICOTT, L. D. *See* MCEWEN, A. W., 987 (f)

- CALVERT, J. P. *See* BARCLAY, K., 68 (f)
 CAMANN, W. Cardiorespiratory arrest after combined spinal/epidural anaesthesia, 177 (c)
 CAMPBELL, D. *See* SPIVEY, K., 182 (c)
 CAMPBELL, I. T. *See* BEATTY, P. C. W., 931
 CAMPKIN, N. T. A., HOOD, J. R. & FELDMAN, S. A. Recovery of mivacurium and doxacurium versus vecuronium in the isolated forearm, 501
 CAMPKIN, N.T.A. *See* FELDMAN, S.A., 671
 CAMPKIN, N.T.A. *See* HOOD, J.R., 682
 CAMU, F. *See* ROSEN, M., 1(S)
 CAMU, F. *See* LAUWERS, M. H., 876
 CANAVAN, D.A. *See* GRACE, D., 686
 CARR, B. *See* GROVES, J., 122
 CARRERO, E.J., CHABÁS, E. & NALDA, M.A. The trigeminal-cardiac reflex in paediatric surgery, 741 (c)
 CARRIE, L. E. S. *See* ELDRIDGE, A. J., 84 (c)
 CARSON, D. *See* SERPELL, M. G., 261 (c)
 CARTWRIGHT, D. P. To cut or not to cut, 181 (c)
 CARTWRIGHT, D. P. Nothing new!, 559 (c)
 CARTWRIGHT, D. P. *See* SINGH, P., 996 (f)
 CASANOVAS, P. *See* MURGA, G., 999 (f)
 CASS, L. J. & HOWARD, R. F. Respiratory complications due to inadequate analgesia following thoracotomy in a neonate, 879
 CATLING, S. J. *See* BARCLAY, K., 68 (f)
 CAVALIERE, F. & MASIERI, S. Chronic middle ear effusion after prolonged intubation, 641 (c)
 CHABÁS, E. *See* CARRERO, E.J., 741 (c)
 CHAFFE, A. G. *See* MILLS, G. H., 249 (f)
 CHAKRABARTI, M. K. *See* LOCKWOOD, G. G., 44
 CHALMERS, E. P. D. & THOMPSON, C. E. R. A complication of laparoscopic hernia repair, 265 (c)
 CHAN, B. *See* YOGOSAKARAN, B. S., 1014 (c)
 CHAN, K. *See* HOUGHTON, I. T., 197
 CHARI, P. *See* PRASAD, M.K., 831 (c)
 CHARI, P. *See* GUPTA, S., 959
 CHARTERS, P. *See* RALSTON, S. J., 133
 CHARTERS, P. *See* LOGAN, S., 543 (c)
 CHARTERS, P., MANNAR, R. & JONES, A.S. Laryngotracheal stenosis after percutaneous tracheostomy, 825 (c)
 CHASON, D.P. *See* GAJRAJ, N.M., 772
 CHAUDHARY, S. *See* MANDAL, P., 726 (f)
 CHEAM, E. W. S. Emergency obstetric anaesthetic drugs and the risk of microbial contamination, 555 (c)
 CHEAM, E. W. S. & MORGAN, M. The superiority of epidural opioids for postoperative analgesia – fact or fallacy? :editorial, 1019
 CHEAM, E.W.S. The use of tracheal tubes as oesophageal obturators, 734 (c)
 CHEN, T-G. *See* CHERNG, Y-G., 1052
 CHENG, Y-J. *See* CHERNG, Y-G., 1052
 CHERNG, Y-G., CHENG, Y-J., CHEN, T-G., WANG, C-M. & LIU, C-C. Cardiac tamponade in an infant. A rare complication of central venous catheterisation, 1052
 CHMIELEWSKI, A. T. Waiting lists in pain clinics, 1099 (c)
 CHOTAL, R. *See* RAPHAEL, J. H., 437 (f)
 CLARK, G. P. M. Necrosis of the uvula, 925 (c)
 CLARKE, G. *See* BRIMACOMBE, J., 358 (c)
 CLARKE, J.T. *See* RUGGIER, R., 759
 CLAXTON, A. R. & PHILIPS, J. A complication of tracheal intubation?, 920 (c)
 CLAYBON, L. Single dose intravenous ondansetron for the 24-hour treatment of postoperative nausea and vomiting, 24(S)
 COHEN, A. M., FLEMING, B. G. & WACE, J. R. Grading of direct laryngoscopy. A survey of current practice, 522 (f)
 COHEN, A. T. Use of alfentanil in association with intracranial disease (Erratum), 96
 COHEN, L. A. *See* RUST, M., 16(S)
 COLE, P. J. *See* JAYARAJAH, M. J., 918 (c)
 COLLIER, C. B. Cardiorespiratory arrest following combined spinal epidural anaesthesia, 259 (c)
 COLLIER, C. B. Epidural chloroprocaine and backache, 357 (c)
 COLLINS, P. *See* GOULD, T.H., 807 (f)
 COLLINS, S. *See* DANGOISSE, M., 961
 COLLUM, C. R., MERRITT, F. K. & ORLIKOWSKI, C. E. P. Droperidol and patient-controlled analgesia, 349 (c)
 COLQUHOUN, A. D. *See* ANDREWS, P. J. D., 949
 COMMINS, D. J., WHITTET, H., OKOLI, U. C. & EWART, M. Postintubation uvular necrosis, 457 (c)
 CONACHER, I. *See* SNOWDEN, C. P., 546 (c)
 CONACHER, I. D. *See* MAHONEY, P. F., 650 (c)
 CONE, A. M. *See* LIM, W., 542 (c)
 CONN, D. A. & ASBURY, A. J. Importance of components of the curriculum vitae in determining appointment to senior registrar posts, 623 (f)
 CONNOLLY, F. *See* MCCOY, E. P., 940
 CONNOR, J. *See* WITTMANN, P.H., 710
 CONNOR, T. *See* WITTMANN, P.H., 710
 CONWAY, N. E. *See* UNCLES, D. R., 547 (c)
 COOK, T. Bronchospasm and the laryngeal mask airway, 82 (c)
 COOK, T. M. Bronchospasm and the laryngeal mask airway, 916 (c)
 COOK, T.M. & MONK, C.R. Problems with the Interlink system, 828 (c)
 COOPER, A. *See* STODDART, P. A., 274
 CORNER, G. A. *See* RAILTON, R., 925 (c)
 COSTIGAN, S. N. Malfunction of a disposable PCA device, 352 (c)
 COTTAM, S. *See* BROMLEY, P., 558 (c)
 COX, P. *See* PETROS, A. J., 317
 CRANFIELD, J. *See* MACKIE, D., 458 (c)
 CRAWFORD, M. & KERR, W. J. The effect of hyaluronidase on peribulbar block, 907 (f)

- CRISWELL, J. C., PARR, M. J. A. & NOLAN, J. P. Emergency airway management in patients with cervical spine injuries, 900 (f)
- CRITCHLEY, L. A. H. *See* LEE, B. B., 178 (c)
- CROMBIE, I. K. *See* DAVIES, H. T. O., 661
- CROOKE, J. W. & MCCANN, T. Safety of space blankets, 547 (c)
- CROSS, M. H. Effect of haematocrit on glucose test strips, 832 (c)
- CROSSLEY, A. W. A. & MAHAJAN, R. P. The intensity of postoperative shivering is unrelated to axillary temperature, 205
- CROSSLEY, A. W. A. *See* SINGH, P., 996 (f)
- CUESTA, M. A. *See* DE LANGE, J. J., 429
- CUESTA DE PEDRO, A. *See* DE LANGE, J. J., 429
- CUMBERWORTH, V. *See* HUEHNS, T. Y., 414
- CURRY, P. D. Interhospital patient transfer, 1008 (c)
- CUTFIELD, G. R. *See* VYVYAN, H. A. L., 245 (f)
- DAHL, J. B. *See* DIERKING, G. W., 627 (f)
- DAM, S. *See* KUMAR, A., 387
- DANGOISSE, M., COLLINS, S. & GLYNN, C. J. Haemothorax after attempted intercostal catheterization, 961
- DAROWSKI, M. *See* WALKER, R. W. M., 1078
- DAS, P. A. Artefactual hypertension from rhythmic finger tapping, 262 (c)
- DAS, P. A. Artefactual hypertension from rhythmic finger tapping (Erratum), 563
- DATTA, A. *See* AHUJA, S., 441 (f)
- DAVIDSON, B. *See* ALCOCK, R., 394
- DAVIES, H. T. O., CROMBIE, I. K. & MACRAE, W. A. Waiting in pain. Delays between referral and consultation in outpatient pain clinics, 661
- DAVIES, K. J. *See* WILKINS, A. N. J., 559 (c)
- DAVIES, K. Fault with an Ohmeda Excel 210 anaesthetic machine: a reply, 83 (c)
- DAY, C. J. E. & NOLAN, J. P. A rebreathing non-rebreathing valve, 456 (c)
- DAY, C. J. E., NOLAN, J. P. & TARVER, D. Traumatic pneumomyelogram. Implications for the anaesthetist, 1061
- DE LA CALLE, J. L., LAVILLA, M., VALLE, J. & PLIEGO, M. Prolonged epidural anaesthesia in a patient with Dupuytren's diathesis, 694
- DE LANGE, J. J., CUESTA, M. A. & CUESTA DE PEDRO, A. Fidel Pagés Miravé (1886-1923). The pioneer of lumbar epidural anaesthesia, 429
- DEARDEN, A. *See* JACOBS, S., 903 (f)
- DELLA VENTURA, M. *See* DORDONI, P. L., 1046
- DENHOLM, S. W. *See* MCFARLANE, C., 38
- DENNIS, A. R. & REID, M. F. Auditing of the anaesthetic record, 353 (c)
- DEWANDRE, J., VAN BOS, R., VAN HEMELRUCK, J. & VAN AKEN, H. A comparison of the 2% and 1% formulations of propofol during anaesthesia for craniotomy, 8
- DEXIONNE, B. *See* PARK, G. R., 188
- DEXTER, T. J. Laryngeal oedema, a marker of an 'at risk' airway?, 826 (c)
- DHAL, J. B. *See* ØRTOFT, S., 151 (f)
- DHARA, S. S. A multilumen catheter guide for difficult airway management. Its uses in anaesthesia and intensive care, 974
- DIAGO, M. C. *See* AMADO, J. A., 300
- DICKSON, M. A. S. & JENKINS, J. Extension of epidural blockade for emergency Caesarean section. Assessment of a bolus dose of bupivacaine 0.5% 10 ml following an infusion of 0.1% for analgesia in labour, 636 (f)
- DIERKING, G. W., ØSTERGAARD, H. T., DISSING, C. K., KRISTENSEN, J. E. & DAHL, J. B. Analgesic effect of intra-articular morphine after arthroscopic meniscectomy, 627 (f)
- DIGBY, S. Fatal respiratory obstruction following insertion of a central venous line, 1013 (c)
- DINGLEY, J., WHITEHEAD, M. J. & WAREHAM, K. A comparative study of the incidence of sore throat with the laryngeal mask airway, 251 (f)
- DISSING, C. K. *See* DIERKING, G. W., 627 (f)
- DOBLAR, D. D., LIM, Y. C. & KAPUR, V. Near infrared cerebral spectroscopy in adults, 178 (c)
- DODS, I. & LEACH, A. Faulty epidural catheter, 832 (c)
- DOEDENS, L. *See* BEARDS, S. C., 968
- DOMERQUE, J. *See* PARK, G. R., 188
- DONAHUE, P. L. The oesophageal detector device. An assessment of accuracy and ease of use by paramedics, 863
- DORDONI, P. L., DELLA VENTURA, M., STEFANELLI, A., IANNACE, E., PAPARELLA, P., ROCCA, B. & ACCORRA, F. Effect of ketorolac, ketoprofen and nefopam on platelet function, 1046
- DORNAN, R. V. A useful method of identifying the epidural and caudal space, 556 (c)
- DOWDS, C. Coiled epidural catheter - a source of frustration: a reply, 832 (c)
- DRESNER, M. *See* WOOD, P. R., 77 (c)
- DRESNER, M. & HALL, W. An experience with the Sprotte needle, 1014 (c)
- DREWE, J. *See* SCHAEFER, H. G., 331 (f)
- DRUMMOND, G. B. Breath monitoring device, 552 (c)
- DRUMMOND, G. B. Atelectasis and oxygenation in major surgery, 640 (c)
- DUCKWORTH, R. A. *See* SMITH, E. A., 859
- DUDAR, T. E. *See* ISAAC, R. M., 828 (c)
- DUGGAN, S. Problems with an incorrectly assembled disposable anaesthetic breathing system: a reply, 1103 (c)
- DUNNE, J. A. *See* HUGHES, J. A., 126
- DUNNE, J. A. *See* HUGHES, J. A., 917 (c)
- DUVIVIER, C. *See* BOISSON-BERTRAND, D., 846
- EASTWOOD, N. Problems with chest drainage, 89 (c)
- EBERT, R. J. Dantrolene and thyroid crisis, 924 (c)
- ECHEVARRIA, V. *See* VILA, P., 909 (f)
- EDGE, G. & PAPEE, E. An unsuspected source of breathing system failure, 827 (c)
- EDMENDS, S. & GHOSH, S. Hypertrophic obstructive cardiomyopathy complicating surgery for cerebral artery aneurysm clipping, 608
- EDMONDSON, R. S. Dantrolene in severe tetanus, 459 (c)
- EDMONDSON, W. C. & SKILTON, R. W. H. Anaphylaxis in pregnancy - the right treatment?, 454 (c)
- EDWARDS, J. D. *See* BEARDS, S. C., 886
- EDWARDS, N. *See* GROVES, J., 122
- EDWARDS, N. *See* GROVES, J., 698

- EDWARDS, N. D. *See* BARCLAY, K., 68 (f)
- EDWARDS, R. B. Paediatric pain chart, 91 (c)
- EGGERS, K. A. & MASON, N. P. Lingual haematoma following streptokinase therapy, 922 (c)
- EINTREI, C. *See* JENSEN, A. G., 640 (c)
- ELCOCK, D. & NORRIS, A. Elevated porphyrins following propofol anaesthesia in acute intermittent porphyria, 957
- ELDRIDGE, A. J., POPAT, M. T. & CARRIE, L. E. S. Cardiorespiratory arrest and combined spinal/epidural anaesthesia for Caesarean section, 84 (c)
- ELLIOTT, M. W., AQUILINA, R., GREEN, M., MOXHAM, J. & SIMONDS, A. K. A comparison of different modes of noninvasive ventilatory support: effects on ventilation and inspiratory muscle effort, 279
- ELLIOTT, P. *See* PHILLIPS, S. A., 445 (c)
- ELLIS, F. R. *See* HOPKINS, P. M., 373
- ELSE, T. A. Asystole associated with mivacurium, 926 (c)
- ELSTON, A. *See* PARK, G. R., 188
- ELSTON, A. C. *See* GEMPELER, F., 17
- ELWELL, C. E. *See* OWEN-REECE, H., 1102 (c)
- ENGLAND, A. J. & KITCHIN, N. R. E. Mivacurium for endoscopy in dystrophia myotonica, 177 (c)
- ENGLAND, A. J., WU, X. & FELDMAN, S. A. Effect of temperature on the sensitivity of transducers used on human volunteers during neuromuscular stimulating experiments?, 554 (c)
- ERDMANN, W. *See* BUCK, M. J. L., 1064
- ERHARD, J. *See* SCHERER, R., 398
- ERSKINE, R. *See* MURPHY, P. J., 105
- ESPACHS, P. *See* VILA, P., 909 (f)
- EVANS, A. L. *See* RAILTON, R., 925 (c)
- EWART, M. *See* COMMINS, D. J., 457 (c)
- EZRI, T., SZMUK, P. & SOROKER, D. Anaesthesia for Golz-Gorlin syndrome, 833 (c)
- EZRI, T. *See* SOROKER, D., 1105 (c)
- FABER-ZÜLLIG, E. *See* SCHWENDER, D., 476
- FABER-ZÜLLIG, E. *See* SCHWENDER, D., 572
- FAIRLEY, C. J. & O'RIORDAN, J. A. Beard restraint causing difficult intubation, 740 (c)
- FALLON, P. *See* OWEN-REECE, H., 1102 (c)
- FAN, S. Z., SUSETIO, L. & TSAI, M. C. Neuromuscular blockade of the fetus with pancuronium or pipecuronium for intra-uterine procedures, 284
- FARLING, P. A. The McCoy levering laryngoscope blade, 357 (c)
- FARNILL, D. & INGLIS, S. Patients' desire for information about anaesthesia: Australian attitudes, 162 (f)
- FAROQUI, M. *See* BENSON, J. P., 544 (c)
- FEE, J. P. H. *See* GRACE, D., 686
- FELDMAN, S. A. *See* CAMPKIN, N. T. A., 501
- FELDMAN, S. A. *See* ENGLAND, A. J., 554 (c)
- FELDMAN, S. A., HOOD, J. R., CAMPKIN, N. T. A. & REHM, S. Sensitivity to second dose of mivacurium, 671
- FELDMAN, S. A. *See* HOOD, J. R., 682
- FIELD, L. M. *See* BASS, S. P., 649 (c)
- FILSHIE, A. S. *See* FILSHIE, G. M., 922 (c)
- FILSHIE, G. M. & FILSHIE, A. S. Portable suction devices, 922 (c)
- FINDLAY, J. Y. White veins after propofol, 838 (c)
- FITZGERALD, R. D., KRAFFT, P., SKRBENSKY, G., PERNERSTORFER, T., STEINER, E., KAPRAL, S. & WEINSTABL, C. Excursions of the cervical spine during tracheal intubation: blind oral intubation compared with direct laryngoscopy, 111
- FLATT, N. W. & HULME, J. Bench test for Vygon disposable PCA device, 739 (c)
- FLEMING, B. G. *See* COHEN, A. M., 522 (f)
- FORBES, D. W. *See* SCOTT, N. B., 594
- FORDE, S. C. O. & SPITALL, M. J. The Baxter-controlled analgesia system for postoperative doxapram therapy, 649 (c)
- FORREST, F. *See* SPIVEY, K., 182 (c)
- FOUND, P. *See* NORMANDALE, J. P., 735 (c)
- FRANCIS, J. G. Metal sensitivity, 181 (c)
- FRANSSON, S.-G. *See* JENSEN, A. G., 640 (c)
- FRASER, M. H. *See* WATT, J. W. H., 320
- FRASER, M. H. *See* WATT, J. W. H., 328 (f)
- FREEMAN, J. A. & ARMSTRONG, I. R. Pulmonary function tests before and after laparoscopic cholecystectomy, 579
- FRENCH, G. W. G. *See* OTERO, J. J., 1015 (c)
- FRERK, C. *See* JEWELL, W. E., 543 (c)
- FRERK, C. M. *See* WRIGHT, C. J., 979
- FRIDRICH, P. *See* STELTZER, H., 1039
- FROST, N. *See* SHIRLEY, P. J., 551 (c)
- FRY, R. A. *See* SCHUG, S. A., 528 (f)
- FULGENCIO, J. P. & HAMZA, J. Anaesthesia for Caesarean section in a patient receiving high dose amiodarone for fetal supraventricular tachycardia, 406
- GAJRAJ, N. M. *See* PENNANT, J. H., 448 (c)
- GAJRAJ, N. M. & BALA, A. S. Patient's knowledge of anaesthetists, 559 (c)
- GAJRAJ, N. M., CHASON, D. P. & SHEARER, V. E. Cervical spine movement during orotracheal intubation: comparison of the Belscope and Macintosh blades, 772
- GALLART, L., GEA, J., SAMSO, E., BROQUETAS, J. M. & PUIG, M. M. Interpleural analgesia, phrenic nerve paralysis and patient position, 175 (c)
- GAMIL, M. Combined spinal/epidural anaesthesia for Caesarean section, 545 (c)
- GAMLIN, F., CALDICOTT, L. D. & SHAH, M. V. Mediastinitis and sepsis syndrome following intubation, 883
- GAMLIN, F. *See* VUCEVIC, M., 889
- GAMULIN, Z. *See* KERN, C., 642 (c)
- GARCIA, M. *See* VILA, P., 909 (f)
- GEA, J. *See* GALLART, L., 175 (c)

- GEDEON, A., KRILL, P. & MEBIUS, C. A new colorimetric breath indicator (Colibri). A comparison of the performance of two carbon dioxide indicators, 798
- GEMPELER, F., ELSTON, A. C., THOMPSON, S. P. & PARK, G. R. Propofol and Intralipid cause creaming of serum from critically ill patients, 17
- GEORGE, A. 'Failed' cuff inflation of a laryngeal mask, 80 (c)
- GEORGE, A. & TIGHE, S.Q.M. An unusual complication of cardiopulmonary resuscitation, 742 (c)
- GERAGHTY, I. F. *See* HETT, D. A., 157 (f)
- GERAGHTY, I. F. *See* RISDALL, J. E., 179 (c)
- GERAGHTY, I. F. *See* BAILEY, A. R., 348 (c)
- GERMON, T. J., MANARA, A. R., KANE, N. M. & NIELSON, R. J. Possible limitations of cerebral oximetric monitoring in adults, 639 (c)
- GESINK-VAN DER VEER, B. J. *See* HAAK-VAN DER LELY, F., 116
- GHOSH, S. *See* EDMENDS, S., 608
- GIBSON, F. M. *See* PHILLIPS, S. A., 445 (c)
- GIEBLER, R. *See* SCHERER, R., 398
- GLYNN, C. J. *See* DANGOISSE, M., 961
- GOLDSMITH, A. & SCOTT, R. P. F. Fixed dilated pupils and alcuronium infusions, 265 (c)
- GOLDSTONE, J. *See* OWEN-REECE, H., 1102 (c)
- GOLLING, W. *See* SCHWENDER, D., 572
- GOODMAN, N. W. Noninvasive monitoring of respiratory volume: correlation and accuracy, 76 (c)
- GOODMAN, N. W. Research and publication as a component of the curriculum vitae, 1006 (c)
- GOODMAN, N.W. Misquoted support for testing of carbon dioxide sensitivity, 836 (c)
- GOODWIN, D. *See* WHITTY, P., 644 (c)
- GORDON, P. C. *See* HOLDEN, D., 1103 (c)
- GOTO, F. *See* NAGAI, K., 603
- GOUDSOUZIAN, N. G. *See* SHORTEN, G. D., 74 (c)
- GOULD, T.H., UPTON, P.M. & COLLINS, P. A survey of the intended management of acute postoperative pain by newly qualified doctors in the South West region of England in August 1992, 807 (f)
- GOVENDER, G. *See* KAM, P. C. A., 515
- GRACE, D., LAVERY, G.G., JACKSON, P., CANAVAN, D.A. & FEE, J.P.H. Intensive care management of multiple-organ dysfunction due to falciparum malaria in a married couple, 686
- GRAHAM, D. Neonatal resuscitation: a tragedy in the wings, 180 (c)
- GRAHAM, D. & PARSLÖE, M. R. The Baxter PCA system: balloon rupture, 353 (c)
- GRAHAM, D. 'Vial' poetry, 652 (c)
- GRANT, A. *See* HAYNES, T. K., 54 (f)
- GRANT, I. S. *See* MCFARLANE, C., 38
- GRANT, I. S. *See* NIMMO, G. R., 485
- GREEN, M. *See* ELLIOTT, M. W., 279
- GREEN, M. *See* LAM, Y., 745 (c)
- GREENSLADE, G.L. *See* SWAYNE, P., 696
- GRIFFITH, K. *See* PENNANT, J. H., 448 (c)
- GRIMES, A. P. *See* SHEIKH, A., 1007 (c)
- GROUND, R. M. *See* QUINN, A. C., 567
- GROUND, R. M. *See* NEWMAN, P. J., 936
- GROUND, R.M. *See* RUGGIER, R., 759
- GROVES, E. R. *See* SWINHOE, C. F., 165 (f)
- GROVES, J., EDWARDS, N. & CARR, B. The use of a visual aid to check anaesthetic machines. Is performance improved?, 122
- GROVES, J., EDWARDS, N. & HOOD, G. Difficult intubation following thoracic trauma, 698
- GRUNDY, E. M. *See* LOVELL, A. T., 453 (c)
- GÜNNICKER, M. *See* SCHERER, R., 398
- GUPTA, S., CHARI, P., BALA, I. & MURALIDHAR, J. Phacomorphic glaucoma - an unusual cause of postoperative vomiting, 959
- HAAK-VAN DER LELY, F., VAN KLEEF, J. W., GESINK-VAN DER VEER, B. J., BURM, A. G. L. & BOVILL, J. G. Efficacy of epidurally administered sufentanil versus bupivacaine during thoracic surgery. A randomised placebo-controlled double-blind study, 116
- HAAK-VAN DER LELY, F., VAN KLEEF, J. W., BURM, A. G. L. & BOVILL, J. G. An intra-operative comparison of lumbar with thoracic epidural sufentanil for thoracotomy, 119
- HAAK-VAN DER LELY, F., BURM, A. G. L., VAN KLEEF, J. W., BOVILL, J. G. & VLETTER, A. A. Plasma concentrations of alfentanil following epidural administration, 850
- HAAK-VAN DER LELY, F., BURM, A. G. L., VAN KLEEF, J. W., VAN DEN NIEUWENHUYZEN, M. C. O., SIEMENS, T. J., MULDER, S. M., BOVILL, J. G. & VLETTER, A. A. The effect of epidural administration of alfentanil on intra-operative intravenous alfentanil requirements during nitrous oxide-oxygen-alfentanil anaesthesia for lower abdominal surgery, 1034
- HALL, G. M. *See* QUINN, A. C., 567
- HALL, G. M. *See* NEWMAN, P. J., 936
- HALL, I. *See* KIDD, A. G., 83 (c)
- HALL, I. A. A complication of inappropriate use of peripheral nerve stimulation, 925 (c)
- HALL, W. *See* DRESNER, M., 1014 (c)
- HALSALL, P. J. *See* HOPKINS, P. M., 373
- HAMILTON, R. C. Routine use of the perconjunctival route for administration of peri-ocular regional anaesthesia, 176 (c)
- HAMMERLE, A. F. *See* STELTZER, H., 229
- HAMMERLE, A. F. *See* STELTZER, H., 432 (f)
- HAMMERLE, A. F. *See* STELTZER, H., 1039
- HAMMOUD, R. *See* BARAKA, A., 304
- HAMPL, K. F., STOTZ, G. & SCHNEIDER, M. C. Postoperative transient hemihypaesthesia and severe headache associated with caffeine withdrawal, 266 (c)
- HAMPSON-EVANS, D. *See* BULLINGHAM, A., 866
- HAMZA, J. *See* FULGENCIO, J. P., 406
- HANNHART, B. *See* BOISSON-BERTRAND, D., 846
- HARDING, L. & WHITE, J. B. Another latex allergy, 926 (c)
- HARDY, S.C. *See* WILLIAMS, I.M., 762
- HARING, P. *See* SÖDERLIN, M. K., 870

- HARMER, M. Back to basics?: editorial, 749
- HARRIS, D. N. F. Near infrared spectroscopy: a reply, 75 (c)
- HARRISON, N. & WALDER, A. D. Pain scores during venous cannulation, 1015 (c)
- HARROP-GRIFFITHS, W. See MITCHELL, J. B., 315
- HARTLEY, M., MORRIS, S. & VAUGHAN, R. S. Teaching fiberoptic intubation. Effect of alfentanil on the haemodynamic response, 335 (f)
- HARTOPP, I. K. Incorrect settings on Manley ventilators, 916 (c)
- HARWOOD, R. See SINGH, P., 996 (f)
- HASAN, M. A. & BLACK, A. E. A new technique for fiberoptic intubation in children, 1031
- HASAN, M. A., HOWARD, R. F. & LLOYD-THOMAS, A. R. Depth of epidural space in children, 1085 (f)
- HASSAN, A. See MAHONEY, P. F., 650 (c)
- HAYDEN SMITH, J. See WOOD, P. R., 77 (c)
- HAYNES, S. R. Near infrared spectroscopy, 75 (c)
- HAYNES, T. K., APPADURAI, I. R., POWER, I., ROSEN, M. & GRANT, A. Intra-articular morphine and bupivacaine analgesia after arthroscopic knee surgery, 54 (f)
- HAYNES, T. K. See WHITEHEAD, C., 490
- HEARN, M. Faulty central venous catheter, 455 (c)
- HEATH, K. J. The effect on laryngoscopy of different cervical spine immobilisation techniques, 843
- HEATH, M. L. Prilocaine, pethidine and intravenous regional anaesthesia, 554 (c)
- HEIJKE, S. A. M. See HOLDEN, D., 1103 (c)
- HENNESSY, N. See MAHAJAN, R. P., 583
- HERREGODS, L., ROLLY, G., VAN BELLEGHEM, Y. & VAN NOOTEN, G. Haemodynamic effects of R 80122 immediately after cardiopulmonary bypass: preliminary results, 719 (f)
- HETT, D. A., GERAGHTY, I. F., RADFORD, R. & HOUSE, J. R. Routine pre-oxygenation using a Hudson mask. A comparison with a conventional pre-oxygenation technique, 157 (f)
- HICKEY, S. Propofol/fentanyl anaesthesia for cardiac surgery, 173 (c)
- HICKEY, S. See LAWSON, R., 915 (c)
- HICKMAN, N. 'Heparin analgesia', 1105 (c)
- HIESMAYR, M. See STELTZER, H., 229
- HIESMAYR, M. See STELTZER, H., 1039
- HIETAKORPI, S. See SÖDERLIN, M. K., 870
- HIGHLEY, D. A. Condensation, 1101 (c)
- HILL, D. J., MUNGLANI, R. & SAPSFORD, D. Haemodynamic responses to surgery in brain-dead organ donors, 835 (c)
- HILL, H. M. See SILK, J. M., 170 (c)
- HILTON, P. J. See BYRNE, A. J., 376
- HIND, M. See WILLIAMS, A. R., 340 (f)
- HINDLE, A. T. & SHAH, M. V. Propofol-fentanyl anaesthesia for cardiac surgery, 445 (c)
- HIRSCH, J. Impact of postoperative nausea and vomiting in the surgical setting, 30(S)
- HODGSON, C. A. & ANDERSEN, B. D. Latex allergy: an unfamiliar cause of intra-operative cardiovascular collapse, 507
- HOGGIN, E. See THIAGARAJAN, J., 211
- HÖGMAN, B. Engstrom Elvira tube support arm causes power failure: a reply, 829 (c)
- HOLDEN, D., GORDON, P. C. & HEIJKE, S. A. M. Problems with an incorrectly assembled disposable anaesthetic breathing system, 1103 (c)
- HOLDEN, S., MUNGLANI, R. & WHEILDON, M. Cerebrospinal fluid cutaneous fistula, 836 (c)
- HOOD, G. See GROVES, J., 698
- HOOD, J. R. See CAMPKIN, N. T. A., 501
- HOOD, J. R. See FELDMAN, S. A., 671
- HOOD, J. R., CAMPKIN, N. T. A. & FELDMAN, S. A. Curare modification of suxamethonium blockade, 682
- HOPKINS, P. M., HALSALL, P. J. & ELLIS, F. R. Diagnosing malignant hyperthermia susceptibility: editorial, 373
- HORTON, J. N. Multi-authorship and short listing for senior posts, 640 (c)
- HOUGH, M. Difficulties with infusing new preparation of Gelofusine, 87 (c)
- HOUGH, M. B., BLOOR, G. K. & BRIGHOUSE, D. Cardiorespiratory arrest following combined spinal epidural anaesthesia, 259 (c)
- HOUGHTON, I. T., AUN, C. S. T., WONG, Y. C., CHAN, K., LAU, J. T. F. & OH, T. E. The respiratory depressant effect of morphine. A comparative study in three ethnic groups, 197
- HOUGHTON, I. T. Misquoted support for testing of carbon dioxide sensitivity: a reply, 836 (c)
- HOUSE, J. R. See HETT, D. A., 157 (f)
- HOWARD, R. F. See CASS, L. J., 879
- HOWARD, R. F. See HASAN, M. A., 1085 (f)
- HOWELL, S. J. L. See MILLS, G. H., 954
- HOWES, J. & LENZ, R. Cerebrospinal fluid cutaneous fistula. An unusual complication of epidural anaesthesia, 221
- HUEHNS, T. Y., YENTIS, S. M. & CUMBERWORTH, V. Apparent massive tongue swelling. A complication of orotracheal intubation on the Intensive Care Unit, 414
- HUGGINS, N. J. Why the eagerness to defend?, 355 (c)
- HUGHES, J. A., SANDERS, L. D., DUNNE, J. A., TARPEY, J. & VICKERS, M. D. Reducing smoking. The effect of suggestion during general anaesthesia on postoperative smoking habits, 126
- HUGHES, J. A., SANDERS, L. D., VICKERS, M. D., DUNNE, J. A. & TARPEY, J. Smoking reduction and tape suggestion: a reply, 917 (c)
- HUHTALA, J. See TARKKILA, P., 723 (f)
- HULME, J. See FLATT, N. W., 739 (c)
- HUME, M. A., KENNEDY, B. & ASBURY, A. J. Patient knowledge of anaesthesia and peri-operative care, 715 (f)
- HUME, M. A. & STEVENSON, J. Unusual complication of brachial plexus anaesthesia, 837 (c)
- HUNTER, D. See WILSON, R. J. T., 591
- HUTCHISON, G. L. & LONSDALE, M. Patients' desire for information about anaesthesia: Australian attitudes, 645 (c)
- IANNACE, E. See DORDONI, P. L., 1046
- IGARASHI, M. See IWASAKI, H., 814 (f)
- IGBASEMOKUMO, U. See WILSON, P. T. J., 734 (c)
- INALL, F. C. See NAYLOR, R. J., 2(S)
- INGLIS, S. See FARNILL, D., 162 (f)
- IP YAM, P. C., APPADURAI, I. R. & KOX, W. J. Effect of weaning on oxygen consumption and cardiovascular function. A comparison of continuous flow and demand valve systems, 391

- IP-YAM, C. & ALLSOP, E. Abnormal response to suxamethonium in a patient receiving magnesium therapy, 355 (c)
- IP-YAM, C. & SHAW, S. The laryngeal mask airway and endoscopic guided percutaneous tracheostomy, 733 (c)
- ISAAC, R.M. & DUDAR, T.E. Problems with the Interlink system: a reply, 828 (c)
- ISHIHARA, H., TSUBO, T. & MATSUKI, A. Endobronchial suction in a small child, 548 (c)
- IWASAKI, H., IGARASHI, M. & NAMIKI, A. A preliminary clinical evaluation of magnetic stimulation of the ulnar nerve for monitoring neuromuscular transmission, 814 (f)
- JAPBOUR, S. *See* BARAKA, A., 304
- JACKSON, A. *See* BEARDS, S. C., 968
- JACKSON, D. M. *See* WILKINSON, D. A., 1010 (c)
- JACKSON, I. J. B. *See* WILSON, R. J. T., 591
- JACKSON, P. *See* GRACE, D., 686
- JACOBS, S., SHORTLAND, G., WARNER, J., DEARDEN, A., SINGH GATAURE, P. & TARPEY, J. Validation of a croup score and its use in triaging children with croup, 903 (f)
- JAMES, M. F. M. Problems with soda lime, 1101 (c)
- JAMES, R. H. Checking the expiratory limb of anaesthetic breathing systems, 646 (c)
- JAMIESON, J. W. *See* LYEW, M. A., 895
- JANI, P. *See* WILLIAMS, P. J., 417
- JARVIS, D. A. *See* OSBORNE, G. A., 287
- JAYARAJAH, M. J. & COLE, P. J. Hazard of reinforced tracheal tubes, 918 (c)
- JAYARATNASINGAM, S. *See* CALDICOTT, L. D., 456 (c)
- JAYSON, D.W.H. *See* OATES, J.D.L., 755
- JELLINEK, D. *See* MAHAJAN, R. P., 583
- JENKINS, J. *See* DICKSON, M. A. S., 636 (f)
- JENSEN, A. G., KALMAN, S. H., EINTREI, C., FRANSSÖN, S.-G. & MORALES, O. Atelectasis and oxygenation in major surgery: a reply, 640 (c)
- JEWELL, W. E. & FRERK, C. The laryngeal mask airway - a useful tip, 543 (c)
- JOHNSON, A.L.M. & MORGAN, M. An assessment of a blood warmer for high and low flows, 707
- JOHNSTON, H. M. & RAO, U. The McCoy levering laryngoscope blade, 357 (c)
- JONES, A.S. *See* CHARTERS, P., 825 (c)
- JONES, G. *See* WALSH, T. S., 88 (c)
- JOSLYN, A. F. Ondansetron, clinical development for postoperative nausea and vomiting: current studies and future directions, 34(S)
- KALMAN, S. H. *See* JENSEN, A. G., 640 (c)
- KAM, A. C. *See* KAM, P. C. A., 982
- KAM, A. C. A. & KAM, P. C. A. Scapular and proximal humeral head fractures. An unusual complication cardiopulmonary resuscitation, 1055
- KAM, P. C. A. & GOVENDER, G. Nitric oxide: basic science and clinical applications, 515
- KAM, P. C. A., KAM, A. C. & THOMPSON, J. F. Noise pollution in the anaesthetic and intensive care environment, 982
- KAM, P. C. A. *See* KAM, A. C. A., 1055
- KANE, N. M. *See* GERMON, T. J., 639 (c)
- KANTO, J. *See* VIRKKILÄ, M., 853
- KAPRAL, S. *See* FITZGERALD, R. D., 111
- KAPUR, V. *See* DOBLAR, D. D., 178 (c)
- KARASAWA, J. *See* KAWAGUCHI, M., 411
- KAWAGUCHI, M., SAKAMOTO, T., OHNISHI, H. & KARASAWA, J. Emergency X ray-guided nasotracheal intubation in a patient with a spinal epidural haematoma, 411
- KAWAMATA, M., OMOTE, K., NAMIKI, A. & MIYABE, M. Measurement of intercostal and pleural pressures by epidural catheter, 298
- KELLER, H. L. *See* SCHAEFER, H. G., 331 (f)
- KELLOW, N. H. Pacemaker failure and peripheral nerve stimulation, 181 (c)
- KELLOW, N. H. The renin-angiotensin system and angiotensin converting enzyme (ACE) inhibitors, 613
- KENNEDY, B. *See* HUME, M.A., 715 (f)
- KENNEDY, N. & LIM, W. Capnography for teaching airway management, 1096 (c)
- KENNY, G. N. C. Risk factors for postoperative nausea and vomiting, 6(S)
- KERN, C. & GAMULIN, Z. Generalised convulsions after intravenous regional anaesthesia with prilocaine, 642 (c)
- KERR, W. J. *See* CRAWFORD, M., 907 (f)
- KHOURY, G. *See* BARAKA, A., 304
- KIDD, A. G. & HALL, I. Fault with an Ohmeda Excel 210 anaesthetic machine, 83 (c)
- KILPATRICK, A., RIDLEY, S. & PLENDERLEITH, L. A changing role for intensive therapy: is there a case for high dependency care?, 666
- KILPATRICK, E. S. *See* SMITH, E. A., 129
- KING, C. & STREET, M.K. Twelfth cranial nerve paralysis following use of a laryngeal mask airway, 786
- KING, J., TAYLOR, B. L. & SMITH, G. B. Positioning fine-bore nasogastric tubes, 265 (c)
- KING, J. E. *See* O'DWYER, J. P., 587
- KIRKPATRICK, T. *See* LUNTLEY, J.B., 736 (c)
- KITCHIN, N. R. E. *See* ENGLAND, A. J., 177 (c)
- KLASING, S. *See* SCHWENDER, D., 99
- KLASING, S. *See* SCHWENDER, D., 476
- KLASING, S. *See* SCHWENDER, D., 572
- KLEIMAN, S. J. *See* TESSLER, M. J., 439 (f)
- KONARZEWSKI, W. H. & MISSO, S. Rett syndrome and delayed recovery from anaesthesia, 357 (c)
- KOSKI, E. *See* SÖDERLIN, M. K., 870
- KOX, W. J. *See* IP YAM, P. C., 391
- KOX, W. J. *See* SCHERER, R., 398
- KRAFFT, P. *See* FITZGERALD, R. D., 111
- KRAFFT, P. *See* STELTZER, H., 229
- KRAFFT, P. *See* STELTZER, H., 1039
- KRAUS, P. *See* BEARDS, S.C., 791
- KRILL, P. *See* GEDEON, A., 798
- KRISHNA, A. *See* AHUJA, S., 441 (f)

- KRISTENSEN, J. E. *See* DIERKING, G. W., 627 (f)
- KUA, J. S. W. & TAN, I. A rare cause of oxygen failure, 650 (c)
- KULKARNI, V. *See* SHIRLEY, P. J., 551 (c)
- KUMAR, A., TANDON, O. P., DAM, S., BHATTACHARYA, A. & TYAGI, K. K. Brainstem auditory evoked response changes following electroacupuncture therapy in chronic pain patients, 387
- KUMAR, A., TANDON, O. P., BHATTACHARYA, A., BOSE, S. & KUNDRA, P. Recovery from pre-operative sedation with clonidine - brain stem auditory evoked response, 533 (f)
- KUMAR, C. M. *See* WOOD, P. R., 77 (c)
- KUMAR, N. *See* RAVALIA, D., 541 (c)
- KUMON, K. *See* YAHAGI, N., 450 (c)
- KUMON, K. *See* YAHAGI, N., 916 (c)
- KUNDRA, P. *See* KUMAR, A., 533 (f)
- LACK, A. Auditing of the anaesthetic record, 836 (c)
- LAING, D. *See* BRIMACOMBE, J., 171 (c)
- LAKE, A. P. J. Maternal mortality, 649 (c)
- LALWANI, K. *See* PUGH, S., 35
- LALWANI, K. A migrating central venous catheter, 1105 (c)
- LAM, F. Y., BROOME, I. J. & MATTHEWS, P. J. A comparison of postoperative analgesia following spinal or epidural anaesthesia for Caesarean section, 65 (f)
- LAM, F. Y., BROOME, I. J. & MATTHEWS, P. J. A comparison of postoperative analgesia following spinal or epidural anaesthesia for Caesarean section (Erratum), 372
- LAM, Y. & GREEN, M. The sterile anaesthetist?, 745 (c)
- LAMONT, M. *See* NOBLE, D. W., 497
- LANDON, M. J. *See* LOCKWOOD, G. G., 44
- LANGE, R. *See* SCHERER, R., 398
- LANGEMEIJER, J. J. M. *See* VAN DONGEN, V. C. P. C., 1097 (c)
- LANGTON, J. A. *See* MURPHY, P. J., 105
- LARROQUE, C. *See* PARK, G. R., 188
- LARROQUE, C. *See* PARK, G. R., 347 (c)
- LATTO, I. P. *See* ASAI, T., 170 (c)
- LAU, J. T. F. *See* HOUGHTON, I. T., 197
- LAUBER, R., STEINER, A. & ZBINDEN, A. M. Accuracy, alarm limits and rise times of 12 oxygen analysers, 1071
- LAUWERS, M. H., VAN LERSBERGHE, C. & CAMU, F. Inhalation anaesthesia and the Kearns-Sayre syndrome, 876
- LAVERY, G. G. *See* GRACE, D., 686
- LAVIES, N. G. *See* MORRIS, W. W., 41
- LAVILLA, M. *See* DE LA CALLE, J. L., 694
- LAWES, E. G. A flexing laryngoscope, 555 (c)
- LAWLER, P. G. P. *See* WOOD, P. R., 77 (c)
- LAWSON, R. & HICKEY, S. Puncture of the laryngeal mask airway cuff, 915 (c)
- LAYCOCK, J. R. D. *See* BURDEN, R. J., 743 (c)
- LE POIDEVIN, R. Capnography alerts to major breathing system fault: a reply, 167 (c)
- LE POIDEVIN, R. Monitoring line failure: a reply, 457 (c)
- LE POIDEVIN, R. An unusual communication?: a reply, 830 (c)
- LEACH, A. *See* DODS, I., 832 (c)
- LEE, A. *See* MCFARLANE, C., 38
- LEE, A. *See* MCFARLANE, C., 779
- LEE, B. B. & CRITCHLEY, L. A. H. Pleural effusions and anaesthesia, 178 (c)
- LEE, J. J. Anaphylactoid reaction following epidural block: local anaesthetic or latex?, 263 (c)
- LEE, T. W., LOEWENTHAL, A. E., STRACHAN, J. A. & TODD, B. D. Pain during injection of propofol. The effect of prior administration of thiopentone, 817 (f)
- LEITH, S. *See* WILSON, R. J. T., 591
- LEKHAK, B. D. *See* SHRESTHA, B. M., 703
- LEMMENS, E. *See* VERTOMMEN, J. D., 678
- LENZ, R. *See* HOWES, J., 221
- LEPPÄLUOTO, J. *See* RYHÄNEN, P., 57 (f)
- LEPPARD, P. I. *See* OSBORNE, G. A., 287
- LEATHEREN, M. J. R. Sterilisation of gum elastic bougies, 921 (c)
- LEWIS, I. H. Histamine release following atracurium in the elderly, 74 (c)
- LIEW, Q. Y., TAY, D. H. B. & THOMAS, E. Lignocaine 0.5% for spinal anaesthesia in gynaecological day surgery, 633 (f)
- LIGHTMAN, D. J. Mivacurium apnoea, 835 (c)
- LILEY, A. Problems with soda lime, 550 (c)
- LIM, A., MARJOT, R. & SIMONS, B. Give a hand to PCA, 738 (c)
- LIM, S. L., TAY, D. H. B. & THOMAS, E. A comparison of three types of tracheal tube for use in laryngeal mask assisted blind orotracheal intubation, 255 (f)
- LIM, W. & CONE, A. M. Laryngeal mask and the prone position, 542 (c)
- LIM, W. *See* KENNEDY, N., 1096 (c)
- LIM, Y. C. *See* DOBLAR, D. D., 178 (c)
- LINDSAY, W. A. Beard, Arthur John Wells, 271 (c)
- LIPMAN, J. *See* BEARDS, S. C., 137
- LIPMAN, J. *See* BEARDS, S. C., 791
- LIPMAN, J. *See* BEARDS, S. C., 968
- LIPP, A. Patient's knowledge of anaesthesia, 1104 (c)
- LIU, C.-C. *See* CHERNG, Y.-G., 1052
- LIU, D. W. H. *See* SPEARS, F. D., 550 (c)
- LIU, R., BARRY, J. E. S. & WEINMAN, J. Effects of background stress and anxiety on postoperative recovery, 382
- LIUKKO-SIPI, S. *See* PIIRTTIKANGAS, C.-O., 13
- LLOYD, R. & PYE, F. Adjustable paediatric breathing system support, 267 (c)

- LLOYD-THOMAS, A. R. *See* HASAN, M. A., 1085 (f)
- LOAN, P. B. *See* MCCOY, E. P., 940
- LOCKWOOD, G. G., LANDON, M. J., CHAKRABARTI, M. K. & WHITWAM, J. G. The Ohmeda Rascal II. A new gas analyser for anaesthetic use, 44
- LOEWENTHAL, A. E. *See* LEE, T. W., 817 (f)
- LOGAN, S. & CHARTERS, P. Laryngeal mask and fiberoptic tracheal intubation, 543 (c)
- LONGREEN, A. *See* ORNTOFT, S., 151 (f)
- LONSDALE, M. *See* HUTCHISON, G. L., 645 (c)
- LOVELL, A. T., ALEXANDER, R. & GRUNDY, E. M. Silent, unstable, cervical spine injury in multiple neurofibromatosis, 453 (c)
- LUNN, J. N. *See* BYRNE, A. J., 376
- LUNTLEY, J. B. & KIRKPATRICK, T. Tracheal tube placement during percutaneous dilational tracheostomy, 736 (c)
- LYEW, M. A. & JAMIESON, J. W. Blood pressure measurement using oscillometric finger cuffs in children and young adults. A comparison with arm cuffs during general anaesthesia, 895
- LYONS, S. M. The medical fast-track: editorial, 841
- MACKENZIE, S. J. *See* NIMMO, G. R., 485
- MACKIE, D., CRANFIELD, J. & BODDU, K. Unexpected loss of resistance, 458 (c)
- MACRAE, W. A. *See* DAVIES, H. T. O., 661
- MADDINENI, V. R. *See* MCCOY, E. P., 940
- MADDINENI, V. R., MIRAKHUR, R. K. & MCCOY, E. P. Recovery of mivacurium block with or without anticholinesterases following administration by continuous infusion, 946
- MADLER, C. *See* SCHWENDER, D., 99
- MAHAJAN, R. P. *See* CROSSLEY, A. W. A., 205
- MAHAJAN, R. P., HENNESSY, N., AITKENHEAD, A. R. & JELLINEK, D. Effect of three different surgical prone positions on lung volumes in healthy volunteers, 583
- MAHAJAN, R. P., MURTY, G. E., SINGH, P. & AITKENHEAD, A. R. Effect of topical anaesthesia on the motor performance of vocal cords as assessed by tussometry, 1028
- MAHONEY, P. F., HASSAN, A. & CONACHER, I. D. Pleural effusions and anaesthesia, 650 (c)
- MAJOR, E. *See* BAKER, C. E., 1050
- MALLETT, S. *See* ALCOCK, R., 394
- MALLETT, S. V. *See* RANASINGHE, D. N., 403
- MANARA, A. R. *See* GERMON, T. J., 639 (c)
- MANARA, A. R. *See* TAYLOR, S., 1013 (c)
- MANDAL, P. & CHAUDHARY, S. Calculation of inspired oxygen fraction during anaesthesia based on awake oxygen saturation, 726 (f)
- MANNAR, R. *See* CHARTERS, P., 825 (c)
- MANNERS, J. M. Muscle rigidity in meningococcal meningitis, 544 (c)
- MANNERS, J. M. A national database for the management of acute diseases?, 553 (c)
- MANNERS, J. M. Muscle rigidity in meningococcal meningitis (Erratum), 840
- MANSCOT, H. J., VAN DER ANKER, J. N. & TIBBOEL, D. Tracheal agenesis, 788
- MANSFIELD, M., MEIKLE, R. & MILLER, C. A trial of pre-emptive analgesia. Influence of timing of perioperative alfentanil on postoperative pain and analgesic requirements, 1091 (f)
- MARJOT, R. Laryngeal mask cuff pressures, 447 (c)
- MARJOT, R. *See* LIM, A., 738 (c)
- MARSCH, S. C. U. *See* SCHAEFER, H. G., 331 (f)
- MARSCH, S. C. U. & SCHAEFER, H. G. External ophthalmoplegia after total intravenous anaesthesia, 525 (f)
- MARSHALL, R. W. *See* WHITEHEAD, C., 490
- MARTENS, P. The use of the laryngeal mask airway by nurses during cardiopulmonary resuscitation, 731 (c)
- MARTIN, J. *See* WILSON, P. T. J., 734 (c)
- MARUŠIĆ, M. *See* PARIĆ, M., 1022
- MASIERI, S. *See* CAVALIERE, F., 641 (c)
- MASON, N. P. *See* EGGERS, K. A., 922 (c)
- MASON, S. An unsuspected source of breathing system failure: a reply, 827 (c)
- MASSEY, S. R. & BALAJI, B. Surgical emphysema and laparoscopic surgery, 356 (c)
- MASTERSON, G. R. *See* BECK, G. N., 348 (c)
- MASTERSON, G. R. & SMURTHWAITE, G. J. A complication of percutaneous tracheostomy, 452 (c)
- MASTERSON, G. R., ASHCROFT, G. S. & SHAH, R. Factors important in determining trainee anaesthetists' quality of life, 991 (f)
- MATHER, S. J. Capnography in babies and small children, 1096 (c)
- MATSUKI, A. *See* ISHIHARA, H., 548 (c)
- MATTHEWS, P. J. *See* LAM, F. Y., 65 (f)
- MATTHEWS, P. J. *See* LAM, F. Y., 372
- MAUREL, P. *See* PARK, G. R., 188
- MAUREL, P. *See* PARK, G. R., 347 (c)
- MAYER, N. *See* STELTZER, H., 229
- MAYNE, P. N. *See* VYVYAN, H. A. L., 245 (f)
- MAZOIT, J.-X. *See* NYARWAYA, J.-B., 775
- MCANULTY, G. R. & SUTTON, B. A case for anticonfusion devices in parenteral catheters, 557 (c)
- MCBRIDE, W. T. & MCMURRAY, T. J. Prolonged high frequency jet ventilation and milrinone therapy following modified Fontan procedure, 312
- MCCANN, N., NIMMO, S. & BROOME, I. Engstrom Elvira tube support arm causes power failure, 829 (c)
- MCCANN, T. *See* CROOKE, J. W., 547 (c)
- MCCAUGHEY, W. *See* BHANUMURTHY, S., 824 (c)
- MCCLUSKEY, A. & MEAKIN, G. H. Oral administration of midazolam as a premedicant for paediatric day-case anaesthesia, 782
- MCCOLLUM, C. N. *See* WILLIAMS, I. M., 76 (c)
- MCCOLLUM, C. N. *See* WILLIAMS, I. M., 762
- MCCONACHIE, I. *See* SANCHEZ-CAPUCHINO, A., 912 (f)
- MCCOY, E. P., MIRAKHUR, R. K., MADDINENI, V. R., LOAN, P. B. & CONNOLLY, F. Administration of rocuronium (Org 9426) by continuous infusion and its reversibility with anticholinesterases, 940
- MCCOY, E. P. *See* MADDINENI, V. R., 946

- MCEWEN, A. W., CALDICOTT, L. D. & BARKER, I. Parents in the anaesthetic room – parents' and anaesthetists' views, 987 (f)
- MCFARLANE, C., DENHOLM, S. W., SUDLOW, C. L. M., MORALEE, S. J., GRANT, I. S. & LEE, A. Laryngotracheal stenosis: a serious complication of percutaneous tracheostomy, 38
- MCFARLANE, C. & LEE, A. A comparison of Plasmalyte 148 and 0.9% saline for intra-operative fluid replacement, 779
- MCFARLANE, H. J. Anaesthesia and the new generation monoamine oxidase inhibitors, 597
- MCGEACHIE, J. F. *See* RICHARDS, A. L., 1008 (c)
- MCGLASHAN, J. *See* WILLIAMS, P. J., 417
- MCHUGH, P. New product label information for suxamethonium in the USA – here next?, 647 (c)
- MCKINNON, R. P. & SINCLAIR, C. J. Angiotensinamide in the treatment of probable anaphylaxis to succinylated gelatin (Gelofusine), 309
- MCLAREN, A. D. *See* ABBOTT, M. A., 343 (f)
- MCMURRAY, T. J. *See* PHILLIPS, S. A., 173 (c)
- MCMURRAY, T. J. *See* MCBRIDE, W. T., 312
- MCMURRAY, T. J. *See* PHILLIPS, S. A., 445 (c)
- MCQUEEN, F. *See* SERPELL, M. G., 538 (f)
- MEAKIN, G. H. *See* MCCLUSKEY, A., 782
- MEARNS, A. J. *See* RICHARDSON, J., 90 (c)
- MEBIUS, C. *See* GEDEON, A., 798
- MEERT, T. F. *See* VERCAUTEREN, M. P., 767
- MEIKLE, R. *See* MANSFIELD, M., 1091 (f)
- MERRITT, F. K. *See* COLLUM, C. R., 349 (c)
- MICHELS, A. M. J. & STOTT, S. Explosion of tracheal tube during tracheostomy, 1104 (c)
- MIDDLETON, A. M. A problem with a Venticare oxygen mask: a reply, 826 (c)
- MILLER, C. *See* MANSFIELD, M., 1091 (f)
- MILLIGAN, K. A. laryngeal mask in the prone position, 449 (c)
- MILLIGAN, K. R. *See* MORROW, B. C., 837 (c)
- MILLMAN, A. M. Faulty epidural needle, 270 (c)
- MILLS, G. H. & CHAFFE, A. G. Sleeping positions adopted by pregnant women of more than 30 weeks gestation, 249 (f)
- MILLS, G. H., HOWELL, S. J. L. & RICHMOND, M. N. Spinal cord compression immediately following, but unrelated to, epidural analgesia, 954
- MILNE, B. R. *See* MYINT, Y., 85 (c)
- MIRAKHUR, R. K. Myalgia and suxamethonium: a reply, 87 (c)
- MIRAKHUR, R. K. *See* PHILLIPS, S. A., 173 (c)
- MIRAKHUR, R. K. *See* PHILLIPS, S. A., 445 (c)
- MIRAKHUR, R. K. *See* MCCOY, E. P., 940
- MIRAKHUR, R. K. *See* MADDINENI, V. R., 946
- MISSO, S. *See* KONARZEWSKI, W. H., 357 (c)
- MITCHELL, J. B. & HARROP-GRIFFITHS, W. Suxamethonium apnoea and the isolated leg, 315
- MIYABE, M. *See* KAWAMATA, M., 208
- MOINICHE, S. *See* ØRNTØFT, S., 151 (f)
- MONK, C. R. *See* COOK, T. M., 828 (c)
- MOORE, C. & SAMUEL, J. Intra-ocular pressure changes in patients with glaucoma, 833 (c)
- MOORE, W. J. & UNDERWOOD, S. Propofol as sole agent for paediatric day-case dental surgery. A randomised study comparing an intravenous propofol infusion with 100% inspired oxygen versus a nitrous oxide/oxygen/halothane maintenance technique, 811 (f)
- MORALEE, S. J. *See* MCFARLANE, C., 38
- MORALES, O. *See* JENSEN, A. G., 640 (c)
- MORGAN, B. M. *See* PATEL, M., 223
- MORGAN, L. H. *See* BRAHMA, A. K., 1003 (f)
- MORGAN, M. *See* RODGERS, S. J., 185
- MORGAN, M. *See* JOHNSON, A. L. M., 707
- MORGAN, M. *See* CHEAM, E. W. S., 1019
- MORGAN, P. W. *See* BELL, M. D. S., 269 (c)
- MORGAN, R. J. & STELLER, P. H. Acute paraplegia following intrathecal phenol block in the presence of occult epidural malignancy, 142
- MORRIS, G. N. Orotracheal intubation in a patient with cervical spine injury, 258 (c)
- MORRIS, P. *See* WALKER, R. W. M., 1078
- MORRIS, S. *See* ASAI, T., 169 (c)
- MORRIS, S. *See* HARTLEY, M., 335 (f)
- MORRIS, S. *See* ASAI, T., 1098 (c)
- MORRIS, W. W., LAVIES, N. G., ANDERSON, S. K. & SOUTHGATE, H. J. Acute respiratory distress during Caesarean section under spinal anaesthesia. A probable case of anaphylactoid reaction to Syntocinon, 41
- MORROW, B. C. & MILLIGAN, K. R. The use of lower dose ketorolac, 837 (c)
- MORTIMER, A. *See* WILLIAMS, I. M., 76 (c)
- MORTIMER, A. J. *See* WILLIAMS, I. M., 762
- MOSS, E. *See* BROOK, J., 219
- MOTSCH, J. *See* BÖHRER, H., 742 (c)
- MOXHAM, J. *See* ELLIOTT, M. W., 279
- MULDER, S. M. *See* HAAK-VAN DER LELY, F., 1034
- MUNGLANI, R. Depth of anaesthesia, 78 (c)
- MUNGLANI, R. *See* HILL, D. J., 835 (c)
- HEDLEY, R. M. *See* HOLDEN, S., 836 (c)
- MUNRO, F. J. & BROOME, I. Radial artery occlusion detected by pulse oximetry, 1102 (c)
- MURALIDHAR, J. *See* GUPTA, S., 959
- MURGA, G., SAMSDØ, E., VALLES, J., CASANOVAS, P. & PUIG, M. M. The effect of clonidine in intra-operative requirements of fentanyl during combined epidural/general anaesthesia, 999 (f)
- MURPHY, P. J., ERSKINE, R. & LANGTON, J. A. The effect of intravenously administered diazepam, midazolam and flumazenil on the sensitivity of upper airway reflexes, 105
- MURRAY, W. B. *See* BHIMSAN, N. R., 419
- MURTY, G. E. *See* MAHAJAN, R. P., 1028

- MYINT, Y., BAILEY, P. W. & MILNE, B. R. Cardiorespiratory arrest and combined spinal/epidural anaesthesia for Caesarean section: a reply, 85 (c)
- MYLES, P. S. Smoking reduction and tape suggestion, 917 (c)
- NAGAI, K., SAKURAMOTO, C. & GOTO, F. Unilateral hypoglossal nerve paralysis following the use of the laryngeal mask airway, 603
- NAIR, I. & THOMPSETT, C. Laryngeal mask airway and late postoperative stridor, 449 (c)
- NAJJAR, F. *See* BARAKA, A., 304
- NALDA, M.A. *See* CARRERO, E.J., 741 (c)
- NAMIKI, A. *See* KAWAMATA, M., 208
- NAMIKI, A. *See* IWASAKI, H., 814 (f)
- NANDI, P. *See* WRIGLEY, M., 148
- NASH, T. P. Acute paraplegia following intrathecal phenol block, 1011 (c)
- NAYLOR, R. J. & INALL, F. C. The physiology and pharmacology of postoperative nausea and vomiting, 2(S)
- NEWMAN, P. J. *See* QUINN, A. C., 567
- NEWMAN, P. J., QUINN, A. C., HALL, G. M. & GROUNDS, R. M. Circulating fluoride changes and hepatorenal function following sevoflurane anaesthesia, 936
- NEWNAM, P. T. F. Discarding used laryngeal mask airways - can there still be life after 40?, 81 (c)
- NEWSON, C.D. Modified sensor for pulse oximetry in children, 831 (c)
- NÍ CHONCHUBHAIR, Á., O'CONNOR, T. & O'HAGAN, C. A novel approach to insertion of the Montgomery T-tube, 605
- NICHOLSON, K. E. A. *See* STODDART, A. P., 1087 (f)
- NICHOLSON, L. Graseby 3300 PCA pump, 182 (c)
- NIELSEN, M. S. *See* TEASDALE, A. R., 307
- NIELSEN, M. S. *See* SHEIKH, A., 1007 (c)
- NIELSON, R. J. *See* GERMON, T. J., 639 (c)
- NIGHTINGALE, P. *See* BEARDS, S. C., 886
- NILSSON, A., BOMAN, I., WALLIN, B. & ROTSTEIN, A. The EMLA patch - a new type of local anaesthetic application for dermal analgesia in children, 70 (f)
- NIMMO, G. R., MACKENZIE, S. J. & GRANT, I. S. Haemodynamic and oxygen transport effects of propofol infusion in critically ill adults, 485
- NIMMO, S. *See* MCCANN, N., 829 (c)
- NOBLE, D. W., BANNISTER, J., LAMONT, M., ANDERSSON, T. & SCOTT, D. B. The effect of oral omeprazole on the disposition of lignocaine, 497
- NOLAN, J. P. Arterial oxygenation and mean arterial blood pressure in patients undergoing total hip replacement: cemented versus uncemented components, 293
- NOLAN, J. P. *See* DAY, C. J. E., 456 (c)
- NOLAN, J. P. *See* CRISWELL, J. C., 900 (f)
- NOLAN, J. P. *See* DAY, C. J. E., 1061
- NORMANDALE, J.P. & FOUND, P. Checking the Lack breathing system, 735 (c)
- NORRIS, A. *See* ELCOCK, D., 957
- NOTCUTT, W. G. Transporting patients with overwhelming pain, 145
- NOTT, M. R. Wanted. A psychologist's view of drug packaging, 1100 (c)
- NUUTINEN, L. S. *See* SÖDERLIN, M. K., 870
- NYARWAYA, J.-B., MAZOIT, J.-X. & SAMII, K. Are pulse oximetry and end-tidal carbon dioxide tension monitoring reliable during laparoscopic surgery?, 775
- OAKLEY, P. A. The need for standards for inter-hospital transfer: editorial, 565
- OATES, J.D.L., SNOWDON, S.L. & JAYSON, D.W.H. Failure of pain relief after surgery. Attitudes of ward staff and patients in postoperative analgesia, 755
- O'BRIEN, G.C. *See* WAITE, I., 826 (c)
- O'CONNOR, B. Rotation of the laryngeal mask airway, 169 (c)
- O'CONNOR, T. *See* NÍ CHONCHUBHAIR, Á., 605
- O'DWYER, J. P., KING, J. E., WOOD, C. E., TAYLOR, B. L. & SMITH, G. B. Continuous measurement of systemic vascular resistance, 587
- O'FLAHERTY, D. & ADAMS, A. P. Pacemaker failure and peripheral nerve stimulation: a reply, 181 (c)
- OH, T. E. *See* HOUGHTON, I. T., 197
- O'HAGAN, C. *See* NÍ CHONCHUBHAIR, Á., 605
- OHNISHI, H. *See* KAWAGUCHI, M., 411
- OKOLI, U. C. *See* COMMINS, D. J., 457 (c)
- OLDROYD, G. *See* WHITEHEAD, C., 490
- OLDROYD, G. J., THAM, E. J. & POWER, I. An investigation of the local anaesthetic effects of pethidine in volunteers, 503
- OLIVER, J. J. & RAO, J. Modification of the Doughty blade for the Boyle-Davis gag, 89 (c)
- OMOTE, K. *See* KAWAMATA, M., 208
- ORDMAN, A. J. & SAMRA, G. S. Pulse oximetry: incorrect use leading to failure to fail safe, 927 (c)
- O'RIORDAN, J.A. *See* FAIRLEY, C.J., 740 (c)
- ORLIKOWSKI, C. E. P. *See* COLLUM, C. R., 349 (c)
- ØRNTØFT, S., LØNGREEN, A., MOINICHE, S. & DHAL, J. B. A comparison of pre-and postoperative tonsillar infiltration with bupivacaine on pain after tonsillectomy. A pre-emptive effect?, 151 (f)
- OSBORNE, G. A., RUDKIN, G. E., JARVIS, D. A., YOUNG, I. G., BARLOW, J. & LEPPARD, P. I. Intra-operative patient-controlled sedation and patient attitude to control. A crossover comparison of patient preference for patient-controlled propofol and propofol by continuous infusion, 287
- ØSTERGAARD, H. T. *See* DIERKING, G. W., 627 (f)
- O'SULLIVAN, G. *See* RUSSELL, R., 84 (c)
- OTERO, J. J., FRENCH, G. W. G. & SELLERS, W. F. S. Time to change a worrying trend, 1015 (c)
- OWEN, A. N. *See* STELTZER, H., 432 (f)
- OWEN-REECE, H., ELWELL, C. E., FALLON, P., GOLDSTONE, J. & SMITH, M. Near infrared oximetry and near infrared spectroscopy, 1102 (c)
- PAAR, D. *See* SCHERER, R., 398
- PADFIELD, A. *See* WRIGHT, C. J., 979
- PADGHAM, N. *See* SERPELL, M. G., 538 (f)
- PADKIN, A. Treating MDMA ('Ecstasy') toxicity, 259 (c)
- PAES, M. L. *See* SONI, A. K., 549 (c)

- PAGE, R. *See* WALSH, F., 1012 (c)
- PALAZZO, M. *See* BULLINGHAM, A., 866
- PALMER, J. H. MCG. Introducing the re-inforced laryngeal mask airway, 1098 (c)
- PALMER, J. Further leaks, 648 (c)
- PANDEY, M. B. *See* TRIPATHI, M., 226
- PAPARELLA, P. *See* DORDONI, P. L., 1046
- PAPEE, E. *See* EDGE, G., 827 (c)
- PARIĆ, M., PETROVEČKI, M. & MARUŠIĆ, M. Age-dependent haematological disturbances in anaesthetic personnel chronically exposed to high occupational concentrations of halothane and nitrous oxide, 1022
- PARK, G. R. *See* GEMPEL, F., 17
- PARK, G. R., PICHARD, L., TINEL, M., LARROQUE, C., ELSTON, A., DOMERQUE, J., DEXIONNE, B. & MAUREL, P. What changes drug metabolism in critically ill patients? Two preliminary studies in isolated human hepatocytes, 188
- PARK, G. R., LARROQUE, C. & MAUREL, P. Serum from critically ill humans changes the metabolism of progesterone, 347 (c)
- PARKER, M. *See* SUTCLIFFE, A. J., 237 (f)
- PARMAR, M. Ketorolac for postoperative analgesia, 354 (c)
- PARR, M. J. A. *See* CRISWELL, J. C., 900 (f)
- PARRY, R. J. More problems with gas sampling tubes: a reply, 1012 (c)
- PARSLOE, M. R. *See* GRAHAM, D., 353 (c)
- PATEL, M., SAMSOON, G., SWAMI, A. & MORGAN, B. M. Flow characteristics of long spinal needles, 223
- PATEMAN, J. & READ, D. Airway management during percutaneous dilatational tracheostomy, 1094 (c)
- PATIL, D. R. *See* ZUBAIR, N. A., 873
- PATLA, V. R. *See* BENSON, J. P., 544 (c)
- PEACHEY, T. *See* ALCOCK, R., 394
- PEARMAN, M. H. Single dose intravenous ondansetron in the prevention of postoperative nausea and vomiting, 11(S)
- PEMBERTON, C. J. *See* BRAHMA, A. K., 1003 (f)
- PENNANT, J. H., GAJRAJ, N. M. & GRIFFITH, K. Puncture of the laryngeal mask airway cuff, 448 (c)
- PEPYS, E. O. *See* PEPYS, J., 470
- PEPYS, J., PEPYS, E. O., BALDO, B. A. & WHITWAM, J. G. Anaphylactic/anaphylactoid reactions to anaesthetic and associated agents. Skin prick tests in aetiological diagnosis, 470
- PERNERSTORFER, T. *See* FITZGERALD, R. D., 111
- PERTTILÄ, J. *See* PIITTIKANGAS, C.-O., 13
- PESLIN, R. *See* BOISSON-BERTRAND, D., 846
- PETER, K. *See* SCHWENDER, D., 99
- PETER, K. *See* SCHWENDER, D., 476
- PETER, K. *See* SCHWENDER, D., 572
- PETROS, A. J., COX, P. & BOHN, D. A simple method for monitoring the concentration of inhaled nitric oxide, 317
- PETROVEČKI, M. *See* PARIĆ, M., 1022
- PHILIPS, J. *See* CLAXTON, A. R., 920 (c)
- PHILLIPS, J. *See* VAN HASSELT, G., 263 (c)
- PHILLIPS, S. A., MCMURRAY, T. J. & MIRAKHUR, R. K. Propofol/fentanyl anaesthesia for cardiac surgery: a reply, 173 (c)
- PHILLIPS, S. A., MCMURRAY, T. J., MIRAKHUR, R. K., GIBSON, F. M. & ELLIOTT, P. Propofol-fentanyl anaesthesia for cardiac surgery: a reply, 445 (c)
- PICHARD, L. *See* PARK, G. R., 188
- PICTON, A. *See* WILLIAMS, I. M., 76 (c)
- PICTON, A. J. *See* WILLIAMS, I. M., 762
- PIITTIKANGAS, C.-O., PERTTILÄ, J., SALO, M., VAINIO, O. & LIUKKO-SIPI, S. Propofol infusion anaesthesia and immune response in minor surgery, 13
- PLENDERLEITH, L. *See* KILPATRICK, A., 666
- PLENDERLEITH, L. *See* RIDLEY, S., 933
- PLIEGO, M. *See* DE LA CALLE, J. L., 694
- PODDAR, S. & BEST, C. J. Modified tracheal airway tube for distal tracheal obstruction, 736 (c)
- POLLOCK, J. *See* BURKE, A., 647 (c)
- POPAT, M. T. *See* ELDRIDGE, A. J., 84 (c)
- POPHAM, P. A. *See* STODDART, A. P., 1087 (f)
- PÖPPEL, E. *See* SCHWENDER, D., 99
- PÖPPEL, E. *See* SCHWENDER, D., 476
- PÖPPEL, E. *See* SCHWENDER, D., 572
- POWER, I. *See* HAYNES, T. K., 54 (f)
- POWER, I. *See* OLDROYD, G. J., 503
- PRASAD, M. K., PURI, G. D. & CHARI, P. Glove finger for fixing pulse oximeter probe, 831 (c)
- PRIESTLEY, G. S. & BRIGHOUSE, D. Cerebrospinal cutaneous fistula, 744 (c)
- PRITCHARD, N. An incorrectly labelled Mallinckrodt double-lumen endobronchial tube, 744 (c)
- PUGH, S., LALWANI, K. & AWAL, A. Thyroid storm as a cause of loss of consciousness following anaesthesia for emergency Caesarean section, 35
- PUHAKKA, K. *See* RYHÄNEN, P., 57 (f)
- PUIG, M. M. *See* GALLART, L., 175 (c)
- PUIG, M. M. *See* MURGA, G., 999 (f)
- PURHONEN, S. *See* SÖDERLIN, M. K., 870
- PURI, G. D. *See* PRASAD, M. K., 831 (c)
- PYE, F. *See* LLOYD, R., 267 (c)
- QUILICI, N. *See* BOISSON-BERTRAND, D., 846
- QUINN, A. C., BROWN, J. H., WALLACE, P. G. & ASBURY, A. J. Studies in postoperative sequelae. Nausea and vomiting – still a problem, 62 (f)
- QUINN, A. C., NEWMAN, P. J., HALL, G. M. & GROUNDS, R. M. Sevoflurane anaesthesia for major intra-abdominal surgery, 567
- QUINN, A. C. *See* NEWMAN, P. J., 936
- RABENSTEIN, K. Alternative techniques for laryngeal mask insertion, 80 (c)

- RADCLIFFE, J.J. & SPENCER, I. Performance of the Baxter disposable patient-controlled analgesia infusor under hyperbaric conditions, 796
- RADFORD, R. See HETT, D. A., 157 (f)
- RAFFERTY, P. The Baxter PCA system: balloon rupture: a reply, 353 (c)
- RAILTON, R., CORNER, G. A. & EVANS, A. L. The value of battery back-up, 925 (c)
- RAISTON, S. J. & CHARTERS, P. Cuffed nasopharyngeal tube as 'dedicated airway' in difficult intubation, 133
- RAMSAY, T. M. Apparent resistance to thiopentone - a continuing problem, 923 (c)
- RANASINGHE, D. N. & MALLETT, S. V. Hypomagnesaemia, cardiac arrhythmias and orthotopic liver transplantation, 403
- RANASINGHE, D. N. & CALDER, I. Large cervical osteophyte - another cause of difficult flexible fiberoptic intubation, 512
- RAO, J. See OLIVER, J. J., 89 (c)
- RAO, U. See JOHNSTON, H. M. L., 357 (c)
- RAPHAEL, J. H. & BEXTON, M. D. R. Improving the induction characteristics of methohexitone. A study of the effect of adding thiopentone to methohexitone, 338 (f)
- RAPHAEL, J. H. & CHOTAI, R. Effects of the cervical collar on cerebrospinal fluid pressure, 437 (f)
- RAVALIA, D. & KUMAR, N. Rotation of reinforced laryngeal mask airway, 541 (c)
- RAY, S. & RUBIN, A. P. Anaesthesia in a child with Schwartz-Jampel syndrome, 600
- RAZIS, P. A. See BACON, R. C., 1058
- READ, D. See PATEMAN, J., 1094 (c)
- READ, J. R. M. & BAINTON, R. Operative haemorrhage in association with ketorolac, 73 (c)
- REES, A. See BARCLAY, K., 68 (f)
- REHM, S. See FELDMAN, S.A., 671
- REID, J. A. See SMITH, E. A., 859
- REID, M. F. See DENNIS, A. R., 353 (c)
- REITAN, J. A. See WILLEFORD, K. L., 202
- RESTILL, J. See TAYLOR, J. C., 892
- REYNOLDS, F. See RUSSELL, R., 84 (c)
- REYNOLDS, F. See STODDART, P. A., 274
- REYNOLDS, F. See RUSSELL, R., 446 (c)
- RICHARDS, A. L. & MCGEACHIE, J. F. Patients' assessment of height and weight, 1008 (c)
- RICHARDS, J. See BECK, G. N., 348 (c)
- RICHARDS, J. T. Pilot tube of the laryngeal mask airway, 450 (c)
- RICHARDSON, J., SABANATHAN, S. & MEARN, A. J. Combined chest drain and intrapleural catheter, 90 (c)
- RICHMOND, M. N. See MILLS, G. H., 954
- RIDLEY, S., BIGGAM, M. & STONE, P. A cost-utility analysis of intensive therapy. II: quality of life in survivors, 192
- RIDLEY, S. See THIAGARAJAN, J., 211
- RIDLEY, S. See KILPATRICK, A., 666
- RIDLEY, S. & PLENDERLEITH, L. Survival after intensive care. Comparison with a matched normal population as an indicator of effectiveness., 933
- RINCÓN, R. See VILA, P., 909 (f)
- RISDALL, J. E. & GERAGHTY, I. F. Respiratory monitoring in patients undergoing regional anaesthesia, 179 (c)
- ROBERS, C. See BUCK, M. J. L., 1064
- ROBERTSON, E. N. See VANLINTHOUT, L. E. H., 509
- ROBINSON, J. O. See WHITEHEAD, C., 490
- ROCCA, B. See DORDONI, P. L., 1046
- RODGERS, S. J. & MORGAN, M. Tocolysis, β_2 agonists and anaesthesia: editorial, 185
- RODRIGO, M. R. C. & TONG, C. K. A comparison of patient and anaesthetist controlled midazolam sedation for dental surgery, 241 (f)
- ROLLES, K. See ALCOCK, R., 394
- ROLLIN, A.-M. How many authors?: editorial, 97
- ROLLY, G. See HERREGODS, L., 719 (f)
- ROONEY, M. J. Pre-oxygenation: a comparison of two techniques using a Bain system, 629 (f)
- ROSEN, M. & CAMU, F. Foreword: Ondansetron Symposium, 1(S)
- ROSEN, M. See HAYNES, T. K., 54 (f)
- ROSEN, M. See WHITEHEAD, C., 490
- ROSS, D. G. Simultaneous use of two laryngoscopes, 271 (c)
- ROTSTEIN, A. See NILSSON, A., 70 (f)
- ROUSSELOT, J. M. See BOISSON-BERTRAND, D., 846
- ROUT, C. C. See BHIMAN, N. R., 419
- RUBIN, A. P. See RAY, S., 600
- RUDKIN, G. E. See OSBORNE, G. A., 287
- RUGGIER, R., BAILEY, C.R., GROUNDS, R.M. & CLARKE, J.T. A simple method for the maintenance of oxygen saturation following intravenous induction of anaesthesia with propofol, 759
- RUSSELL, R., O'SULLIVAN, G. & REYNOLDS, F. Cardiorespiratory arrest and combined spinal/epidural anaesthesia for Caesarean section, 84 (c)
- RUSSELL, R. See STODDART, P. A., 274
- RUSSELL, R. & REYNOLDS, F. Respiratory arrest following extradural sufentanil, 446 (c)
- RUST, M. & COHEN, L. A. Single oral dose ondansetron in the prevention of postoperative nausea and emesis, 16(S)
- RYAN, M. M. See WRIGHT, C. J., 979
- RYDER, W. 'Two cautionary tales', 180 (c)
- RYHÄNEN, J. See RYHÄNEN, P., 57 (f)
- RYHÄNEN, P., ADAMSKI, J., PUHAKKA, K., LEPPÄLUOTO, J., VUOLTEENAHON, O. & RYHÄNEN, J. Postoperative pain relief in children. A comparison between caudal bupivacaine and intramuscular diclofenac sodium, 57 (f)
- SABANATHAN, S. See RICHARDSON, J., 90 (c)
- SAKAMOTO, T. See KAWAGUCHI, M., 411
- SAKURAMOTO, C. See NAGAI, K., 603
- SALMINEN, U. See TARKKILA, P., 723 (f)
- SALO, M. See PIIRTIKANGAS, C.-O., 13
- SAMES, M. & WILKINSON, D. J. Capnography alerts to major breathing system fault, 167 (c)
- SAMII, K. See NYARWAYA, J.-B., 775

- SAMRA, G. S. *See* ORDMAN, A. J., 927 (c)
 SAMSÓ, E. *See* GALLART, L., 175 (c)
 SAMSÓ, E. *See* MURGA, G., 999 (f)
 SAMSOON, G. *See* PATEL, M., 223
 SAMUEL, J. *See* MOORE, C., 833 (c)
 SANCHEZ-CAPUCHINO, A. & MCCONACHIE, I. Peri-operative effect of major gastrointestinal surgery on serum magnesium, 912 (f)
 SANDERS, L. & WHITEHEAD, C. Propofol and well-being, 172 (c)
 SANDERS, L. D. *See* HUGHES, J. A., 126
 SANDERS, L. D. *See* WHITEHEAD, C., 490
 SANDERS, L. D. *See* HUGHES, J. A., 917 (c)
 SAPSFORD, D. *See* HILL, D.J., 835 (c)
 SATO, T. *See* YAHAGI, N., 916 (c)
 SCHAEFER, H. G., MARSCH, S. C. U., KELLER, H. L., STREBEL, S., ANSELM, L. & DREWE, J. Teaching fibreoptic intubation in anaesthetised patients, 331 (f)
 SCHAEFER, H.-G. *See* MARSCH, S. C. U., 525 (f)
 SCHEININ, H. *See* VIRKKILÄ, M., 853
 SCHERER, R., GIEBLER, R., ERHARD, J., LANGE, R., GÜNNICKER, M., SCHMUTZLER, M., PAAR, D. & KOX, W. J. A new method of veno-venous bypass during human orthotopic liver transplantation, 398
 SCHMIDT, H. *See* BÖHRER, H., 551 (c)
 SCHMIDT, H. *See* BÖHRER, H., 742 (c)
 SCHMUTZLER, M. *See* SCHERER, R., 398
 SCHNEIDER, M. C. *See* HAMPEL, K. F., 266 (c)
 SCHUG, S. A. & FRY, R. A. Continuous regional anaesthesia in comparison with intravenous opioid administration for routine postoperative pain control, 528 (f)
 SCHWENDER, D., KLASING, S., MADLER, C., PÖPPEL, E. & PETER, K. Midlatency auditory evoked potentials and purposeful movements after thiopentone bolus injection, 99
 SCHWENDER, D., FABER-ZÜLLIG, E., KLASING, S., PÖPPEL, E. & PETER, K. Motor signs of wakefulness during general anaesthesia with propofol, isoflurane and flunitrazepam/fentanyl and midlatency auditory evoked potentials, 476
 SCHWENDER, D., GOLLING, W., KLASING, S., FABER-ZÜLLIG, E., PÖPPEL, E. & PETER, K. Effects of surgical stimulation on midlatency auditory evoked potentials during general anaesthesia with propofol/fentanyl, isoflurane/fentanyl and flunitrazepam/fentanyl, 572
 SCOTT, D. B. *See* NOBLE, D. W., 497
 SCOTT, D. H. T. *See* THORPE, C. M., 610
 SCOTT, J. M. Regional versus general anaesthesia for Caesarean section, 86 (c)
 SCOTT, N. Difficulties with infusing new preparation of Gelofusine, 88 (c)
 SCOTT, N. B. Growth of micro-organisms in propofol, 266 (c)
 SCOTT, N. B., FORBES, D. W. & BINNING, A. R. The effect of parenteral diclofenac and morphine on duration and height of blockade of continuous epidural infusion of bupivacaine 0.5%, 594
 SCOTT, R. P. F. *See* GOLDSMITH, A., 265 (c)
 SEARLE, J.F. *See* TELFORD, R.J., 691
 SEAVELL, C. R. Evidence of the cause of Baxter PCA balloon rupture, 924 (c)
 SEIGNE, R. Blind oral intubations; further studies are needed, 648 (c)
 SEIGNE, R. How useful is spinal anaesthesia in day case surgery?, 1094 (c)
 SELLERS, W. F. S. *See* OTERO, J. J., 1015 (c)
 SERPELL, M. G. & CARSON, D. Advancing atraumatic needles?, 261 (c)
 SERPELL, M. G., PADGHAM, N., MCQUEEN, F., BLOCK, R. & THOMSON, M. The influence of nasal obstruction and its relief on oxygen saturation during sleep and the early postoperative period, 538 (f)
 SHAH, M. V. *See* BENNETT, M. W. R., 155 (f)
 SHAH, M. V. *See* HINDLE, A. T., 445 (c)
 SHAH, M. V. *See* GAMLIN, F., 883
 SHAH, M.V. *See* BENNETT, M.W.R., 675
 SHAH, P. *See* TALKS, S. J., 553 (c)
 SHAH, R. *See* MASTERSON, G. R., 991 (f)
 SHAW, I. H. *See* WHITTY, P., 644 (c)
 SHAW, S. *See* IP-YAM, C., 733 (c)
 SHEARER, V.E. *See* GAJRAJ, N.M., 772
 SHEIKH, A., GRIMES, A. P. & NIELSEN, M. S. Standards for interhospital transfer, 1007 (c)
 SHER, M. *See* BRIMACOMBE, J., 171 (c)
 SHER, M. *See* BRIMACOMBE, J., 1009 (c)
 SHIRLEY, P. J., KULKARNI, V. & FROST, N. A problem with the Boyle-Davis gag following difficult intubation, 551 (c)
 SHIRLEY, P. J. A case of undeclared home-made false teeth, 651 (c)
 SHORTEN, G. D., GOUDSOUZIAN, N. G. & ALI, H. H. Histamine release following atracurium in the elderly: a reply, 74 (c)
 SHORTLAND, G. *See* JACOBS, S., 903 (f)
 SHRESTHA, B.M., TWEED, W.A., BASNYAT, N.B. & LEKHAK, B.D. A modification of the Bain system for ambient air-oxygen inhalation, 703
 SIBAI, A. *See* BARAKA, A., 304
 SIBELL, D. M. *See* UNCLES, D. R., 547 (c)
 SIBELL, D. M. Cricoid pressure, 1099 (c)
 SIEMENS, T. J. *See* HAAK-VAN DER LELY, F., 1034
 SILK, J. M., HILL, H. M. & CALDER, I. The distance between the grille of the laryngeal mask airway and the vocal cords, 170 (c)
 SIMON, P. *See* STELTZER, H., 432 (f)
 SIMONDS, A. K. *See* ELLIOTT, M. W., 279
 SIMONS, B. *See* LIM, A., 738 (c)
 SIMONS, S. *See* BRIMACOMBE, J., 358 (c)
 SIMPSON, J. M. & STRICKLAND, M. Dead space drug loss, 1012 (c)
 SINCLAIR, C. J. *See* MCKINNON, R. P., 309
 SING, G. The laryngeal mask airway and the Guedel airway, 171 (c)
 SINGH, P., HARWOOD, R., CARTWRIGHT, D. P. & CROSSLEY, A. W. A. A comparison of thiopentone and propofol with respect to the incidence of postoperative shivering, 996 (f)
 SINGH, P. *See* MAHAJAN, R. P., 1028

- SINGH GATAURE, P. *See* JACOBS, S., 903 (f)
- SINHA, P. A. *See* TALKS, S. J., 553 (c)
- SIÖSTRÖM, S. & BLÄSS, J. Severe pain in both legs after spinal anaesthesia with hyperbaric 5% lignocaine solution, 700
- SKILTON, R. W. H. *See* EDMONDSON, W. C., 454 (c)
- SKINNER, A.C. *See* BARRETT, P.J., 728 (f)
- SKJELLERUP, N. Respiratory monitoring for regional anaesthesia, 1097 (c)
- SKRBENSKY, G. *See* FITZGERALD, R. D., 111
- SLADE, J. M. Epidural bupivacaine for aortic surgery. The effect of dilution on the quality of analgesia, 21
- SMITH, B. L. Haemopneumothorax following bougie-assisted tracheal intubation, 91 (c)
- SMITH, D. P. Difficulties with infusing new preparation of Gelofusine: a reply, 88 (c)
- SMITH, E. A. & KILPATRICK, E. S. Intra-operative blood glucose measurements. The effect of haematocrit on glucose test strips, 129
- SMITH, E. A., THORBURN, J., DUCKWORTH, R. A. & REID, J. A. A comparison of 25 G and 27 G Whitacre needles for Caesarean section, 859
- SMITH, G. B. *See* ARNSTEIN, F. E., 260 (c)
- SMITH, G. B. *See* KING, J., 265 (c)
- SMITH, G. B. *See* O'DWYER, J. P., 587
- SMITH, G. B. *See* WRIGHT, C. J., 979
- SMITH, J. H. Product label information for suxamethonium in the USA, 1101 (c)
- SMITH, M. *See* OWEN-REECE, H., 1102 (c)
- SMITH, M.B. & TILL, C.W.B. The axillary vein as an alternative, 741 (c)
- SMURTHWAITE, G. J. *See* MASTERSON, G. R., 452 (c)
- SNIJEDERS, C. J. *See* BUCX, M. J. L., 1064
- SNOWDEN, C. P., BOWER, S. & CONACHER, I. Plasma bupivacaine levels in paravertebral blockade in adults, 546 (c)
- SNOWDON, S.L. *See* OATES, J.D.L., 755
- SÖDERLIN, M. K., PURHONEN, S., HARING, P., HIETAKORPI, S., KOSKI, E. & NUUTINEN, L. S. Myocardial infarction in a parturient. A case report with emphasis on medication and management, 870
- SONI, A. K. & PAES, M. L. Getting the length right, 549 (c)
- SOROKER, D. *See* EZRI, T., 833 (c)
- SOROKER, D., EZRI, T. & SZMUK, P. An unusual case of failure to ventilate the lungs, 1105 (c)
- SOUTHGATE, H. J. *See* MORRIS, W. W., 41
- SPEARS, F. D. & LIU, D. W. H. Anaphylactoid reaction to syntocinon?, 550 (c)
- SPELLER, D.C.E. *See* WILLATTS, S.M., 751
- SPENCER, E. M. *See* WILLATTS, S. M., 422
- SPENCER, I. *See* RADCLIFFE, J.J., 796
- SPITTAL, M. J. *See* FORDE, S. C. O., 649 (c)
- SPIVEY, K., CAMPBELL, D. & FORREST, F. Nebulised lignocaine: an aid to weaning, 182 (c)
- SPIVEY, K. M. & WAIT, C. M. Peri-operative presentation of an intracerebral tumour, 268 (c)
- STACEY, M. *See* ASAI, T., 451 (c)
- STAINTHORP, S.F. *See* WHEATLEY, R.S., 733 (c)
- STEFANELLI, A. *See* DORDONI, P. L., 1046
- STEINER, A. *See* LAUBER, R., 1071
- STEINER, E. *See* FITZGERALD, R. D., 111
- STELLAR, P. H. Acute paraplegia following intrathecal phenol block: a reply, 1011 (c)
- STELLER, P. H. *See* MORGAN, R. J., 142
- STELTZER, H., HIESMAYR, M., MAYER, N., KRAFFT, P. & HAMMERLE, A. F. The relationship between oxygen delivery and uptake in the critically ill: is there a critical or optimal therapeutic value? A meta-analysis, 229
- STELTZER, H., SIMON, P., OWEN, A. N., THALMANN, M. & HAMMERLE, A. F. The effects of dobutamine therapy in critically ill patients measured by transoesophageal echocardiography and intracardiac monitoring, 432 (f)
- STELTZER, H., KRAFFT, P., FRIDRICH, P., HIESMAYR, M. & HAMMERLE, A. F. Right ventricular function and oxygen transport patterns in patients with acute respiratory distress syndrome, 1039
- STENQVIST, O. *See* BENGTON, J. P., 25
- STENQVIST, O. *See* BENGTON, J. P., 29
- STEVENS, J. E. & BURDEN, G. Reinforced laryngeal mask airway and magnetic resonance imaging, 79 (c)
- STEVENSON, J. *See* HUME, M.A., 837 (c)
- STIJNEN, T. *See* BUCX, M. J. L., 1064
- STODDART, A. P., NICHOLSON, K. E. A. & POPHAM, P. A. Low dose bupivacaine/fentanyl epidural infusions in labour and mode of delivery, 1087 (f)
- STODDART, P. A., COOPER, A., RUSSELL, R. & REYNOLDS, F. A comparison of epidural morphine with intravenous patient controlled analgesia using the Baxter infusor following Caesarean section (Erratum), 274
- STONE, P. *See* RIDLEY, S., 192
- STONE, P. G. A modified sensor for pulse oximetry in children, 546 (c)
- STONEHAM, M. Shortlisting for senior posts, 1106 (c)
- STOTT, S. *See* MICHELS, A. M. J., 1104 (c)
- STOTZ, G. *See* HAMPL, K. F., 266 (c)
- STRACHAN, J.A. *See* LEE, T.W., 817 (f)
- STREBEL, S. *See* SCHAEFER, H. G., 331 (f)
- STREET, M.K. *See* KING, C., 786
- STRICKLAND, M. *See* SIMPSON, J. M., 1012 (c)
- STRUNIN, J. M. & STRUNIN, L. Dr John Snow – the name of the rose, 92 (c)
- STRUNIN, L. *See* STRUNIN, J. M., 92 (c)
- SUDLOW, C. L. M. *See* MCFARLANE, C., 38
- SUN, K. O. Correct tracheal tube placement, 1095 (c)
- SURY, M. R. J. Propofol and paediatric MRI, 174 (c)
- SUSETIO, L. *See* FAN, S. Z., 284
- SUTCLIFFE, A. J. & PARKER, M. Mortality after spinal and general anaesthesia for surgical fixation of hip fractures, 237 (f)
- SUTTON, B. *See* MCANULTY, G. R., 557 (c)
- SWAMI, A. *See* PATEL, M., 223
- SWAYNE, P. & GREENSLADE, G.L. Emergency intubation through the laryngeal mask airway. The effective application of cricoid pressure, 696

- SWEENEY, B. P. *See* WILLIAMS, A. R., 340 (f)
- SWINHOE, C. F. & GROVES, E. R. Patients' knowledge of anaesthetic practice and the rôle of anaesthetists, 165 (f)
- SWINHOE, C. F. *See* VEALL, G. R. Q., 556 (c)
- SZMUK, P. *See* EZRI, T., 833 (c)
- SZMUK, P. *See* SOROKER, D., 1105 (c)
- TACKLEY, R. M. Anaesthetic information: editorial, 277
- TALKS, S. J., SHAH, P. & SINHA, P. A. Horner's syndrome following central line insertion, 553 (c)
- TAN, I. *See* KUA, J. S. W., 650 (c)
- TAN, I. Easier fiberoptic intubation, 830 (c)
- TANDON, O. P. *See* KUMAR, A., 387
- TANDON, O. P. *See* KUMAR, A., 533 (f)
- TANIGAMI, H. *See* YAHAGI, N., 450 (c)
- TANIGAMI, H. *See* YAHAGI, N., 916 (c)
- TARKKILA, P., HUHTALA, J. & SALMINEN, U. Difficulties in spinal needle use. Insertion characteristics and failure rates associated with 25-, 27- and 29-gauge Quincke-type spinal needles, 723 (f)
- TARPEY, J. *See* HUGHES, J. A., 126
- TARPEY, J. *See* JACOBS, S., 903 (f)
- TARPEY, J. *See* HUGHES, J. A., 917 (c)
- TARVER, D. *See* DAY, C. J. E., 1061
- TAY, D. H. B. *See* LIM, S. L., 255 (f)
- TAY, D. H. B. *See* LIEW, Q. Y., 633 (f)
- TAYLOR, B. L. *See* KING, J., 265 (c)
- TAYLOR, B. L. *See* O'DWYER, J. P., 587
- TAYLOR, J. C. & RESTILL, J. Can a drawover vaporizer be a pushover?, 892
- TAYLOR, J. C. *See* BELL, G. T., 794
- TAYLOR, L. *See* BARTHRAM, C. N., 713
- TAYLOR, P. *See* THIAGARAJAN, J., 211
- TAYLOR, S. & MANARA, A. R. Manganese toxicity in a patient with cholestasis receiving total parenteral nutrition, 1013 (c)
- TEASDALE, A. R. & NIELSEN, M. S. Late presentation of tracheo-oesophageal fistula, 307
- TEHAN, B. *See* CALDICOTT, L. D., 456 (c)
- TEHAN, B. *See* VUCEVIC, M., 889
- TELFORD, R. J., SEARLE, J. F., BOADEN, R. W. & BAIER, F. Use of a guide wire and a ureteral dilator as an aid to awake fiberoptic intubation, 691
- TESSLER, M. J. & KLEIMAN, S. J. Spinal anaesthesia for patients with previous lower limb amputations, 439 (f)
- THALMANN, M. *See* STELTZER, H., 432 (f)
- THAM, E. J. *See* OLDROYD, G. J., 503
- THIAGARAJAN, J., TAYLOR, P., HOGGIN, E. & RIDLEY, S. Quality of life after multiple trauma requiring intensive care, 211
- THOMAS, D. I. Cuffed nasopharyngeal airway in difficult tracheal intubation, 643 (c)
- THOMAS, E. *See* LIM, S. L., 255 (f)
- THOMAS, E. *See* LIEW, Q. Y., 633 (f)
- THOMPSETT, C. *See* NAIR, I., 449 (c)
- THOMPSON, C. E. R. *See* CHALMERS, E. P. D., 265 (c)
- THOMPSON, J. F. *See* KAM, P. C. A., 982
- THOMPSON, S. P. *See* GEMPELER, F., 17
- THOMSON, M. *See* SERPELL, M. G., 538 (f)
- THORBURN, J. *See* SMITH, E. A., 859
- THORN, J. L. Pre-operative investigation of patients with a history of anaphylactic reactions, 650 (c)
- THORPE, C. M. & SCOTT, D. H. T. Air inlets for infusion bottles, 610
- TIBBOEL, D. *See* MANSCHOT, H. J., 788
- TIERNEY, E. *See* ALI, S., 644 (c)
- TIGHE, S. Q. M. *See* GEORGE, A., 742 (c)
- TILL, C. W. B. *See* SMITH, M. B., 741 (c)
- TINEL, M. *See* PARK, G. R., 188
- TODD, B. D. *See* LEE, T. W., 817 (f)
- TODD, L. Problems with chest drainage: a reply, 89 (c)
- TONG, C. K. A. *See* RODRIGO, M. R. C., 241 (f)
- TRATMAN, A. J. *See* BLACK, A. E., 549 (c)
- TRIPATHI, M. & PANDEY, M. B. A simple central venous puncture detector, 226
- TSAI, M. C. *See* FAN, S. Z., 284
- TSUBO, T. *See* ISHIHARA, H., 548 (c)
- TUCKEY, J. Does the use of the laryngeal mask result in loss of airway management skills?, 824 (c)
- TURUNEN, J. *See* VIRKKILÄ, M., 853
- TWEED, W. A. *See* SHRESTHA, B. M., 703
- TYAGI, K. K. *See* KUMAR, A., 387
- TYLER, C. K. G. *See* WALDER, A. D., 964
- UNCLES, D. R., SIBELL, D. M. & CONWAY, N. E. Desflurane and the TEC 6 filler system, 547 (c)
- UNCLES, D. R. & WESTBROOK, J. L. Needle compatibility and combined spinal-epidural anaesthesia, 646 (c)
- UNDERWOOD, S. *See* MOORE, W. J., 811 (f)
- UPTON, P. M. *See* GOULD, T. H., 807 (f)
- URQUHART, J. C. Pre-operative visits - the 'printy' approach, 268 (c)
- VAINIO, O. *See* PIIRTIKANGAS, C.-O., 13
- VALLE, J. *See* DE LA CALLE, J. L., 694
- VALLES, J. *See* MURGA, G., 999 (f)
- VAN AKEN, H. *See* DEWANDRE, J., 8
- VAN AKEN, H. *See* VAN HEMELRIJCK, J., 174 (c)

- VAN AKEN, H. *See* VERTOMMEN, J.D., 678
- VAN BELLEGHEM, Y. *See* HERREGODS, L., 719 (f)
- VAN BOS, R. *See* DEWANDRE, J., 8
- VAN DE GIESSEN, H. *See* BUCK, M. J. L., 1064
- VAN DEN NIEUWENHUYZEN, M. C. O. *See* HAAK-VAN DER LELY, F., 1034
- VAN DER ANKER, J.N. *See* MANSCHOT, H.J., 788
- VAN DONGEN, V. C. P. C. & LANGEMEIJER, J. J. M. An unusual complication of the laryngeal mask airway?, 1097 (c)
- VAN GEEL, R. T. M. *See* BUCK, M. J. L., 1064
- VAN HASSELT, G. & PHILLIPS, J. T-piece scavenging: simple alternatives, 263 (c)
- VAN HEMELRICK, J. *See* DEWANDRE, J., 8
- VAN HEMELRICK, J., VAN AKEN, H. & VANGERVERN, M. Propofol and paediatric MRI: a reply, 174 (c)
- VAN KLEEF, J. W. *See* HAAK-VAN DER LELY, F., 116
- VAN KLEEF, J. W. *See* HAAK-VAN DER LELY, F., 119
- VAN KLEEF, J. W. *See* HAAK-VAN DER LELY, F., 850
- VAN KLEEF, J. W. *See* HAAK-VAN DER LELY, F., 1034
- VAN LERSBERGHE, C. *See* LAUWERS, M. H., 876
- VAN NOOTEN, G. *See* HERREGODS, L., 719 (f)
- VANDEPUT, D.M. *See* VERCAUTEREN, M.P., 767
- VANGERVERN, M. *See* VAN HEMELRICK, J., 174 (c)
- VANLINTHOUT, L. E. H., ROBERTSON, E. N. & BOOIJ, L. H. D. J. Response to suxamethonium during propofol-fentanyl-N₂O/O₂ anaesthesia in a patient with active myasthenia gravis receiving long-term anticholinesterase therapy, 509
- VAUGHAN, R. S. *See* ASAI, T., 170 (c)
- VAUGHAN, R. S. *See* HARTLEY, M., 335 (f)
- VAUGHAN, R. S. *See* ASAI, T., 467
- VEALL, G. R. Q. An unusual complication of Cornelia de Lange syndrome, 409
- VEALL, G. R. Q. & SWINHOE, C. F. A good reason to employ ambidextrous ODAs?, 556 (c)
- VERCAUTEREN, M.P., VANDEPUT, D.M., MEERT, T.F. & ADRIAENSEN, H.A. Patient-controlled epidural analgesia with sufentanil following Caesarean section: the effect of adrenaline and clonidine admixture, 767
- VERTOMMEN, J.D., LEMMENS, E. & VAN AKEN, H. Comparison of the addition of three different doses of sufentanil to 0.125% bupivacaine given epidurally during labour, 678
- VICKERS, M. D. *See* HUGHES, J. A., 126
- VICKERS, M. D. *See* HUGHES, J. A., 917 (c)
- VIDAL, F. *See* VILA, P., 909 (f)
- VILA, P., ESPACHS, P., ECHEVARRIA, V., GARCIA, M., RINCÓN, R. & VIDAL, F. Acid aspiration prophylaxis in elective biliary surgery. A comparison of omeprazole and famotidine using manually aided gastric aspiration, 909 (f)
- VIRKKILÄ, M., ALI-MELKKILÄ, T., KANTO, J., TURUNEN, J. & SCHEININ, H. Dexmedetomidine as intramuscular premedication for day-case cataract surgery. A comparative study of dexmedetomidine, midazolam and placebo, 853
- VIVEKANANDAN, P. *See* ALI, S., 644 (c)
- VLETTER, A. A. *See* HAAK-VAN DER LELY, F., 850
- VLETTER, A. A. *See* HAAK-VAN DER LELY, F., 1034
- VUCEVIC, M., TEHAN, B., GAMLIN, F., BERRIDGE, J. C. & BOYLAN, M. The SMART needle. A new Doppler ultrasound-guided vascular access needle, 889
- VUOLTEENAHÖ, O. *See* RYHÄNEN, P., 57 (f)
- VYVYAN, H. A. L., MAYNE, P. N. & CUTFIELD, G. R. Magnesium flux and cardiac surgery. A study of the relationship between magnesium exchange, serum magnesium levels and postoperative arrhythmias, 245 (f)
- VYVYAN, H. A. L. Complications of dislodged tracheostomy, 558 (c)
- WACE, J. R. *See* COHEN, A. M., 522 (f)
- WAIT, C. M. *See* SPIVEY, K. M., 268 (c)
- WAITE, I. & O'BRIEN, G.C. A problem with a Venticare oxygen mask, 826 (c)
- WALDER, A. D. & TYLER, C. K. G. Ethylene glycol antifreeze poisoning. Three case reports and a review of treatment, 964
- WALDER, A. D. *See* HARRISON, N., 1015 (c)
- WALDER, A.D. & AITKENHEAD, A.R. Antiemetic efficacy of metoclopramide when included in a patient-controlled analgesia infusion, 804 (f)
- WALKER, M.B. An unusual destination for oral premedication, 839 (c)
- WALKER, R. W. M., DAROWSKI, M., MORRIS, P. & WRAITH, J. E. Anaesthesia and mucopolysaccharidoses. A review of airway problems in children, 1078
- WALL, T. *See* BARCLAY, K., 159 (f)
- WALLACE, P. G. *See* QUINN, A. C., 62 (f)
- WALLIN, B. *See* NILSSON, A., 70 (f)
- WALSH, F. & PAGE, R. More problems with gas sampling tubes, 1012 (c)
- WALSH, T. S. & JONES, G. Spinal headaches in elderly patients; does needle design matter?, 88 (c)
- WANG, C-M. *See* CHERNG, Y-G., 1052
- WARD, M. The McCoy levering laryngoscope blade, 357 (c)
- WARD, M. E. Cheap space blankets, 182 (c)
- WAREHAM, K. *See* BARCLAY, K., 159 (f)
- WAREHAM, K. *See* DINGLEY, J., 251 (f)
- WARNER, J. *See* JACOBS, S., 903 (f)
- WARWICK, J. P. & BLAKE, D. Drawing up propofol, 172 (c)
- WATANABE, Y. *See* YAHAGI, N., 916 (c)
- WATT, J. W. H. & FRASER, M. H. The effect of insufflation leaks upon ventilation. A quantified comparison of ventilators, 320
- WATT, J. W. H. & FRASER, M. H. The effect of insufflation leaks in long-term ventilation. Waking and sleeping transcutaneous gas tensions in ventilator-dependent patients with an uncuffed tracheostomy tube, 328 (f)
- WEBB, C. A. Hazard of reinforced tracheal tubes, 918 (c)
- WEE, L. H. & WHITE, E. Leakage of gas from an anaesthetic machine, 179 (c)
- WEE, L. H. Another cause for failed epidural, 270 (c)
- WEINMAN, J. *See* LIU, R., 382
- WEINSTABL, C. *See* FITZGERALD, R. D., 111
- WELLER, R. M. International interhospital transfer, 1007 (c)

- WESTBROOK, J. L. See UNCLES, D. R., 646 (c)
- WHEATLEY, R.S. & STANTHROP, S.F. Intubation of a one-day-old baby with the Pierre-Robin syndrome via a laryngeal mask, 733 (c)
- WHELDON, M. See HOLDEN, S., 836 (c)
- WHELAN, E. See BARRETT, P.J., 728 (f)
- WHITBREAD, P. Another cause for failed epidural: a reply, 270 (c)
- WHITE, D. C. Follow-up of reported awareness, 180 (c)
- WHITE, E. See WEE, L. H., 179 (c)
- WHITE, F. Checking the Lack breathing system: a reply, 735 (c)
- WHITE, J. B. See HARDING, L., 926 (c)
- WHITEHEAD, C. See SANDERS, L., 172 (c)
- WHITEHEAD, C., SANDERS, L. D., OLDROYD, G., HAYNES, T. K., MARSHALL, R. W., ROSEN, M. & ROBINSON, J. O. The subjective effects of low-dose propofol. A double-blind study to evaluate dimensions of sedation and consciousness with low-dose propofol, 490
- WHITEHEAD, M. J. See DINGLEY, J., 251 (f)
- WHITFIELD, A. See ARFEEN, Z., 32
- WHITTET, H. See COMINS, D. J., 457 (c)
- WHITTY, P., GOODWIN, D. & SHAW, I. H. Patients' perception of the anaesthetist and anaesthesia, 644 (c)
- WHITWAM, J. G. See LOCKWOOD, G. G., 44
- WHITWAM, J. G. See PEPYS, J., 470
- WILKINS, A. See BRIGHOUSE, D., 176 (c)
- WILKINS, A. N. J. & DAVIES, K. J. Levelling out surgeon-anaesthetist relationships, 559 (c)
- WILKINSON, D. A. & JACKSON, D. M. Assessment of EMOX 911, 1010 (c)
- WILKINSON, D. J. See SAMES, M., 167 (c)
- WILLATTS, S. M. & SPENCER, E. M. Sedation for ventilation in the critically ill. A role for isoflurane?, 422
- WILLATTS, S.M., SPELLER, D.C.E. & WINTER, R.J. Incidence of Gram-negative bacteraemia in sepsis syndrome. Implications for immunotherapy, 751
- WILLEFORD, K. L. & REITAN, J. A. Neutral head position for placement of internal jugular vein catheters, 202
- WILLIAMS, A. R., HIND, M. & SWEENEY, B. P. The incidence and severity of postoperative nausea and vomiting in patients exposed to positive intra-operative suggestions, 340 (f)
- WILLIAMS, I. M., PICTON, A., MORTIMER, A. & MCCOLLUM, C. N. Near infrared spectroscopy, 76 (c)
- WILLIAMS, I.M., PICTON, A.J., HARDY, S.C., MORTIMER, A.J. & MCCOLLUM, C.N. Cerebral hypoxia detected by near infrared spectroscopy, 762
- WILLIAMS, P. J., JANI, P. & MCGILASHAN, J. Lingual haematoma following treatment with streptokinase and heparin; anaesthetic management, 417
- WILSON, P.T.J., IGBASEIMOKUMO, U. & MARTIN, J. Ignition of the tracheal tube during tracheostomy, 734 (c)
- WILSON, R. J. T., LEITH, S., JACKSON, I. J. B. & HUNTER, D. Pre-emptive analgesia from intravenous administration of opioids. No effect with alfentanil, 591
- WINTER, R.J. See WILLATTS, S.M., 751
- WINWOOD, M. A. Propofol and well-being: a reply, 172 (c)
- WITTMANN, F.W. See WITTMANN, P.H., 710
- WITTMANN, P.H., WITTMANN, F.W., CONNOR, J. & CONNOR, T. A new keyed vaporizer filler, 710
- WONG, Y. C. See HOUGHTON, I. T., 197
- WOOD, C. E. See O'DWYER, J. P., 587
- WOOD, P. R., DRESNER, M., HAYDEN SMITH, J., KUMAR, C. M. & LAWLER, P. G. P. Direct laryngoscopy and cervical spine stabilisation, 77 (c)
- WOODS, K. 'Failed' cuff inflation of a laryngeal mask: a reply, 80 (c)
- WOODS, K. Pilot tube of the laryngeal mask airway: a reply, 450 (c)
- WOODS, Y. Incorrect setting of a Manley ventilator: a reply, 544 (c)
- WRAITH, J. E. See WALKER, R. W. M., 1078
- WRIGHT, C. J., FRERK, C. M., PADFIELD, A., RYAN, M. M. & SMITH, G. B. The polyurethane nasotracheal tube, 979
- WRIGLEY, M. & NANDI, P. The Sparklet carbon dioxide Resuscitator, 148
- WU, X. See ENGLAND, A. J., 554 (c)
- YAHAGI, N., KUMON, K. & TANIGAMI, H. Bronchial lavage with a fiberoptic bronchoscope via a laryngeal mask airway in an infant, 450 (c)
- YAHAGI, N., KUMON, K., TANIGAMI, H., WATANABE, Y. & SATO, T. A new, simple device for fixing orotracheal tubes, 916 (c)
- YENTIS, S. M. See HUEHNS, T. Y., 414
- YOGOSAKARAN, B. S. & CHAN, B. Nonbronchoscopic broncho-alveolar lavage in a neonate, 1014 (c)
- YOUNG, I. G. See OSBORNE, G. A., 287
- ZBINDEN, A. M. See LAUBER, R., 1071
- ZORAB, J.S.M. Philip John Helliwell: editorial, 659
- ZUBAIR, N. A., PATIL, D. R. & ALGHAMDI, A. H. A rare and fatal complication of oesophagoscopy. Anaesthetic implications, 873

Subject Index, Volume 49, (1994)

- Abdominal surgery: effectS of epidural administration of alfentanil on intra-operative intravenous alfentanil requirements during nitrous oxide-oxygen-alfentanil anaesthesia, 1034
- ACCESS system for basic simulations for anaesthesia; a pilot study (Byrne, Hilton & Lunn), 376
- Acid aspiration prophylaxis in elective biliary surgery. A comparison of omeprazole and famotidine using manually aided gastric aspiration (Vila *et al.*), 909 (f)
- ACTH delayed response to human corticotropin releasing hormone during cardiopulmonary bypass under diazepam-high dose fentanyl anaesthesia (Amado & Diago), 300
- Acupuncture *see* Electro-acupuncture,
- Adrenaline and clonidine admixture, effect on patient-controlled epidural analgesia with sufentanil following Caesarean section (Vercauteren *et al.*), 767

- Age-dependent haematological disturbances in anaesthetic personnel chronically exposed to high occupational concentrations of halothane and nitrous oxide (Parić, Petrovečki & Marušić), 1022
- Agnesis, tracheal (Manschot, van der Anker & Tibboel), 788
- Aid, laryngeal mask insertion, and minor morbidity (Brimacombe), 732 (c)
- Air in the cavernous sinus following scalp vein cannulation (Brook & Moss), 219
- Air inlets for infusion bottles (Thorpe & Scott), 610
- Air-oxygen inhalation, a modification of the Bain system for (Shrestha *et al.*), 703
- Airway access, difficult; impaled neck (Bullingham, Hampson-Evans & Palazzo), 866
- Airway, 'at risk', and laryngeal oedema (Dexter), 826 (c)
- Airway, dedicated, cuffed nasopharyngeal tube as, in difficult intubation (Ralston & Charters), 133
- Airway management, difficult, a multilumen catheter guide for; uses in anaesthesia and intensive care (Dhara), 974
- Airway management during percutaneous dilatational tracheostomy (Pateman & Read), 1094 (c)
- Airway management, emergency, in patients with cervical spine injuries (Criswell, Parr & Nolan), 900 (f)
- Airway management skills, and the use of the laryngeal mask (Tuckey), 824 (c)
- Airway management training, capnography for (Kennedy & Lim), 1096 (c)
- Airway, nasopharyngeal, cuffed, in difficult tracheal intubation (Thomas), 643 (c)
- Airway problems in children, a review; anaesthesia and mucopolysaccharidoses (Walker *et al.*), 1078
- Airway *see also* Guedel; Laryngeal mask.
- Airway, upper, reflexes; effect of intravenous diazepam, midazolam and flumazenil on sensitivity (Murphy, Erskine & Langton), 105
- Airways, 'collapsible', the laryngeal mask airway and patients with (Asai & Morris), 169 (c)
- Alcuronium infusions and fixed dilated pupils (Goldsmith & Scott), 265 (c)
- Alfentanil and intracranial disease (Erratum) (Cohen), 96
- Alfentanil and intracranial pathology; why the eagerness to defend? (Huggins), 355 (c)
- Alfentanil and propofol, intubation following (Bailey & Geraghty; Beck *et al.*), 348 (c)
- Alfentanil: effect on gastric emptying (Bennett, Shah & Bembridge), 155 (f)
- Alfentanil, effect on haemodynamic response; teaching fibreoptic intubation (Hartley, Morris & Vaughan), 335 (f)
- Alfentanil, epidural, effect on intra-operative intravenous alfentanil requirements during nitrous oxide-oxygen-alfentanil anaesthesia for lower abdominal surgery (Haak-van der Lely *et al.*), 1034
- Alfentanil: no effect in pre-emptive analgesia from intravenous administration (Wilson *et al.*), 591
- Alfentanil, perioperative, influence of timing of, on postoperative pain and analgesic requirements (Mansfield, Meikle & Miller), 1091 (f)
- Alfentanil plasma concentrations following epidural administration (Haak-van der Lely *et al.*), 850
- Allergy, latex, an unfamiliar cause of intra-operative cardiovascular collapse (Hodgson & Andersen), 507
- Allergy, latex, another (Harding & White), 926 (c)
- Allergy to latex rubber (Spears & Liu), 550 (c)
- Amiodarone, high dose, for fetal supraventricular tachycardia, anaesthesia for Caesarean section in a patient receiving (Fulgencio & Hamza), 406
- Ampoule labels, difficult to read (Graham), 652 (c)
- Amputations, lower limb, previous, and spinal anaesthesia (Tessler & Kleiman), 439 (f)
- Anaesthesia and pleural effusions (Bromley & Cottam), 558 (c)
- Anaesthesia, depth of (Munglani), 78 (c)
- Anaesthesia, patients' desire for information about; Australian attitudes (Farnill & Inglis), 162 (f)
- Anaesthesia, patients' desire for information about; Australian attitudes (Hutchison & Lonsdale), 645 (c)
- Anaesthesia *see also* General; Regional; Spinal.
- Anaesthesia termination and raised intracranial compliance (Burden & Laycock), 743 (c)
- Anaesthetic gas scavenging system (Ohmeda) (Hazard Notice), 840
- Anaesthetic machine (Hazard Notice), 183
- Anaesthetic machine, leakage of gas from (Wee & White), 179 (c)
- Anaesthetic machine, Ohmeda Excel 210, fault with (Kidd & Hall; Davies), 83 (c)
- Anaesthetic machines: use of checklists (Groves, Edwards & Carr), 122
- Anaesthetic machines, use of the Association of Anaesthetists' checklist to detect leaks from the back bar (Bickford Smith), 86 (c)
- Anaesthetic machines. Various manufacturers (Hazard Notice), 95
- Anaesthetic personnel exposed to high concentrations of halothane and nitrous oxide, haematological disturbances in (Parić, Petrovečki & Marušić), 1022
- Anaesthetic practice and the rôle of anaesthetists, patients' knowledge of (Swinhoe & Groves), 165 (f)
- Anaesthetic record, auditing of (Lack), 836 (c)
- Anaesthetic room, parents in (McEwen, Caldicott & Barker), 987 (f)
- Anaesthetist and anaesthesia, patients' perception of (Whitty, Goodwin & Shaw; Ali, Vivekanandan & Tierney), 644 (c)
- anaesthetist controlled midazolam sedation for dental surgery (Rodrigo & Tong), 241 (f)
- Anaesthetists, patients' knowledge of the rôle of (Swinhoe & Groves), 165 (f)
- Anaesthetists, patient's knowledge of (Gajraj & Bala), 559 (c)
- Anaesthetists, trainee, and factors important in determining their quality of life (Masterson, Ashcroft & Shah), 991 (f)
- Anaesthetists' views of parents in the anaesthetic room (McEwen, Caldicott & Barker), 987 (f)
- Analgesia after laparoscopic sterilisation. Effect of 2% lignocaine gel applied to Filshie clips (Barclay *et al.*), 68 (f)
- Analgesia, dermal, in children, the EMLA patch for (Nilsson *et al.*), 70 (f)
- Analgesia, effect of dilution on quality; epidural bupivacaine for aortic surgery (Slade), 21
- Analgesia, heparin (Hickman), 1105 (c)
- Analgesia, inadequate, following thoracotomy in a neonate; respiratory complications (Cass & Howard), 879
- Analgesia, interpleural, phrenic nerve paralysis and patient position (Gallart *et al.*), 175 (c)
- Analgesia, intra-articular morphine and bupivacaine, after arthroscopic knee surgery (Haynes *et al.*), 54 (f)
- Analgesia, pre-emptive, a trial; influence of timing of perioperative alfentanil on postoperative pain and analgesic requirements (Mansfield, Meikle & Miller), 1091 (f)
- Analgesia, pre-emptive, from intravenous administration of opioids; no effect with alfentanil (Wilson *et al.*), 591
- Analgesia, regional, continuous, in comparison with intravenous opioid administration for postoperative pain control (Schug & Fry), 528 (f)
- Analgesia *see also* Epidural; Extradural; Intravenous regional; Lumbar; Patient controlled; Postoperative; Spinal; Specific agents
- Analgesia system, Baxter-controlled, for postoperative doxapram therapy (Forde & Spittal), 649 (c)
- Analgesic effect of intra-articular morphine after arthroscopic meniscectomy (Dierking *et al.*), 627 (f)
- Anaphylactic reactions, pre-operative investigation of patients with a history of (Thorn), 650 (c)

- Anaphylactic/anaphylactoid reactions to anaesthetic and associated agents. Skin prick tests in aetiological diagnosis (Pepys *et al.*), 470
- Anaphylactoid reaction following epidural block: local anaesthetic or latex? (Lee), 263 (c)
- Anaphylactoid reaction to Syntocinon; acute respiratory distress during Caesarean section under spinal anaesthesia (Morris *et al.*), 41
- Anaphylactoid reaction to syntocinon? (Spears & Liu), 550 (c)
- Anaphylaxis in pregnancy – the right treatment? (Edmondson & Skilton), 454 (c)
- Anaphylaxis to succinylated gelatin (Gelofusine), angiotensinamide in treatment of (McKinnon & Sinclair), 309
- Aneurysm, cerebral artery; surgical clipping complicated by hypertrophic obstructive cardiomyopathy (Edmonds & Ghosh), 608
- Angiotensin converting enzyme (ACE) inhibitors and the renin-angiotensin system (Kellow), 613
- Angiotensinamide in the treatment of probable anaphylaxis to succinylated gelatin (Gelofusine) (McKinnon & Sinclair), 309
- Ankylosing hyperostosis: a cause for difficult tracheal intubation (Broadway), 919 (c)
- Anticholinesterase therapy in a patient with myasthenia gravis; response to suxamethonium during propofol anaesthesia (Vanlinthout, Robertson & Booi), 509
- Anticholinesterases, recovery of mivacurium block with or without, following administration by continuous infusion (Maddineni, Mirakhor & McCoy), 946
- Anticholinesterases, reversibility of rocuronium infusion with (McCoy *et al.*), 940
- Anticonfusion devices for parenteral catheters, a case for (McAnulty & Sutton), 557 (c)
- Antiemetic efficacy of metoclopramide when included in a patient-controlled analgesia infusion (Walder & Aitkenhead), 804 (f)
- Anxiety, background, effect on postoperative recovery (Liu, Barry & Weinman), 382
- Anxiety, pre-operative; a single blind 'crossover' study (Bailey & Calder), 1010 (c)
- Aortic surgery, epidural bupivacaine for; effect of dilution on quality of analgesia (Slade), 21
- Apnoea, mivacurium (Lightman), 835 (c)
- Apnoea, mivacurium, reversal with neostigmine (Bell), 350 (c)
- Apnoea, suxamethonium, and the isolated leg (Mitchell & Harrop-Griffiths), 315
- Arm cuffs compared with finger cuffs for blood pressure measurement (Lyew & Jamieson), 895
- Arrhythmias, cardiac, and orthotopic liver transplantation (Ranasinghe & Mallett), 403
- Arrhythmias, postoperative; magnesium flux and cardiac surgery (Vyvan, Mayne & Cutfield), 245 (f)
- Artefactual hypertension from rhythmic finger tapping (Das), 262 (c)
- Artefactual hypertension from rhythmic finger tapping (Erratum) (Das), 563
- Arterial lines and insertion techniques in critically ill patients, a comparison of (Beards *et al.*), 968
- Arterial oxygenation and mean arterial blood pressure in patients undergoing total hip replacement: cemented versus uncemented components (Nolan), 293
- Arthroscopic meniscectomy, analgesic effect of intra-articular morphine after (Dierking *et al.*), 627 (f)
- Asleep versus awake fiberoptic intubation (Ball), 921 (c)
- Aspiration, acid, prophylaxis in elective biliary surgery; comparison of omeprazole and famotidine (Vila *et al.*), 909 (f)
- Association of Anaesthetists' checklist; use in detecting leaks from the back bar of anaesthetic machines (Bickford Smith), 86 (c)
- Association of Anaesthetists' checklist (Groves, Edwards & Carr), 122
- Association of Anaesthetists of Great Britain and Ireland. Annual report of Council 1992–1993, 360
- Association of Anaesthetists of Great Britain and Ireland. Annual Conference of Linkmen, 1993, 462
- Asthma requiring ventilation, a case of Munchausen's syndrome presenting as (Baker & Major), 1050
- Asystole associated with mivacurium (Else), 926 (c)
- Atelectasis and oxygenation in major surgery (Drummond: Jensen *et al.*), 640 (c)
- Atracurium, histamine release following, in the elderly (Lewis: Shorten, Goudsouzian & Ali), 74 (c)
- Atropine therapy following severe organophosphate poisoning, paralytic ileus as a complication of (Beards, Kraus & Lipman), 791
- Auditing of the anaesthetic record (Dennis & Reid), 353 (c)
- Auditing of the anaesthetic record (Lack), 836 (c)
- Auditory evoked potentials and purposeful movements after thiopentone bolus injection (Schwender *et al.*), 99
- Auditory evoked potentials, effects of surgical stimulation on (Schwender *et al.*), 572
- Auditory evoked potentials *see also* Brain.
- Augustine guide used in blind oral intubation (Ali), 644 (c)
- Australian attitudes: patients' desire for information about anaesthesia (Farnill & Inglis), 162 (f)
- Authors, how many? (Rollin), 97
- Awake fiberoptic intubation technique (Ryder), 180 (c)
- Awake versus asleep fiberoptic intubation (Ball), 921 (c)
- Awareness, reported, follow-up of (White), 180 (c)
- Axillary temperature and the intensity of postoperative shivering (Crossley & Mahajan), 205
- Axillary vein recommended for safe central venous access (Smith & Till), 741 (c)
- Babies and small children, capnography in (Mather), 1096 (c)
- Baby: modified tracheal airway tube for distal tracheal obstruction (Poddar & Best), 736 (c)
- Baby, one-day-old, with the Pierre-Robin syndrome; intubation via a laryngeal mask (Wheatley & Stainthorpe), 733 (c)
- Backache and epidural chloroprocaine (Collier), 357 (c)
- Bacteraemia, Gram-negative, incidence in sepsis syndrome; implications for immunotherapy (Willatts, Speller & Winter), 751
- Bain system for ambient air-oxygen inhalation, a modification of (Shrestha *et al.*), 703
- Bain system used in pre-oxygenation; two techniques (Rooney), 629 (f)
- Barotrauma and the laryngeal mask airway (Brimacombe & Berry), 1009 (c)
- Battery back-up, the value of (Railton, Corner & Evans), 925 (c)
- Baxter disposable patient-controlled analgesia system (Arnstein), 354 (c)
- Baxter disposable patient-controlled analgesia infusor under hyperbaric conditions (Radcliffe & Spencer), 796
- Baxter disposable PCA device, malfunction of (Costigan: Rafferty), 352 (c)
- Baxter infusor, a comparison of epidural diamorphine with intravenous patient controlled analgesia using, following Caesarean section (Erratum) (Stoddart *et al.*), 274
- Baxter PCA balloon rupture, evidence of cause of (Seavell), 924 (c)
- Baxter PCA system: balloon rupture (Graham & Parsloe: Rafferty), 353 (c)
- Baxter-controlled analgesia system for postoperative doxapram therapy (Forde & Spittal), 649 (c)
- Beard, Arthur John Wells (Lindsay), 271 (c)
- Beard restraint causing difficult intubation (Fairley & O'Riordan), 740 (c)
- Becton Dickinson Program 1 and 2 syringe pumps manufactured before 1990: upgrade facility to high risk category recommendations (Safety Action Bulletin), 747

- Belscope and Macintosh blades compared; cervical spine movement during orotracheal intubation (Gajraj, Chason & Shearer), 772
- Beta2 agonists, tocolysis and anaesthesia (Rodgers & Morgan), 185
- Biliary surgery, elective, acid aspiration prophylaxis in (Vila *et al.*), 909 (f)
- Blankets, space, cheap (Ward), 182 (c)
- Blankets, space, safety of (Crooke & McCann), 547 (c)
- Blood glucose measurements; effects of haematocrit (Smith & Kilpatrick), 129
- Blood glucose test strips, effect of haematocrit on (Cross), 832 (c)
- Blood pressure, arterial, in patients undergoing total hip replacement; cemented versus uncemented components (Nolan), 293
- Blood pressure measurement using oscillometric finger cuffs in children and young adults. A comparison with arm cuffs during general anaesthesia (Lyew & Jamieson), 895
- Book reviews
- ATKINSON & ADAMS (EDS): *Recent advances in anaesthesia and analgesia*, 561
- BERNSTEIN & ROSENBERG: *Manual of orthopedic anesthesia and related pain syndromes*, 561
- BROWNRIDGE: *Pain relief and anaesthesia in childbirth*, 653
- CHAMBERLAIN, WRAIGHT & STEER (EDS): *Pain and its relief in childbirth*, 460
- DAL SANTO: *A laboratory basis for anaesthesiology*, 653
- FELDMAN, PATON & SCURR: *Review of mechanism of drugs in anaesthesia*, 1016
- GARETH JONES (ED): *International Anesthesiology Clinics: depth of anaesthesia*, Vol. 31 No. 4, 1016
- GIBSON (ED): *Psychology, pain and anaesthesia*, 653
- JOHNSON & FORREST: *Local and general anaesthesia for ophthalmic surgery*, 1016
- PARRHOOD: *Five decades. The South African Society of Anaesthetists - 1943-1993*, 272
- RUBIN & WOOD: *Problems in obstetric anaesthesia - analysis and management*, 272
- SCOTT, VICKERS & DRAPER (EDS): *Ethical issues in anaesthesia*, 1107
- SHIPTON: *Pain: acute and chronic*, 1016
- SIMPSON (ED): *Anaesthesia and the patient with co-existing heart disease*, 460
- WHITWAM (ED): *Day-case anaesthesia and sedation*, 746
- YENTIS, HIRSCH & SMITH: *Anaesthesia A-Z. An encyclopaedia of principles and practice*, 461
- Blood warmer for high and low flows, an assessment of (Johnson & Morgan), 707
- Bottles, infusion, air inlets for (Thorpe & Scott), 610
- Bougie-assisted tracheal intubation, haemopneumothorax following (Smith), 91 (c)
- Boyle-Davis gag, a problem with, following difficult intubation (Shirley, Kulkarni & Frost), 551 (c)
- Boyle-Davis gag, modification of the Doughty blade for (Oliver & Rao), 89 (c)
- Brachial plexus anaesthesia, unusual complication of (Hume & Stevenson), 837 (c)
- Brain auditory evoked potentials and wakefulness during general anaesthesia (Schwender *et al.*), 476
- Brain stem auditory evoked response; recovery from pre-operative sedation with clonidine (Kumar *et al.*), 533 (f)
- Brain-dead organ donors, haemodynamic responses to surgery in (Hill, Munglani & Sapsford), 835 (c)
- Brainstem auditory evoked response changes following electro-acupuncture therapy in chronic pain patients (Kumar *et al.*), 387
- Breath monitoring device (Drummond), 552 (c)
- Breathing system, Bain, faulty; an unusual communication (Bell & Ball; Le Poidevin), 830
- Breathing system, disposable, incorrectly assembled, problems with (Holden, Gordon & Heijke; Duggan), 1103 (c)
- Breathing system failure, an unexpected source of (Edge & Papee; Mason), 827 (c)
- Breathing system fault, major, capnography alerts to (Sames & Wilkinson; Le Poidevin), 167 (c)
- Breathing system, Lack, checking of (Normandale & Found; White), 735 (c)
- Breathing system, paediatric; adjustable support (Lloyd & Pye), 267 (c)
- Breathing systems, anaesthetic, checking the expiratory limb of (James), 646 (c)
- Breathing systems, non-absorber, the terminology of deadspace and rebreathing in (Barrie & Beatty), 351 (c)
- Bronchial lavage with a fiberoptic bronchoscope via a laryngeal mask airway in an infant (Yahagi, Kumon & Tanigami), 450 (c)
- Broncho-alveolar lavage, nonbronchoscopic, in a neonate (Yogosakaran & Chan), 1014 (c)
- Bronchoscope, fiberoptic; bronchial lavage via a laryngeal mask airway in an infant (Yahagi, Kumon & Tanigami), 450 (c)
- Bronchospasm and the laryngeal mask airway (Cook), 82 (c)
- Bronchospasm and the laryngeal mask airway (Brain), 542 (c)
- Bronchospasm and the laryngeal mask airway (Cook), 916 (c)
- Bupivacaine, 0.125%, given epidurally during labour, comparison of addition of three different doses of sufentanil to (Vertommen, Lemmens & Van Aken), 678
- Bupivacaine 0.5%, effect of diclofenac and morphine on epidural blockade (Scott, Forbes & Binning), 594
- Bupivacaine, caudal, and intramuscular diclofenac sodium compared for postoperative pain relief in children (Ryhänen *et al.*), 57 (f)
- Bupivacaine, epidural, for aortic surgery; effect of dilution on the quality of analgesia (Slade), 21
- Bupivacaine in extension of epidural blockade for emergency Caesarean section (Dickson & Jenkins), 636 (f)
- Bupivacaine, intra-articular, after arthroscopic knee surgery (Haynes *et al.*), 54 (f)
- Bupivacaine plasma levels in paravertebral blockade in adults (Snowden, Bower & Conacher), 546 (c)
- Bupivacaine, pre- and postoperative, a comparison; pain after tonsillectomy (Ørntoft *et al.*), 151 (f)
- Bupivacaine versus sufentanil during thoracic surgery (Haak-van der Lely *et al.*), 116
- Bupivacaine/fentanyl low dose epidural infusions in labour and mode of delivery (Stoddart, Nicholson & Popham), 1087 (f)
- Caesarean section, a comparison of postoperative analgesia following spinal or epidural anaesthesia for (Lam, Broome & Matthews), 65 (f)
- Caesarean section, a comparison of postoperative analgesia following spinal or epidural anaesthesia for (Erratum) (Lam, Broome & Matthews), 372
- Caesarean section: combined spinal/epidural anaesthesia; cardiorespiratory arrest (Bickford Smith; Russell, O'Sullivan & Reynolds; Eldridge, Popat & Carrie; Myint, Bailey & Milne; Bogod), 83 (c)
- Caesarean section, combined spinal/epidural anaesthesia for (Gamil), 545 (c)
- Caesarean section: comparison of 25 G and 27 G Whitacre needles (Smith *et al.*), 859
- Caesarean section: comparison of epidural diamorphine with patient controlled analgesia using the Baxter infusor (Erratum) (Stoddart *et al.*), 274
- Caesarean section, emergency, extension of epidural blockade for; use of bupivacaine (Dickson & Jenkins), 636 (f)
- Caesarean section, emergency, thyroid storm as a cause of loss of consciousness following anaesthesia for (Pugh, Lalwani & Awal), 35
- Caesarean section in a patient receiving high dose amiodarone for fetal supraventricular tachycardia, anaesthesia for (Fulgencio & Hamza), 406

- Caesarean section, patient-controlled epidural analgesia with sufentanil following; effect of adrenaline and clonidine admixture (Vercauteren *et al.*), 767
- Caesarean section: regional versus general anaesthesia (Scott), 86 (c)
- Caesarean section under spinal anaesthesia, acute respiratory distress during; anaphylactoid reaction to Syntocinon (Morris *et al.*), 41
- Caffeine withdrawal, postoperative transient hemihypaesthesia and severe headache associated with (Hampl, Stotz & Schneider), 266 (c)
- Calculations for preparing continuous infusions, avoidance of (Burtles), 264 (c)
- Cannulation, scalp vein, air in the cavernous sinus following (Brook & Moss), 219
- Cannulation, venous, pain scores during (Harrison & Walder), 1015 (c)
- Capnograph sampling tube, fixation to a Hudson mask (Asai), 745 (c)
- Capnography alerts to major breathing system fault (Sames & Wilkinson: Le Poidevin), 167 (c)
- Capnography for teaching airway management (Kennedy & Lim), 1096 (c)
- Capnography in babies and small children (Mather), 1096 (c)
- Capnography in confirmation of feeding tube position (Asai & Stacey), 451 (c)
- Carbon dioxide end-tidal detector, Easy Cap disposable (Hazard Notice), 95
- Carbon dioxide, end-tidal, monitoring; reliability during laparoscopic surgery (Nyarwaya, Mazoit & Samii), 775
- Carbon dioxide indicators, two, comparison of (Gedeon, Krill & Mebius), 798
- Carbon dioxide sensitivity, misquoted support for testing of (Goodman: Houghton), 836 (c)
- Carbon dioxide Sparklet Resuscitator (Wrigley & Nandi), 148
- Carbon dioxide tension, end-tidal, during laparoscopic cholecystectomy (Baraka *et al.*), 304
- Cardiac arrhythmias and orthotopic liver transplantation (Ranasinghe & Mallett), 403
- Cardiac index, decreased, as an indicator of tension pneumothorax in the ventilated patient (Beards & Lipman), 137
- Cardiac surgery and magnesium flux (Vyvyan, Mayne & Cutfield), 245 (f)
- Cardiac surgery, propofol/fentanyl anaesthesia for (Hickey: Phillips, McMurray & Mirakhur), 174 (c)
- Cardiac surgery, propofol-fentanyl anaesthesia for (Hindle & Shah: Phillips *et al.*), 445 (c)
- Cardiac tamponade in an infant. A rare complication of central venous catheterisation (Cherng *et al.*), 1052
- Cardiopulmonary bypass, delayed ACTH response to human corticotropin releasing hormone during, under diazepam-high dose fentanyl anaesthesia (Amado & Diago), 300
- Cardiopulmonary bypass, detection of cerebral hypoperfusion during (Andrews & Colquhoun), 949
- Cardiopulmonary bypass, haemodynamic effects of R 80122 immediately after (Herregods *et al.*), 719 (f)
- Cardiopulmonary bypass, intra-ocular pressure during; comparison of crystalloid and colloid priming solutions (Abbott, McLaren & Algie), 343 (f)
- Cardiopulmonary resuscitation, an unusual complication of (George & Tighe), 742 (c)
- Cardiopulmonary resuscitation, an unusual complication: scapular and proximal humeral head fractures (Kam & Kam), 1055
- Cardiopulmonary resuscitation, use of the laryngeal mask airway by nurses during (Bogod), 3
- Cardiopulmonary resuscitation, use of the laryngeal mask airway by nurses during (Martens: Baskett), 731 (c)
- Cardiorespiratory arrest after combined spinal/epidural anaesthesia (Camann), 177 (c)
- Cardiorespiratory arrest and combined spinal/epidural anaesthesia for Caesarean section (Bickford Smith: Russell, O'Sullivan & Reynolds: Eldridge, Popat & Carrie: Myint, Bailey & Milne: Bogod), 83 (c)
- Cardiorespiratory arrest following combined spinal epidural anaesthesia (Collier: Hough, Bloor & Brighouse), 259 (c)
- Cardiovascular collapse, intra-operative, due to latex allergy (Hodgson & Andersen), 507
- Cardiovascular function, effect of weaning on; comparison of continuous flow and demand valve systems (Ip Yam, Appadurai & Kox), 391
- Care, peri-operative, patient knowledge of (Hume, Kennedy & Asbury), 715 (f)
- Cataract surgery, day-case, dexmedetomidine compared with midazolam as intramuscular premedication for (Virkkilä *et al.*), 853
- Catheter, central venous, faulty (Hearn: Brooks), 455 (c)
- Catheter, central venous, migrating (Lalwani), 1105 (c)
- Catheter, epidural, coiled; a source of frustration (Bösenberg: Dowds), 832 (c)
- Catheter, epidural, faulty (Dods & Leach), 832 (c)
- Catheter, epidural, measurement of intercostal and pleural pressures by (Kawamata *et al.*), 208
- Catheter, intrapleural, and chest drain, combined (Richardson, Sabanathan & Mearns), 90 (c)
- Catheter, intrapleural, and chest drain, combined (Broome), 549 (c)
- Catheter, multilumen, guide for difficult airway management; uses in anaesthesia and intensive care (Dhara), 974
- Catheterisation, central venous, a rare complication; cardiac tamponade in an infant (Cherng *et al.*), 1052
- Catheterization, intercostal, attempted, haemothorax after (Dangoisse, Collins & Glynn), 961
- Catheters, epidural, checking of (Wee: Whitbread), 270 (c)
- Catheters, internal jugular vein, neutral head position for placement of (Willeford & Reitan), 202
- Catheters, parenteral, a case for anticonfusion devices in (McAnulty & Sutton), 557 (c)
- Catheters *see also* Central venous catheters
- Caudal bupivacaine and intramuscular diclofenac sodium compared for postoperative pain relief in children (Ryhänen *et al.*), 57 (f)
- Caudal space, a useful method of identification (Dorman), 556 (c)
- Cavernous sinus, air in, following scalp vein cannulation (Brook & Moss), 219
- Central line insertion, Horner's syndrome following (Talks, Shah & Sinha), 553 (c)
- Central venous access, axillary vein for (Smith & Till), 741 (c)
- Central venous catheter, faulty (Hearn: Brooks), 455 (c)
- Central venous catheterisation, rare complication of; cardiac tamponade in an infant (Cherng *et al.*), 1052
- Central venous line, fatal respiratory obstruction following insertion of (Digby), 1013 (c)
- Central venous puncture detector, simple (Tripathi & Pandey), 226
- Cerebral artery aneurysm clipping, hypertrophic obstructive cardiomyopathy complicating surgery for (Edmonds & Ghosh), 608
- Cerebral hypoperfusion during cardiopulmonary bypass (Andrews & Colquhoun), 949
- Cerebral hypoxia detected by near infrared spectroscopy (Williams *et al.*), 762
- Cerebral oximetric monitoring in adults, possible limitations of (Germon *et al.*), 639 (c)
- Cerebral spectroscopy, near infrared, in adults (Doblar, Lim & Kapur), 178 (c)
- Cerebrospinal cutaneous fistula (Priestley & Brighouse), 744 (c)
- Cerebrospinal fluid cutaneous fistula. An unusual complication of epidural anaesthesia (Howes & Lenz), 221
- Cerebrospinal fluid cutaneous fistula (Holden, Munglani & Wheildon), 836 (c)
- Cerebrospinal fluid pressure, effects of the cervical collar on (Raphael & Chotai), 437 (f)
- Cervical collar, effects on cerebrospinal fluid pressure (Raphael & Chotai), 437 (f)
- Cervical osteophyte, large; another cause of difficult fiberoptic intubation (Ranasinghe & Calder), 512

- Cervical spine injury, orotracheal intubation in a patient with (Morris), 258 (c)
- Cervical spine movement during orotracheal intubation: comparison of the Belscope and Macintosh blades (Gajraj, Chason & Shearer), 772
- Cervical spine problems and fiberoptic intubation (Ball), 737 (c)
- Chair dental anaesthesia: a survey of current and intended practice in Mersey Region (Barrett, Skinner & Whelan), 728 (f)
- Chart, paediatric pain (Edwards), 91 (c)
- Check for leakage of gas from an anaesthetic machine (Wee & White), 179 (c)
- Checking the expiratory limb of anaesthetic breathing systems (James), 646 (c)
- Checking the Lack breathing system (Normandale & Found), 735 (c)
- Checklist of the Association of Anaesthetists; use in detecting leaks from the back bar of anaesthetic machines (Bickford Smith), 86 (c)
- Checklists: use in checking of anaesthetic machines (Groves, Edwards & Carr), 122
- Chest drain and intrapleural catheter, combined (Richardson, Sabanathan & Mearns), 90 (c)
- Chest drain and intrapleural catheter, combined (Broome), 549 (c)
- Chest drainage problems (Eastwood: Todd), 89 (c)
- Child: late presentation of tracheo-oesophageal fistula (Teasdale & Nielsen), 307
- Child, small, endobronchial suction in (Ishihara, Tsubo & Matsuki), 548 (c)
- Child with Schwartz-Jampel syndrome, anaesthesia in (Ray & Rubin), 600
- Children, a modified sensor for pulse oximetry in (Stone), 546 (c)
- Children: a new technique for fiberoptic intubation (Hasan & Black), 1031
- Children: a review of airway problems; anaesthesia and mucopolysaccharidoses (Walker *et al.*), 1078
- Children and young adults, blood pressure measurement using oscillometric finger cuffs in; comparison with arm cuffs (Lew & Jamieson), 895
- Children: depth of epidural space (Hasan, Howard & Lloyd-Thomas), 1085 (f)
- Children: EMLA patch for dermal analgesia (Nilsson *et al.*), 70 (f)
- Children, modified sensor for pulse oximetry in (Newson), 831 (c)
- Children: postoperative pain relief; comparison between caudal bupivacaine and intramuscular diclofenac sodium (Ryhänen *et al.*), 57 (f)
- Children *see also* Paediatric
- Children, small, capnography in (Mather), 1096 (c)
- Children, triaging, with croup, validation of a croup score and its use in (Jacobs *et al.*), 903 (f)
- Chloroprocaine, epidural, and backache (Collier), 357 (c)
- Cholecystectomy, laparoscopic, end-tidal carbon dioxide tension during (Baraka *et al.*), 304
- Cholecystectomy, laparoscopic, pulmonary function tests before and after (Freeman & Armstrong), 579
- Cholestasis; manganese toxicity in a patient receiving total parenteral nutrition (Taylor & Manara), 1013 (c)
- Cleft lip surgery in infants, infra-orbital nerve block for relief of postoperative pain following (Ahuja *et al.*), 441 (f)
- Clonidine and adrenaline admixture, effect on patient-controlled epidural analgesia with sufentanil following Caesarean section (Vercauteren *et al.*), 767
- Clonidine: effect on intra-operative requirements of fentanyl during combined epidural/general anaesthesia (Murge *et al.*), 999 (f)
- Clonidine, recovery from pre-operative sedation with; brain stem auditory evoked response (Kumar *et al.*), 533 (f)
- Colibri (colorimetric breath indicator), new; comparison of two carbon dioxide indicators (Gedeon, Krill & Mebius), 798
- Colloid and crystalloid priming solutions compared; intra-ocular pressure during cardiopulmonary bypass (Abbott, McLaren & Algie), 343 (f)
- Colorimetric breath indicator, new; comparison of two carbon dioxide indicators (Gedeon, Krill & Mebius), 798
- Complication, CSF cutaneous fistula, of epidural anaesthesia (Howes & Lenz), 221
- Complication, hypertrophic obstructive cardiomyopathy, in surgery for cerebral artery aneurysm clipping (Edmonds & Ghosh), 608
- Complication, laryngotracheal stenosis, of percutaneous tracheostomy (McFarlane *et al.*), 38
- Complication of cardiopulmonary resuscitation: scapular and proximal humeral head fractures (Kam & Kam), 1055
- Complication of central venous catheterisation; cardiac tamponade in an infant (Cherng *et al.*), 1052
- Complication of inappropriate use of peripheral nerve stimulation (Hall), 925 (c)
- Complication of laparoscopic hernia repair (Chalmers & Thompson), 265 (c)
- Complication of orotracheal intubation on the Intensive Care Unit; apparent massive tongue swelling (Huehns, Yentis & Cumberworth), 414
- Complication of percutaneous tracheostomy (Masterson & Smurthwaite), 452 (c)
- Complication of tracheal intubation? (Claxton & Philips), 920 (c)
- Complication, rare and fatal, of oesophagoscopy (Zubair, Patil & Alghamdi), 873
- Complication, unusual, of brachial plexus anaesthesia (Hume & Stevenson), 837 (c)
- Complication, unusual, of cardiopulmonary resuscitation (George & Tighe), 742 (c)
- Complication, unusual, of Cornelia de Lange syndrome (Veall), 409
- Complication, unusual, of the laryngeal mask airway? (Van Dongen & Langemeijer), 1097 (c)
- Complication, unusual; white veins after propofol (Findlay), 838 (c)
- Complications of dislodged tracheostomy (Vyvyan), 558 (c)
- Complications, paralytic ileus, of atropine therapy following severe organophosphate poisoning (Beards, Kraus & Lipman), 791
- Complications, respiratory, due to inadequate analgesia following thoracotomy in a neonate (Cass & Howard), 879
- Complications: twelfth cranial nerve paralysis following use of a laryngeal mask airway (King & Street), 786
- Condensation problem with the Ohmeda 7800 ventilator and Ohmeda GMS absorber (Highley), 1101 (c)
- Conjunctival oxygen tension monitoring during liver transplantation (Alcock *et al.*), 394
- Contamination, microbial, emergency obstetric anaesthetic drugs and the risk of (Cheam), 555 (c)
- Continuous epidural infusion of bupivacaine, effect of diclofenac and morphine (Scott, Forbes & Binning), 594
- Continuous positive airway pressure *see* CPAP
- Continuous regional anaesthesia in comparison with intravenous opioid administration for routine postoperative pain control (Schug & Fry), 528 (f)
- Convulsions after intravenous regional anaesthesia with prilocaline (Kern & Gamulin), 642 (c)
- Cornelia de Lange syndrome; unusual complication (Veall), 409
- Costs: cheap space blankets (Ward), 182 (c)
- Cost-utility analysis of intensive therapy; quality of life in survivors (Ridley, Biggam & Stone), 192
- CPAP, comparison of continuous flow and demand valve systems; oxygen consumption and cardiovascular function (Ip Yam, Appadurai & Kox), 391
- Cranial nerve paralysis, XII, following use of a laryngeal mask airway (King & Street), 786
- Craniotomy, a comparison of 2% and 1% propofol during anaesthesia for (Dewandre *et al.*), 8

- Cricoid pressure (Sibell), 1099 (c)
 Cricoid pressure application; a good reason to employ ambidextrous ODAs? (Veall & Swinhoe), 556 (c)
 Cricoid pressure application; emergency intubation through the laryngeal mask airway (Swayne & Greenslade), 696
 Critical care equipment; value of battery back-up (Railton, Corner & Evans), 925 (c)
 Critically ill adults, haemodynamic and oxygen transport effects of propofol infusion in (Nimmo, Mackenzie & Grant), 485
 Critically ill humans; serum changes the metabolism of progesterone Metabolism of progesterone is changed by serum from critically ill humans (Park, Larroque & Maurel), 347 (c)
 Critically ill patients, a comparison of arterial lines and insertion techniques in (Beards *et al.*), 968
 Critically ill patients, causes of drug metabolism changes in; studies in hepatocytes (Park *et al.*), 188
 Critically ill patients, effects of dobutamine therapy in (Steltzer *et al.*), 432 (f)
 Critically ill patients, propofol and Intralipid cause creaming of serum from (Gempeler *et al.*), 17
 Critically ill patients, relationship between oxygen delivery and uptake in (Steltzer *et al.*), 229
 Critically ill patients, sedation for ventilation in; role for isoflurane (Willatts & Spencer), 422
 Croup score validation and its use in triaging children with croup (Jacobs *et al.*), 903 (f)
 Crystalloid and colloid priming solutions compared; intra-ocular pressure during cardiopulmonary bypass (Abbott, McLaren & Algie), 343 (f)
 Cuff inflation, 'failed', of a laryngeal mask (George: Woods), 80 (c)
 Cuff, laryngeal mask airway, puncture of (Pennant, Gajraj & Griffith), 448 (c)
 Cuff, laryngeal mask airway, puncture of (Lawson & Hickey), 915 (c)
 Cuff, laryngeal mask, inflation of (Asai & Morris), 1098 (c)
 Cuff pressures, laryngeal mask (Marjot: Brimacombe & Berry), 447 (c)
 Cuffed nasopharyngeal airway in difficult tracheal intubation (Thomas), 643 (c)
 Cuffed nasopharyngeal tube as 'dedicated airway' in difficult intubation (Ralston & Charters), 133
 Cuffs, arm, compared with finger cuffs for blood pressure measurement (Lew & Jamieson), 895
 Cuffs, finger, oscillometric, blood pressure measurement using, in children and young adults (Lew & Jamieson), 895
 Curare modification of suxamethonium blockade (Hood, Campkin & Feldman), 682
 Curriculum vitae: importance in determining appointment to senior registrar posts (Conn & Asbury), 623 (f)
 Curriculum vitae, research and publication as a component of (Goodman), 1006 (c)
 Cutaneous fistula, cerebrospinal (Priestley & Brighthouse), 744 (c)
 Cutaneous fistula, cerebrospinal fluid (Holden, Munglani & Wheildon), 836 (c)
 Cutaneous fistula, CSF, an unusual complication of epidural anaesthesia (Howes & Lenz), 221

 Daizepam, intravenous, effect on sensitivity of upper airway reflexes (Murphy, Erskine & Langton), 105
 Dantrolene and thyroid crisis (Ebert), 924 (c)
 Dantrolene in severe tetanus (Edmondson), 459 (c)
 Database, national, for management of acute diseases (Manners), 553 (c)
 Day case surgery, how useful is spinal anaesthesia in? (Seigne), 1094 (c)
 Day surgery, gynaecological, lignocaine for spinal anaesthesia in (Liew, Tay & Thomas), 633 (f)
 Day-case anaesthesia, paediatric, oral administration of midazolam as a premedicant for (McCluskey & Meakin), 782
 Day-case cataract surgery, dexmedetomidine compared with midazolam in intramuscular premedication for (Virkkilä *et al.*), 853
 Day-case paediatric dental surgery, propofol as sole agent for (Moore & Underwood), 811 (f)
 Dead space drug loss (Simpson & Strickland), 1012 (c)
 Deadspace and rebreathing in non-absorber breathing systems, the terminology of (Barrie & Beatty), 351 (c)
 Defibrillator/monitor, Lidepak 10, manufactured by Physio Control: manufacturer's modifications (Safety Action Bulletin), 563
 Defibrillators, S & W Vickers DMS 600 and DMS 700 series; modification to the carrying handle (Safety Action Bulletin), 747
 Dental anaesthesia, chair; survey of current and intended practice in Mersey Region (Barrett, Skinner & Whelan), 728 (f)
 Dental surgery, comparison of patient and anaesthetist controlled midazolam sedation for (Rodrigo & Tong), 241 (f)
 Dental surgery, day-case, paediatric, propofol as sole agent for (Moore & Underwood), 811 (f)
 Dermal analgesia in children, the EMLA patch for (Nilsson *et al.*), 70 (f)
 Desflurane and the TEC 6 filler system (Uncles, Sibell & Conway), 547 (c)
 Desflurane, experiences with (Bellon), 451 (c)
 Dexmedetomidine as intramuscular premedication for day-case cataract surgery. A comparative study of dexmedetomidine, midazolam and placebo (Virkkilä *et al.*), 853
 Diamorphine, epidural, compared with intravenous patient controlled analgesia using the Baxter infusor following Caesarean section (Erratum) (Stoddart *et al.*), 274
 Diazepam-high dose fentanyl anaesthesia, delayed ACTH response to human corticotropin releasing hormone during cardiopulmonary bypass under (Amado & Diago), 300
 Diclofenac and morphine, effect on epidural blockade with bupivacaine (Scott, Forbes & Binning), 594
 Diclofenac sodium, intramuscular, and caudal bupivacaine compared for postoperative pain relief in children (Ryhänen *et al.*), 57 (f)
 Difficult intubation *see* Intubation
 Diseases, acute, a national database for management of (Manners), 553 (c)
 Dobutamine therapy: effects in critically ill patients (Steltzer *et al.*), 432 (f)
 Doctors, newly qualified, a survey of the intended management of acute postoperative pain by (Gould, Upton & Collins), 807 (f)
 Doppler ultrasound-guided vascular access needle; the SMART needle (Vucevic *et al.*), 889
 Double-lumen endobronchial tube, Mallinckrodt, incorrectly labelled (Pritchard: Balchin), 744 (c)
 Doughty blade modification for the Boyle-Davis gag (Oliver & Rao), 89 (c)
 Doxapram versus vecuronium in the isolated forearm, recovery of mivacurium and (Campkin, Hood & Feldman), 501
 Doxapram therapy, postoperative, the Baxter-controlled analgesia system for (Forde & Spittal), 649 (c)
 Dr John Snow - the name of the rose (Strunin & Strunin), 92 (c)
 Drain, chest, and intrapleural catheter, combined (Richardson, Sabanathan & Mearns), 90 (c)
 Drainage, chest, problems with (Eastwood: Todd), 89 (c)
 Drawing up propofol (Warwick & Blake), 172 (c)
 Drawing up propofol (Arnold & Bilski), 738 (c)
 Droperidol and patient-controlled analgesia (Collum, Merritt & Orlikowski), 349 (c)
 Drug administration, vasoactive, interference of continuous venovenous haemofiltration with (Böhrer *et al.*), 742 (c)
 Drug loss, dead space (Simpson & Strickland), 1012 (c)
 Drug metabolism changes in critically ill patients, causes of; studies in hepatocytes (Park *et al.*), 188
 Drug packaging, a psychologist's view (Nott), 1100 (c)

- Drug packaging and the sterile field (Lam & Green), 745 (c)
- Drugs for intravenous use; labelling: colour and tactile coding (Otero, French & Sellers), 1015 (c)
- Dupuytren's diathesis, prolonged epidural anaesthesia in a patient with (De La Calle *et al.*), 694
- Dystrophia myotonica, mivacurium for endoscopy in (England & Kitchin), 177 (c)
- Easy Cap Disposable end-tidal CO₂ detector. Nellcor Incorporated (Hazard Notice), 95
- Echocardiography, transoesophageal, in measurements of the effects of dobutamine therapy in critically ill patients (Steltzer *et al.*), 432 (f)
- Editorials
- Anaesthetic information (Tackley), 277
 - Back to basics? (Harmer), 749
 - Diagnosing malignant hyperthermia susceptibility (Hopkins, Halsall & Ellis), 373
 - How many authors? (Rollin), 97
 - Misuse of the laryngeal mask airway (Asai & Vaughan), 467
 - Paying the piper – calling the tune? (Beatty & Campbell), 931
 - Philip John Helliwell (Zorab), 659
 - The medical fast-track (Lyons), 841
 - The need for standards for interhospital transfer (Oakley), 565
 - The postpartum stomach – when is it safe? (Bogod), 1
 - The superiority of epidural opioids for postoperative analgesia – fact or fallacy? (Cheam & Morgan), 1019
 - Tocolysis, β_2 agonists and anaesthesia (Rodgers & Morgan), 185
- 'Ecstasy' toxicity treatment (Padkin), 259 (c)
- Elderly patients, histamine release following atracurium in (Lewis: Shorten, Goudsouzian & Ali), 74 (c)
- Elderly patients, spinal headaches in; does needle design matter? (Walsh & Jones), 88 (c)
- Electro-acupuncture therapy in chronic pain patients, brainstem auditory evoked response changes following (Kumar *et al.*), 387
- Emergency airway management in patients with cervical spine injuries (Criswell, Parr & Nolan), 900 (f)
- Emergency intubation through the laryngeal mask airway. The effective application of cricoid pressure (Swayne & Greenslade), 696
- EMLA patch – a new type of local anaesthetic application for dermal analgesia in children (Nilsson *et al.*), 70 (f)
- EMOX 911, assessment of (Wilkinson & Jackson), 1010 (c)
- Emphysema, surgical, and laparoscopic surgery (Massey & Balaji), 356 (c)
- Endobronchial double-lumen tube, Mallinckrodt, incorrectly labelled (Pritchard: Balchin), 744 (c)
- Endobronchial suction in a small child (Ishihara, Tsubo & Matsuki), 548 (c)
- Endoscopy, mivacurium for, in dystrophia myotonica (England & Kitchin), 177 (c)
- End-tidal carbon dioxide tension during laparoscopic cholecystectomy. Correlation with the baseline value prior to carbon dioxide insufflation (Baraka *et al.*), 304
- End-tidal carbon dioxide tension monitoring during laparoscopic surgery, reliability of (Nyarwaya, Mazoit & Samii), 775
- Enflurane, effect on gastric emptying during maintenance of anaesthesia for minor surgery (Bennett, Bembridge & Shah), 675
- Engstrom Elvira tube support arm causes power failure (McCann, Nimmo & Broome: Högman), 829 (c)
- Etonox: effect on arterial oxygen saturation of women in labour (Arfeen, Armstrong & Whitfield), 32
- Epidural, 0.125% bupivacaine during labour, comparison of addition of three different doses of sufentanil to (Vertommen, Lemmens & Van Aken), 678
- Epidural administration of alfentanil, effect on intra-operative intravenous alfentanil requirements during nitrous oxide-oxygen-alfentanil anaesthesia for lower abdominal surgery (Haak-van der Lely *et al.*), 1034
- Epidural administration, plasma concentrations of alfentanil following (Haak-van der Lely *et al.*), 850
- Epidural anaesthesia, an unusual complication: CSF cutaneous fistula (Howes & Lenz), 221
- Epidural anaesthesia, prolonged, in a patient with Dupuytren's diathesis (De La Calle *et al.*), 694
- Epidural analgesia: effect of arterial oxygen saturation of women in labour (Arfeen, Armstrong & Whitfield), 32
- Epidural analgesia, patient-controlled, with sufentanil following Caesarean section; the effect of adrenaline and clonidine admixture (Vercauteren *et al.*), 767
- Epidural analgesia, spinal cord compression immediately following, but unrelated to (Mills, Howell & Richmond), 954
- Epidural and caudal space, a useful method of identification (Dornan), 556 (c)
- Epidural block, anaphylactoid reaction following; local anaesthetic or latex? (Lee), 263 (c)
- Epidural blockade extension for emergency Caesarean section; use of bupivacaine (Dickson & Jenkins), 636 (f)
- Epidural blockade with bupivacaine, effect of diclofenac and morphine on (Scott, Forbes & Binning), 594
- Epidural bupivacaine for aortic surgery. The effect of dilution on the quality of analgesia (Slade), 21
- Epidural catheter, coiled; a source of frustration (Bösenberg: Dowds), 832 (c)
- Epidural catheter, faulty (Dods & Leach), 832 (c)
- Epidural catheter, measurement of intercostal and pleural pressures by (Kawamata *et al.*), 208
- Epidural chloroprocaine and backache (Collier), 357 (c)
- Epidural diamorphine compared with intravenous patient controlled analgesia using the Baxter infusor following Caesarean section (Erratum) (Stoddart *et al.*), 274
- Epidural, failed, another cause for (Wee: Whitbread), 270 (c)
- Epidural infusions, low dose bupivacaine/fentanyl, in labour, and mode of delivery (Stoddart, Nicholson & Popham), 1087 (f)
- Epidural lumbar anaesthesia, the pioneer of (history) (De Lange, Cuesta & Cuesta de Pedro), 429
- Epidural malignancy, acute paraplegia following intrathecal phenol block in the presence of (Morgan & Steller), 142
- Epidural needle, faulty (Millman), 270 (c)
- Epidural needle; unexpected loss of resistance (Mackie, Cranfield & Boddu), 458 (c)
- Epidural opioids for postoperative analgesia, superiority of; fact or fallacy? (Cheam & Morgan), 1019
- Epidural or spinal anaesthesia for Caesarean section, a comparison of postoperative analgesia following (Lam, Broome & Matthews), 65 (f)
- Epidural or spinal anaesthesia for Caesarean section, a comparison of postoperative analgesia following (Erratum) (Lam, Broome & Matthews), 372
- Epidural space, depth of, in children (Hasan, Howard & Lloyd-Thomas), 1085 (f)
- Epidural space location, an aid to (Bird), 923 (c)
- Epidural spinal combined anaesthesia, cardiorespiratory arrest following (Collier: Hough, Bloor & Brighthouse), 259 (c)
- Epidural sufentanil for thoracotomy; comparison of lumbar with thoracic (Haak-van der Lely *et al.*), 119
- Epidural/general combined anaesthesia, the effect of clonidine on intra-operative requirements of fentanyl during (Murga *et al.*), 999 (f)
- Epidurally administered sufentanil versus bupivacaine during thoracic surgery (Haak-van der Lely *et al.*), 116

- Epidural/spinal combined anaesthesia for Caesarean section (Bickford Smith: Russell, O'Sullivan & Reynolds: Eldridge, Popat & Carrie: Myint, Bailey & Milne: Bogod), 83 (c)
- Epidural/spinal combined anaesthesia, cardiorespiratory arrest after (Camann), 177 (c)
- Epidural/spinal combined anaesthesia for Caesarean section (Gamil), 545 (c)
- Epidural-spinal combined anaesthesia, and needle compatibility (Uncles & Westbrook), 646 (c)
- Errata, 96, 274, 372, 563, 840
- Ethnic groups, three, respiratory depressant effect of morphine in (Houghton *et al.*), 197
- Ethylene glycol antifreeze poisoning. Three case reports and a review of treatment (Walter & Tyler), 964
- Evoked potentials, auditory, and purposeful movements after thiopentone bolus injection (Schwender *et al.*), 99
- Explosion of tracheal tube during tracheostomy (Michels & Stott), 1104 (c)
- Extradural sufentanil, respiratory arrest following (Russell & Reynolds), 446 (c)
- Eyes: routine use of the perconjunctival route for administration of peri-ocular regional anaesthesia (Hamilton), 176 (c)
- Eyes see also Cataracts; Intraocular; Ophthalmic,
- Eyes: single medial injection peribulbar anaesthesia using prilocaine (Brahma *et al.*), 1003 (f)
- Famotidine and omeprazole compared; acid aspiration prophylaxis in elective biliary surgery (Vila *et al.*), 909 (f)
- Fast-track, medical (Lyons), 841
- Fatal respiratory obstruction following insertion of a central venous line (Digby), 1013 (c)
- Feeding tube position, confirmation of; how about capnography? (Asai & Stacey), 451 (c)
- Fentanyl in general anaesthesia; effects of surgical stimulation on auditory evoked potentials (Schwender *et al.*), 572
- Fentanyl, the effect of clonidine on intra-operative requirements of, during epidural/general anaesthesia (Murga *et al.*), 999 (f)
- Fentanyl/bupivacaine low dose epidural infusions in labour and mode of delivery (Stoddart, Nicholson & Popham), 1087 (f)
- Fentanyl-diazepam anaesthesia, delayed ACTH response to human corticotropin releasing hormone during cardiopulmonary bypass under (Amado & Diago), 300
- Fentanyl/flunitrazepam, motor signs of wakefulness during general anaesthesia with (Schwender *et al.*), 476
- Fentanyl/propofol anaesthesia for cardiac surgery (Hickey: Phillips, McMurray & Mirakhor), 174 (c)
- Fentanyl-propofol anaesthesia for cardiac surgery (Hindle & Shah: Phillips *et al.*), 445 (c)
- Fentanyl-propofol-N₂O/O₂ anaesthesia in a patient with myasthenia gravis, response to suxamethonium during (Vanlinthout, Robertson & Bootj), 509
- Fetal supraventricular tachycardia, anaesthesia for Caesarean section in a patient receiving high dose amiodarone for (Fulgencio & Hamza), 406
- Fetus, neuromuscular blockade of, with pancuronium or pipecuronium, for intra-uterine procedures (Fan, Susetio & Tsai), 284
- Fibreoptic bronchoscope: bronchial lavage via a laryngeal mask airway in an infant (Yahagi, Kumon & Tanigami), 450 (c)
- Fibreoptic intubation and cervical spine problems (Ball), 737 (c)
- Fibreoptic intubation, awake (Ryder), 180 (c)
- Fibreoptic intubation, awake; use of a guide wire and a ureteral dilator as an aid (Telford *et al.*), 691
- Fibreoptic intubation, awake versus asleep (Ball), 921 (c)
- Fibreoptic intubation, difficult, caused by large cervical osteophyte (Ranasinghe & Calder), 512
- Fibreoptic intubation, easier (Tan), 830 (c)
- Fibreoptic intubation in children; a new technique (Hasan & Black), 1031
- Fibreoptic intubation teaching: effect of alfentanil on the haemodynamic response (Hartley, Morris & Vaughan), 335 (f)
- Fibreoptic intubation teaching in anaesthetised patients (Schaefer *et al.*), 331 (f)
- Fibreoptic tracheal intubation and the laryngeal mask (Logan & Charters), 543 (c)
- Fidel Pagés Miravé (1886-1923). The pioneer of lumbar epidural anaesthesia (De Lange, Cuesta & Cuesta de Pedro), 429
- Filler, vaporizer, keyed, new (Wittmann *et al.*), 710
- Filshie clips, 2% lignocaine gel applied to; analgesia after laparoscopic sterilisation (Barclay *et al.*), 68 (f)
- Filters, cylindrical, 60 mm diameter (Intersurgical Ltd.) (Hazard Notice), 563
- Finger cuffs, oscillometric, blood pressure measurement using, in children and young adults (Lyew & Jamieson), 895
- Finger tapping, rhythmic, artefactual hypertension from (Das), 262 (c)
- Finger tapping, rhythmic, artefactual hypertension from (Erratum) (Das), 563
- Fistula, cutaneous, cerebrospinal (Priestley & Brighthouse), 744 (c)
- Fistula, cutaneous, cerebrospinal fluid (Holden, Munglani & Wheildon), 836 (c)
- Fistula, cutaneous, CSF; an unusual complication of epidural anaesthesia (Howes & Lenz), 221
- Fistula, tracheo-oesophageal, late presentation of (Teasdale & Nielsen), 307
- Flow characteristics of long spinal needles (Patel *et al.*), 223
- Fluid replacement, intra-operative, a comparison of Plasmalyte 148 and 0.9% saline (McFarlane & Lee), 779
- Flumazenil, intravenous, effect on sensitivity of upper airway reflexes (Murphy, Erskine & Langton), 105
- Flunitrazepam/fentanyl general anaesthesia, effect of surgical stimulation on auditory evoked potentials during (Schwender *et al.*), 572
- Flunitrazepam/fentanyl, motor signs of wakefulness during general anaesthesia with (Schwender *et al.*), 476
- Fluoride, circulating, changes and hepatorenal function following sevoflurane anaesthesia (Newman *et al.*), 936
- Fontan procedure, modified, prolonged high frequency jet ventilation and milrinone therapy following (McBride & McMurray), 312
- Forces acting on the maxillary incisor teeth during laryngoscopy using the Macintosh laryngoscope (Bucx *et al.*), 1064
- Forearm, isolated, recovery of mivacurium and doxacurium versus vecuronium in (Campkin, Hood & Feldman), 501
- Forestier's disease (ankylosing hyperostosis): a cause for difficult tracheal intubation (Broadway), 919 (c)
- Foreword: Ondansetron Symposium (Rosen & Camu), I(S)
- Gas analyser, new, for anaesthetic use; the Ohmeda Rascal II (Lockwood *et al.*), 44
- Gas sampling tubes, more problems with (Walsh & Page: Parry), 1012 (c)
- Gas tensions, transcutaneous, waking and sleeping, in ventilator-dependent patients with an uncuffed tracheostomy tube (Watt & Fraser), 328 (f)
- Gastric emptying: a comparison of effect of either enflurane or propofol given during maintenance of anaesthesia for minor surgery (Bennett, Bembridge & Shah), 675
- Gastric emptying, a comparison of the effect of alfentanil or morphine on (Bennett, Shah & Bembridge), 155 (f)
- Gastrointestinal surgery, major; peri-operative effect on serum magnesium (Sanchez-Capuchino & McConachie), 912 (f)
- Gelatin, succinylated, angiotensinamide in the treatment of anaphylaxis to (McKinnon & Sinclair), 309
- Gelofusine, angiotensinamide in the treatment of anaphylaxis to (McKinnon & Sinclair), 309
- Gelofusine, difficulties with infusing new preparation of (Hough: Scott: Smith), 87 (c)
- General anaesthesia, effects of surgical stimulation on auditory evoked potentials during (Schwender *et al.*), 572

- General anaesthesia, suggestion during, effect on postoperative smoking habits (Hughes *et al.*), 126
- General anaesthesia with propofol, isoflurane and flunitrazepam/fentanyl, motor signs of wakefulness during (Schwender *et al.*), 476
- General and spinal anaesthesia for surgical fixation of hip fractures, mortality after (Sutcliffe & Parker), 237 (f)
- General versus regional anaesthesia for Caesarean section (Scott), 86 (c)
- Glaucoma, intra-ocular pressure changes in patients with; comparison between the laryngeal mask airway and tracheal tube (Barclay *et al.*), 159 (f)
- Glaucoma, intra-ocular pressure changes in patients with (Moore & Samuel: Barclay & Asai), 833 (c)
- Glaucoma, phakomorphic; an unusual cause of postoperative vomiting (Gupta *et al.*), 959
- Glove finger for fixing pulse oximeter probe (Prasad, Puri & Chari), 831 (c)
- Glucose, blood, measurements; effect of haematocrit (Smith & Kilpatrick), 129
- Glucose test strips, effect of haematocrit on (Cross), 832 (c)
- Golz-Gorlin syndrome, anaesthesia for (Ezri, Szmuk & Soroker), 833 (c)
- Grading of direct laryngoscopy. A survey of current practice (Cohen, Fleming & Wace), 522 (f)
- Gram-negative bacteraemia in sepsis syndrome, incidence of; implications for immunotherapy (Willatts, Speller & Winter), 751
- Graseby 3300 PCA pump, a problem with (Correction)(Nicholson), 182 (c)
- Graseby 3300 PCA syringe pump (Safety Action Bulletin), 273
- Graseby ambulatory syringe pumps (Hazard Notice), 273
- Graseby MS16A and MS26 ambulatory syringe drivers (Hazard Notice), 930
- Guedel airway and the laryngeal mask airway (Sing), 171 (c)
- Guedel airway and the laryngeal mask airway (Brimacombe), 643 (c)
- Guedel airway, partial obstruction by temazepam tablet (Walker), 839 (c)
- Guide wire and a ureteral dilator as an aid to awake fiberoptic intubation (Telford *et al.*), 691
- Gum elastic bougie for nasotracheal intubation (Bhanumurthy & McCaughey), 824 (c)
- Gum elastic bougies, sterilisation of (Letheren), 921 (c)
- Gynaecological day surgery, lignocaine for spinal anaesthesia in (Liew, Tay & Thomas), 633 (f)
- Haematocrit: effect on glucose test strips (Smith & Kilpatrick), 129
- Haematocrit: effect on glucose test strips (Cross), 832 (c)
- Haematological disturbances in anaesthetic personnel chronically exposed to halothane and nitrous oxide (Parić, Petrovečki & Marušić), 1022
- Haematoma, epidural, spinal, emergency X ray-guided nasotracheal intubation in a patient with (Kawaguchi *et al.*), 411
- Haematoma, lingual, following streptokinase therapy (Eggers & Mason), 922 (c)
- Haematoma, lingual, following treatment with streptokinase and heparin (Williams, Jani & McGlashan), 417
- Haemodynamic and oxygen transport effects of propofol infusion in critically ill adults (Nimmo, Mackenzie & Grant), 485
- Haemodynamic effects of R 80122 immediately after cardiopulmonary bypass; preliminary results (Herregods *et al.*), 719 (f)
- Haemodynamic response, effect of alfentanil on; teaching fiberoptic intubation (Hartley, Morris & Vaughan), 335 (f)
- Haemodynamic responses to surgery in brain-dead organ donors (Hill, Munglani & Sapsford), 835 (c)
- Haemofiltration, venovenous, continuous, interference with vasoactive drug administration (Böhrer *et al.*), 742 (c)
- Haemopneumothorax following bougie-assisted tracheal intubation (Smith), 91 (c)
- Haemorrhage, operative, in association with ketorolac (Read & Bainton), 73 (c)
- Haemothorax after attempted intercostal catheterization (Dangoisse, Collins & Glynn), 961
- Halothane, haematological disturbances in anaesthetic personnel exposed to (Parić, Petrovečki & Marušić), 1022
- Hazard: a case of undeclared home-made false teeth (Shirley), 651 (c)
- Hazard: a problem with a PCA pump (Correction)(Nicholson), 182 (c)
- Hazard: a rare cause of oxygen failure (Kua & Tan), 650 (c)
- Hazard: a rebreathing non-rebreathing valve (Day & Nolan), 456 (c)
- Hazard: an incorrectly labelled Mallinckrodt double-lumen endobronchial tube (Pritchard: Balchin), 744 (c)
- Hazard: an unsuspected source of breathing system failure (Edge & Pape: Mason), 827 (c)
- Hazard: Bain breathing system; an unusual communication (Bell & Ball: Le Poidevin), 830
- Hazard: balloon rupture in PCA disposable system (Graham & Parsloe: Rafferty), 353 (c)
- Hazard: balloon rupture in PCA disposable system; evidence of cause (Seavell), 924 (c)
- Hazard: critical incident due to inappropriate resterilisation (Bell & Morgan), 269 (c)
- Hazard: difficulties with infusing new preparation of Gelofusine (Hough: Scott: Smith), 87 (c)
- Hazard: drug packaging and the sterile field (Lam & Green), 745 (c)
- Hazard: Engstrom Elvira tube support arm causes power failure (McCann, Nimmo & Broome: Högman), 829 (c)
- Hazard: explosion of tracheal tube during tracheostomy (Michels & Stott), 1104 (c)
- Hazard: 'failed' cuff inflation of a laryngeal mask (George: Woods), 80 (c)
- Hazard: fault with an Ohmeda Excel 210 anaesthetic machine (Kidd & Hall: Davies), 83 (c)
- Hazard: faulty central venous catheter (Hearn: Brooks), 455 (c)
- Hazard: faulty epidural needle (Millman), 270 (c)
- Hazard: haemopneumothorax following bougie-associated tracheal intubation (Smith), 91 (c)
- Hazard: ignition of the tracheal tube during tracheostomy (Wilson, Igbasimokumo & Martin), 734 (c)
- Hazard: incorrect setting of a Manley ventilator (Benson, Patla & Farوقي: Woods), 544 (c)
- Hazard: leak due to defect in tracheal tube wall (Palmer: Balchin), 648 (c)
- Hazard: malfunction of a disposable PCA device (Costigan: Rafferty), 352 (c)
- Hazard: monitoring line failure (Barton: Le Poidevin), 457 (c)
- Hazard: more problems with gas sampling tubes (Walsh & Page: Parry), 1012 (c)
- Hazard: needle; unexpected loss of resistance (Mackie, Cranfield & Boddu), 458 (c)
- Hazard Notices, 95, 183, 273, 563, 657, 840, 930
- Hazard of reinforced tracheal tubes (Webb: Jayarajah & Cole: Balchin), 918 (c)
- Hazard: PCA disposable system (Arnstein), 354 (c)
- Hazard: problems with soda lime (Bell: Liley), 550 (c)
- Hazard: problems with the Interlink system (Cook & Monk: Isaac & Dudar), 828 (c)
- Hazard: rotation of reinforced laryngeal mask airway (Ravalia & Kumar: Brain), 541 (c)
- Hazard: safety of space blankets (Crooke & McCann), 547 (c)
- Headache, postspinal, prevention of; a new technique (Bar), 458 (c)
- Headache, severe, postoperative, associated with caffeine withdrawal (Hampl, Stotz & Schneider), 266 (c)

- Headaches, spinal, in elderly patients; does needle design matter? (Walsh & Jones), 88 (c)
- Heart: unusual complication of Cornelia de Lange syndrome (Veall), 409
- Heat and moisture exchangers, Hydro-Thermal AI (Intersurgical Ltd) (Hazard Notice), 657
- Heat and moisture exchangers (Intersurgical Ltd.) (Hazard Notice), 563
- Heat and moisture exchanging filters (Intersurgical Ltd.) (Hazard Notice), 563
- Heat loss; cheap space blankets (Ward), 182 (c)
- Height, patients' assessment of (Richards & McGeachie), 1008 (c)
- Hemihypaesthesia, transient, postoperative, associated with caffeine withdrawal (Hampl, Stotz & Schneider), 266 (c)
- 'Heparin analgesia' (Hickman), 1105 (c)
- Heparin and streptokinase, lingual haematoma following treatment with (Williams, Jani & McGlashan), 417
- Hepatocyte studies: what changes drug metabolism in critically ill patients? (Park *et al.*), 188
- Hepatorenal function and circulating fluoride changes following sevoflurane anaesthesia (Newman *et al.*), 936
- Hernia repair, laparoscopic, a complication of (Chalmers & Thompson), 265 (c)
- Hewlett Packard M11908 pulse oximeter adult finger probe; incorrect readings when used on paediatric patients (Safety Action Bulletin), 1107
- High dependency care, is there a case for? (Kilpatrick, Ridley & Plenderleith), 666
- Hip fractures, mortality after spinal and general anaesthesia for surgical fixation of (Sutcliffe & Parker), 237 (f)
- Hip replacement, total; cemented versus uncemented components (Nolan), 293
- Histamine release following atracurium in the elderly (Lewis: Shorten, Goudsouzian & Ali), 74 (c)
- History: carbon dioxide Sparklet Resuscitator (Wrigley & Nandi), 148
- History: Fidel Pagés Miravé (1886-1923). The pioneer of lumbar epidural anaesthesia (De Lange, Cuesta & Cuesta de Pedro), 429
- History: Laureate of the history of anaesthesia; a new post, 930
- Horner's syndrome following central line insertion (Talks, Shah & Sinha), 553 (c)
- Hudson mask, fixation of capnograph sampling tube to (Asai), 745 (c)
- Hudson mask: use in routine pre-oxygenation; comparison with a conventional technique (Hett *et al.*), 157 (f)
- Human corticotropin releasing hormone, delayed ACTH response to, during cardiopulmonary bypass under diazepam-high dose fentanyl anaesthesia (Amado & Diago), 300
- Humidifier, nebulising, Theramist (Hazard Notice), 273
- Humidifiers, intensive care, two, performance at high gas flows (Baldock), 269 (c)
- Hyaluronidase: effect on peribulbar block (Crawford & Kerr), 907 (f)
- Hydro-Thermal AI heat and moisture exchangers (Intersurgical Ltd) (Hazard Notice), 657
- Hypertension, artefactual, from rhythmic finger tapping (Das), 262 (c)
- Hypertension, artefactual, from rhythmic finger tapping (Erratum) (Das), 563
- Hyperthermia, malignant, susceptibility, diagnosis of (Hopkins, Halsall & Ellis), 373
- Hypertrophic obstructive cardiomyopathy complicating surgery for cerebral artery aneurysm clipping (Edmonds & Ghosh), 608
- Hypoglossal nerve paralysis, unilateral, following the use of the laryngeal mask airway (Nagai, Sakuramoto & Goto), 603
- Hypomagnesaemia, cardiac arrhythmias and orthotopic liver transplantation (Ranasinghe & Mallett), 403
- Hypoperfusion, cerebral, detection of, during cardiopulmonary bypass (Andrews & Colquhoun), 949
- Hypoxia, cerebral, detected by near infrared spectroscopy (Williams *et al.*), 762
- Ignition of the tracheal tube during tracheostomy (Wilson, Igbaseimokumo & Martin), 734 (c)
- Ileus, paralytic, as a complication of atropine therapy following severe organophosphate poisoning (Beards, Kraus & Lipman), 791
- Immune response and propofol infusion anaesthesia in minor surgery (Pirttikangas *et al.*), 13
- Incendiary characteristics of the laryngeal and reinforced laryngeal mask airway (Brimacombe, Sher & Laing), 171 (c)
- Induction characteristics of methohexitone, improvement of (Raphael & Bexton), 338 (f)
- Infant, bronchial lavage with a fiberoptic bronchoscope via a laryngeal mask airway in (Yahagi, Kumon & Tanigami), 450 (c)
- Infant, cardiac tamponade in; rare complication of central venous catheterisation (Cherng *et al.*), 1052
- Infants: infra-orbital nerve block for relief of postoperative pain following cleft lip surgery in (Ahuja *et al.*), 441 (f)
- Information about anaesthesia, patients' desire for; Australian attitudes (Farnill & Inglis), 162 (f)
- Information, anaesthetic (Tackley), 277
- Infra-orbital nerve block for relief of postoperative pain following cleft lip surgery in infants (Ahuja *et al.*), 441 (f)
- Infusion bottles, air inlets for (Thorpe & Scott), 610
- Infusion, continuous, of propofol compared with patient-controlled propofol, for intra-operative sedation (Osborne *et al.*), 287
- Infusion device, a comparison of the performance of two types of (Auty), 177 (c)
- Infusion of rocuronium; reversibility with anticholinesterases (McCoy *et al.*), 940
- Infusion, propofol, anaesthesia and immune response in minor surgery (Pirttikangas *et al.*), 13
- Infusion, recovery of mivacurium block with or without anticholinesterases following administration by (Maddineni, Mirakhur & McCoy), 946
- Infusions, continuous, avoiding calculations for preparation of (Burtles), 264 (c)
- Infusor, disposable, patient-controlled analgesia, Baxter; performance under hyperbaric conditions (Radcliffe & Spencer), 796
- Inhalation anaesthesia and the Kearns-Sayre syndrome (Lauwers, Van Lersberghe & Camu), 876
- Insufflation leaks: effect in long-term ventilation (Watt & Fraser), 328 (f)
- Insufflation leaks: effect on ventilation; comparison of ventilators (Watt & Fraser), 320
- Intensive care environment, noise pollution in (Kam, Kam & Thompson), 982
- Intensive care humidifiers, two, performance at high gas flows (Baldock), 269 (c)
- Intensive care management of multiple-organ dysfunction due to falciparum malaria in a married couple (Grace *et al.*), 686
- Intensive care, quality of life after multiple trauma requiring (Thiagarajan *et al.*), 211
- Intensive care, survival after (Ridley & Plenderleith), 933
- Intensive care unit; apparent massive tongue swelling, a complication of orotracheal intubation (Huehns, Yentis & Cumberworth), 414
- Intensive care: use of a multilumen catheter guide for difficult airway management (Dhara), 974
- Intensive therapy: a cost-utility analysis; quality of life in survivors (Ridley, Biggam & Stone), 192
- Intensive therapy: is there a case for high dependency care? (Kilpatrick, Ridley & Plenderleith), 666
- Intercostal catheterization, attempted, haemothorax after (Dangoisse, Collins & Glynn), 961
- Intercostal pressure measurement by epidural catheter (Kawamata *et al.*), 208
- Interlink system, problems with (Cook & Monk: Isaac & Dudar), 828 (c)
- International congress calendar, 93, 370, 655, 928
- Interpleural analgesia, phrenic nerve paralysis and patient position (Gallart *et al.*), 175 (c)
- Intersurgical Hydro-Thermal AI heat and moisture exchangers (Hazard Notice), 657

- Intra-abdominal surgery, sevoflurane anaesthesia for (Quinn *et al.*), 567
- Intra-arterial blood gas monitoring, superiority over pulse oximetry, in patients with acute respiratory failure (Böhrer *et al.*), 551 (c)
- Intra-articular morphine after arthroscopic meniscectomy, analgesic effect of (Dierking *et al.*), 627 (f)
- Intra-articular morphine and bupivacaine analgesia after arthroscopic knee surgery (Haynes *et al.*), 54 (f)
- Intracardiac monitoring in measurements of the effects of dobutamine therapy in critically ill patients (Steltzer *et al.*), 432 (f)
- Intracerebral tumour, peri-operative presentation of (Spivey & Wait), 268 (c)
- Intracranial compliance, raised, and termination of anaesthesia (Burden & Laycock), 743 (c)
- Intracranial disease and alfentanil (Erratum) (Cohen), 96
- Intralipid and propofol cause creaming of serum from critically ill patients (Gempeler *et al.*), 17
- Intramuscular diclofenac sodium and caudal bupivacaine compared for postoperative pain relief in children (Ryhänen *et al.*), 57 (f)
- Intramuscular premedication for day-case cataract surgery; midazolam compared with dexmedetomidine (Virkkilä *et al.*), 853
- Intra-ocular pressure changes in patients with glaucoma. Comparison between the laryngeal mask airway and tracheal tube (Barclay *et al.*), 159 (f)
- Intra-ocular pressure changes in patients with glaucoma (Moore & Samuel: Barclay & Asai), 833 (c)
- Intra-ocular pressure during cardiopulmonary bypass – a comparison of crystalloid and colloid solutions (Abbott, McLaren & Algic), 343 (f)
- Intra-operative blood glucose measurements. The effect of haematocrit on glucose test strips (Smith & Kilpatrick), 129
- Intra-operative cardiovascular collapse due to latex allergy (Hodgson & Andersen), 507
- Intra-operative comparison of lumbar with thoracic epidural sufentanil for thoracotomy (Haak-van der Lely *et al.*), 119
- Intra-operative fluid replacement, a comparison of Plasmalyte 148 and 0.9% saline (McFarlane & Lee), 779
- Intra-operative intravenous alfentanil requirements during nitrous oxide-oxygen-alfentanil anaesthesia for lower abdominal surgery, the effect of epidural administration of alfentanil on (Haak-van der Lely *et al.*), 1034
- Intra-operative patient-controlled sedation and patient attitude to control. A crossover comparison of patient preference for patient-controlled propofol and propofol by continuous infusion (Osborne *et al.*), 287
- Intra-operative positive suggestions, postoperative nausea and vomiting in patients exposed to (Williams, Hind & Sweeney), 340 (f)
- Intra-operative requirements of fentanyl, effect of clonidine on (Murga *et al.*), 999 (f)
- Intrapleural catheter and chest drain, combined (Richardson, Sabanathan & Mearns), 90 (c)
- Intrapleural catheter and chest drain, combined (Broome), 549 (c)
- Intrathecal phenol block, acute paraplegia following, in presence of occult epidural malignancy (Morgan & Steller), 142
- Intrathecal phenol block, acute paraplegia following (Nash: Stellar), 1011 (c)
- Intra-uterine procedures; neuromuscular blockade of fetus (Fan, Susetio & Tsai), 284
- Intravenous administration of paracetamol (propacetamol) for postoperative analgesia (Beaulieu), 739 (c)
- Intravenous anaesthesia, total, external ophthalmoplegia after (Marsch & Schaefer), 525 (f)
- Intravenous induction of anaesthesia with propofol; a simple method for maintenance of oxygen saturation (Ruggier *et al.*), 759
- Intravenous opioid administration in comparison with continuous regional analgesia for routine postoperative pain control (Schug & Fry), 528 (f)
- Intravenous opioids, pre-emptive analgesia from; no effect with alfentanil (Wilson *et al.*), 591
- Intravenous patient controlled analgesia using the Baxter infusor, comparison with epidural diamorphine, following Caesarean section (Erratum) (Stoddart *et al.*), 274
- Intravenous regional anaesthesia; prilocaine, pethidine (Heath), 554 (c)
- Intravenous regional anaesthesia with prilocaine, generalised convulsions after (Kern & Gamulin), 642 (c)
- Intravenous single dose ondansetron in the prevention of postoperative nausea and vomiting (Pearman), 11(S)
- Intravenous single dose ondansetron for 24-hour treatment of postoperative nausea and vomiting (Claybon), 24(S)
- Intravenously administered diazepam, midazolam and flumazenil; effect on sensitivity of upper airway reflexes (Murphy, Erskine & Langton), 105
- Intubation, difficult, a problem with the Boyle-Davis gag following (Shirley, Kulkarni & Frost), 551 (c)
- Intubation, difficult, caused by beard restraint (Fairley & O'Riordan), 740 (c)
- Intubation, difficult, cuffed nasopharyngeal tube as 'dedicated airway' in (Ralston & Charters), 133
- Intubation, difficult, following thoracic trauma (Groves, Edwards & Hood), 698
- Intubation, difficult; simultaneous use of two laryngoscopes (Ryder), 180 (c)
- Intubation, emergency, through the laryngeal mask airway; the effective application of cricoid pressure (Swayne & Greenslade), 696
- Intubation, fiberoptic, and cervical spine problems (Ball), 737 (c)
- Intubation, fiberoptic, awake (Ryder), 180 (c)
- Intubation, fiberoptic, awake versus asleep (Ball), 921 (c)
- Intubation, fiberoptic, difficult, caused by large cervical osteophyte (Ranasinghe & Calder), 512
- Intubation, fiberoptic, easier (Tan), 830 (c)
- Intubation, fiberoptic, in children; a new technique (Hasan & Black), 1031
- Intubation, fiberoptic, teaching; effect of alfentanil on the haemodynamic response (Hartley, Morris & Vaughan), 335 (f)
- Intubation, fiberoptic, teaching in anaesthetised patients (Schaefer *et al.*), 331 (f)
- Intubation, fiberoptic, use of a guide wire and a ureteral dilator as an aid to (Telford *et al.*), 691
- Intubation following propofol and alfentanil (Bailey & Geraghty: Beck *et al.*), 348 (c)
- Intubation, mediastinitis and sepsis syndrome following (Gamlin, Caldicott & Shah), 883
- Intubation, nasotracheal, gum elastic bougie for (Bhanumurthy & McCaughey), 824 (c)
- Intubation, nasotracheal, X ray-guided, emergency, in a patient with spinal epidural haematoma (Kawaguchi *et al.*), 411
- Intubation of a one-day-old baby with the Pierre-Robin syndrome via a laryngeal mask (Wheatley & Stainthorp), 733 (c)
- Intubation, oral, blind, compared with direct laryngoscopy; excursions of the cervical spine during tracheal intubation (Fitzgerald *et al.*), 111
- Intubation, oral, blind, using the Augustine guide (Ali), 644 (c)
- Intubation, orotracheal, blind, laryngeal mask assisted; comparison of three types of tracheal tube (Lim, Tay & Thomas), 255 (f)
- Intubation, orotracheal, cervical spine movement during; comparison of Belscope and Macintosh blades (Gajraj, Chason & Shearer), 772
- Intubation, orotracheal, complication on the Intensive Care Unit; apparent massive tongue swelling (Huehns, Yentis & Cumberworth), 414
- Intubation, orotracheal, in a patient with cervical spine injury (Morris), 258 (c)
- Intubation, prolonged, chronic middle ear effusion after (Cavaliere & Masieri), 641 (c)
- Intubation, the laryngeal mask as an aid to (Brimacombe), 823 (c)
- Intubation, tracheal, a complication of? (Claxton & Philips), 920 (c)
- Intubation, tracheal, bougie-assisted, haemopneumothorax following (Smith), 91 (c)
- Intubation, tracheal, difficult, a cause for; Forestier's disease (Broadway), 919 (c)

- Intubation, tracheal, difficult, and cuffed nasopharyngeal airway (Thomas), 643 (c)
- Intubation, tracheal; estimation of correct tube lengths (Cartwright), 181 (c)
- Intubation, tracheal, excursions of the cervical spine during; blind oral intubation compared with direct laryngoscopy (Fitzgerald *et al.*), 111
- Intubation, tracheal, fiberoptic, and the laryngeal mask (Logan & Charters), 543 (c)
- Intubations, oral, blind; further studies are needed (Seigne), 648 (c)
- Intubations, oral, reinforced tubes for (Cartwright), 181 (c)
- Isoflurane in sedation for ventilation in the critically ill (Willatts & Spencer), 422
- Isoflurane/fentanyl general anaesthesia, effect of surgical stimulation on auditory evoked potentials during (Schwender *et al.*), 572
- Jugular vein, internal, neutral head position for placement of catheters (Willeford & Reitan), 202
- Kearns-Sayre syndrome and inhalation anaesthesia (Lauwers, Van Lersberghe & Camu), 876
- Ketoprofen, effect on platelet function (Dordoni *et al.*), 1046
- Ketorolac, effect on platelet function (Dordoni *et al.*), 1046
- Ketorolac for postoperative analgesia (Parmar), 354 (c)
- Ketorolac, lower dose, use of (Morrow & Milligan), 837 (c)
- Ketorolac, operative haemorrhage in association with (Read & Bainton), 73 (c)
- Knee surgery, arthroscopic, intra-articular morphine and bupivacaine after (Haynes *et al.*), 54 (f)
- Label information for suxamethonium in the USA (Smith), 1101 (c)
- Label information, new product, for suxamethonium in the USA; here next? (McHugh), 647 (c)
- Labels: a psychologist's view of drug packaging (Nott), 1100 (c)
- Labels, drug ampoule, difficult to read (Graham), 652 (c)
- Labels for intravenous drugs; colour and tactile coding (Otero, French & Sellers), 1015 (c)
- Labour: comparison of addition of three different doses of sufentanil to 0.125% bupivacaine given epidurally (Vertommen, Lemmens & Van Aken), 678
- Labour, effects of Entonox and epidural analgesia on arterial oxygen saturation of women in (Arfeen, Armstrong & Whitfield), 32
- Labour, low dose bupivacaine/fentanyl epidural infusions in, and mode of delivery (Stoddart, Nicholson & Popham), 1087 (f)
- Lack breathing system, checking of (Normandale & Found: White), 735 (c)
- Laparoscopic cholecystectomy, end-tidal carbon dioxide tension during (Baraka *et al.*), 304
- Laparoscopic cholecystectomy, pulmonary function tests before and after (Freeman & Armstrong), 579
- Laparoscopic hernia repair, complication of (Chalmers & Thompson), 265 (c)
- Laparoscopic sterilisation, analgesia after; effect of 2% lignocaine gel applied to Filshie clips (Barclay *et al.*), 68 (f)
- Laparoscopic surgery and surgical emphysema (Massey & Balaji), 356 (c)
- Laparoscopic surgery: reliability of pulse oximetry and end-tidal carbon dioxide tension monitoring (Nyarwaya, Mazoit & Samii), 775
- Laryngeal mask airway: a useful tip (Jewell & Frerk), 543 (c)
- Laryngeal mask airway, an unusual complication of? (Van Dongen & Langemeijer), 1097 (c)
- Laryngeal mask airway and barotrauma (Brimacombe & Berry), 1009 (c)
- Laryngeal mask airway and bronchospasm (Cook), 82 (c)
- Laryngeal mask airway and bronchospasm (Brain), 542 (c)
- Laryngeal mask airway and bronchospasm (Cook), 916 (c)
- Laryngeal mask airway and endoscopic guided percutaneous tracheostomy (Ip-Yam & Shaw), 733 (c)
- Laryngeal mask airway and lasers (Pennant & Gajraj), 448 (c)
- Laryngeal mask airway and late postoperative stridor (Nair & Thompson), 449 (c)
- Laryngeal mask airway and percutaneous tracheostomy (Brimacombe, Clarke & Simons), 358 (c)
- Laryngeal mask airway and the Guedel airway (Sing), 171 (c)
- Laryngeal mask airway and the Guedel airway (Brimacombe), 643 (c)
- Laryngeal mask airway and the incidence of sore throat (Dingley, Whitehead & Wareham), 251 (f)
- Laryngeal mask airway and the laryngoscope (Brimacombe & Berry), 82 (c)
- Laryngeal mask airway and tracheal tube, comparison between; intra-ocular pressure changes in patients with glaucoma (Barclay *et al.*), 159 (f)
- Laryngeal mask airway, bronchial lavage with a fiberoptic bronchoscope via, in an infant (Yahagi, Kumon & Tanigami), 450 (c)
- Laryngeal mask airway cuff, puncture of (Pennant, Gajraj & Griffith), 448 (c)
- Laryngeal mask airway cuff, puncture of (Lawson & Hickey), 915 (c)
- Laryngeal mask airway, emergency intubation through: effective application of cricoid pressure (Swayne & Greenslade), 696
- Laryngeal mask airway grille and the vocal cords, the distance between (Silk, Hill & Calder: Asai, Latto & Vaughan), 170 (c)
- Laryngeal mask airway, incendiary characteristics of (Brimacombe, Sher & Laing), 171 (c)
- Laryngeal mask airway, misuse of (Asai & Vaughan), 467
- Laryngeal mask airway pilot tube (Richards: Woods), 450 (c)
- Laryngeal mask airway, reinforced, and magnetic resonance imaging (Stevens & Burden), 79 (c)
- Laryngeal mask airway, reinforced, incendiary characteristics of (Brimacombe, Sher & Laing), 171 (c)
- Laryngeal mask airway, re-inforced; introduction (Palmer), 1098 (c)
- Laryngeal mask airway, reinforced, rotation of (Ravalia & Kumar: Brain), 541 (c)
- Laryngeal mask airway, rotation of (O'Connor), 169 (c)
- Laryngeal mask airway, unilateral hypoglossal nerve paralysis following the use of (Nagai, Sakuramoto & Goto), 603
- Laryngeal mask airway use by nurses during cardiopulmonary resuscitation (Bogod), 3
- Laryngeal mask airway, used, discarded; can there still be life after 40? (Newnam), 81 (c)
- Laryngeal mask airway, XII cranial nerve paralysis following use of (King & Street), 786
- Laryngeal mask and fiberoptic tracheal intubation (Logan & Charters), 543 (c)
- Laryngeal mask and patients with 'collapsible' airways (Asai & Morris), 169 (c)
- Laryngeal mask and the prone position (Lim & Cone), 542 (c)
- Laryngeal mask and tracheal tube, comparative effects of, on total respiratory resistance in anaesthetised patients (Boisson-Bertrand *et al.*), 846
- Laryngeal mask as an aid to intubation (Brimacombe), 823 (c)
- Laryngeal mask assisted blind orotracheal intubation; comparison of three types of tracheal tube (Lim, Tay & Thomas), 255 (f)
- Laryngeal mask cuff, inflation of (Asai & Morris), 1098 (c)
- Laryngeal mask cuff pressures (Marjot: Brimacombe & Berry), 447 (c)

- Laryngeal mask: 'failed' cuff inflation (George: Woods), 80 (c)
 Laryngeal mask for laser surgery to the pharynx (Brimacombe & Sher), 1009 (c)
 laryngeal mask in the prone position (Milligan), 449 (c)
 Laryngeal mask insertion - a useful tip? (Brimacombe & Berry), 358 (c)
 Laryngeal mask insertion aid and minor morbidity (Brimacombe), 732 (c)
 Laryngeal mask insertion, alternative techniques for (Rabenstein), 80 (c)
 Laryngeal mask, intubation of a one-day-old baby with the Pierre-Robin syndrome via (Wheatley & Stainthorp), 733 (c)
 Laryngeal mask use, does it result in loss of airway management skills? (Tuckey), 824 (c)
 Laryngeal oedema, a marker of an 'at risk' airway? (Dexter), 826 (c)
 Laryngoscope and the laryngeal mask airway (Brimacombe & Berry), 82 (c)
 Laryngoscope, flexing (Lawes), 555 (c)
 Laryngoscope, levering, blade (Ward: Farling: Johnston & Rao), 357 (c)
 Laryngoscopes, two, simultaneous use of (Ryder), 180 (c)
 Laryngoscopes, two, simultaneous use of (Ross), 271 (c)
 Laryngoscopy, direct, and cervical spine stabilisation (Wood *et al.*), 77 (c)
 Laryngoscopy, direct, compared with blind oral intubation; excursions of the cervical spine during tracheal intubation (Fitzgerald *et al.*), 111
 Laryngoscopy, direct, grading of; a survey of current practice (Cohen, Fleming & Wace), 522 (f)
 Laryngoscopy: effect of different cervical spine immobilisation techniques (Heath), 843
 Laryngoscopy using the Macintosh laryngoscope, forces acting on the maxillary incisor teeth during (Bucx *et al.*), 1064
 Laryngotracheal stenosis: a serious complication of percutaneous tracheostomy (McFarlane *et al.*), 38
 Laryngotracheal stenosis after percutaneous tracheostomy (Charters, Mannar & Jones), 825 (c)
 Laser surgery to the pharynx, laryngeal mask for (Brimacombe & Sher), 1009 (c)
 Lasers and the laryngeal mask airway (Pennant & Gajraj), 448 (c)
 Latex allergy: an unfamiliar cause of intra-operative cardiovascular collapse (Hodgson & Andersen), 507
 Latex allergy, another (Harding & White), 926 (c)
 Latex anaphylaxis: anaphylactoid reaction following epidural block (Lee), 263 (c)
 Latex rubber, allergy to (Spears & Liu), 550 (c)
 Leak due to defect in tracheal tube wall (Palmer: Balchin), 648 (c)
 Leakage of gas from an anaesthetic machine (Wee & White), 179 (c)
 Leaks from the back bar of anaesthetic machines: detection using the Association of Anaesthetists' checklist (Bickford Smith), 86 (c)
 Leg, isolated, and suxamethonium apnoea (Mitchell & Harrop-Griffiths), 315
 Legs, both, severe pain in, after spinal anaesthesia with hyperbaric 5% lignocaine solution (Sjöström & Bläss), 700
 Levelling out surgeon-anaesthetist relationships (Wilkins & Davies), 559 (c)
 Lidepak 10 defibrillator/monitor manufactured by Physio Control: manufacturer's modifications (Safety Action Bulletin), 563
 Lignocaine 0.5% for spinal anaesthesia in gynaecological day surgery (Liew, Tay & Thomas), 633 (f)
 Lignocaine, 2%, applied to Filshie clips: analgesia after laparoscopic sterilisation (Barclay *et al.*), 68 (f)
 Lignocaine, nebulised, an aid to weaning (Spivey, Campbell & Forrest), 182 (c)
 Lignocaine solution, 5%, hyperbaric, severe pain in both legs after spinal anaesthesia with (Sjöström & Bläss), 700
 Lignocaine, the effect of oral omeprazole on the disposition of (Noble *et al.*), 497
 Lingual haematoma following streptokinase therapy (Eggers & Mason), 922 (c)
 Lingual haematoma following treatment with streptokinase and heparin: anaesthetic management (Williams, Jani & McGlashan), 417
 Liver transplantation, a new method of veno-venous bypass during (Scherer *et al.*), 398
 Liver transplantation, conjunctival oxygen tension monitoring during (Alcock *et al.*), 394
 Liver transplantation: hypomagnesaemia and cardiac arrhythmias (Ranasinghe & Mallett), 403
 Local anaesthetic application, the EMLA patch, for dermal analgesia in children (Nilsson *et al.*), 70 (f)
 Local anaesthetic effects of pethidine in volunteers (Oldroyd, Tham & Power), 503
 Local anaesthetic or latex? Anaphylactoid reaction following epidural block (Lee), 263 (c)
 Low flow anaesthesia, predictable nitrous oxide uptake enables simple oxygen uptake monitoring during (Bengtson, Bengtsson & Stenqvist), 29
 Lower limb amputations, previous, and spinal anaesthesia (Tessler & Kleiman), 439 (f)
 Lumbar epidural anaesthesia, the pioneer of (history) (De Lange, Cuesta & Cuesta de Peñero), 429
 Lumbar epidural sufentanil compared with thoracic epidural sufentanil for thoracotomy (Haak-van der Lely *et al.*), 119
 Lung volumes, effect of different surgical prone positions on, in volunteers (Mahajan *et al.*), 583
 McCoy levering laryngoscope blade (Ward: Farling: Johnston & Rao), 357 (c)
 Macintosh and Belscope blades compared; cervical spine movement during orotracheal intubation (Gajraj, Chason & Shearer), 772
 Macintosh laryngoscope, forces acting on the maxillary incisor teeth during laryngoscopy using (Bucx *et al.*), 1064
 Magnesium flux and cardiac surgery. A study of the relationship between magnesium exchange, serum magnesium levels and postoperative arrhythmias (Vyvyan, Mayne & Cutfield), 245 (f)
 Magnesium, serum, peri-operative effect of major gastrointestinal surgery on (Sanchez-Capuchino & McConachie), 912 (f)
 Magnesium therapy, abnormal response to suxamethonium in a patient receiving (Ip-Yam & Allsop), 355 (c)
 Magnetic resonance imaging and the reinforced laryngeal mask airway (Stevens & Burden), 79 (c)
 Magnetic resonance imaging, paediatric, and propofol (Sury: Van Hemelrijck, Van Aken & Vangerven), 174 (c)
 Magnetic resonance imaging, paediatric, and propofol (Burke & Pollock), 647 (c)
 Magnetic stimulation of the ulnar nerve for monitoring neuromuscular transmission; preliminary clinical evaluation (Iwasaki, Igarashi & Namiki), 814 (f)
 Mains power failure: value of battery back-up (Railton, Corner & Evans), 925 (c)
 Malaria, falciparum, intensive care management of multiple-organ dysfunction due to, in a married couple (Grace *et al.*), 686
 malignancy, epidural, acute paraplegia following intrathecal phenol block in the presence of (Morgan & Steller), 142
 Malignant hyperthermia susceptibility, diagnosis of (Hopkins, Halsall & Ellis), 373
 Mallinckrodt double-lumen endobronchial tube, incorrectly labelled (Pritchard: Balchin), 744 (c)
 Management, intended, of acute postoperative pain by newly qualified doctors (Gould, Upton & Collins), 807 (f)
 Manganese toxicity in a patient with cholestasis receiving total parenteral nutrition (Taylor & Manara), 1013 (c)
 Manley ventilator, incorrect setting of (Benson, Patla & Farouqi: Woods), 544 (c)
 Manley ventilators, incorrect settings on (Hartopp), 916 (c)
 Mask, Hudson, fixation of capnograph sampling tube to (Asai), 745 (c)
 Mask, Hudson; use in routine pre-oxygenation; comparison with a conventional technique (Hett *et al.*), 157 (f)

- Mask, oxygen, a problem with (Waite & O'Brien: Middleton), 826 (c)
- Masks *see also* Laryngeal.
- Maternal mortality (Lake), 649 (c)
- MDMA ('Ecstasy') toxicity treatment (Padkin), 259 (c)
- Median single injection peribulbar anaesthesia using prilocaine (Brahma *et al.*), 1003 (f)
- Mediastinitis and sepsis syndrome following intubation (Gamlin, Caldicott & Shah), 883
- Meningitis, postpartum (Bromage), 260 (c)
- Meningococcal meningitis and muscle rigidity (Manners), 544 (c)
- Meningococcal meningitis and muscle rigidity (Erratum) (Manners), 840
- Metabolism, drug, changes in critically ill patients, causes of; studies in hepatocytes (Park *et al.*), 188
- Metal sensitivity (Francis), 181 (c)
- Methohexitone: improving the induction characteristics; effect of adding thiopentone (Raphael & Bexton), 338 (f)
- Metoclopramide: antiemetic efficacy when included in a patient-controlled analgesia infusion (Walder & Aitkenhead), 804 (f)
- Microbial contamination, emergency obstetric anaesthesia drugs and the risk of (Cheam), 555 (c)
- Micro-organisms: growth in propofol (Scott), 266 (c)
- Midazolam compared with dexmedetomidine for intramuscular premedication for day-case cataract surgery (Virkkilä *et al.*), 853
- Midazolam, intravenous, effect on sensitivity of upper airway reflexes (Murphy, Erskine & Langton), 105
- Midazolam, oral, as a premedicant for paediatric day-case anaesthesia (McCluskey & Meakin), 782
- Midazolam sedation for dental surgery, comparison of patient and anaesthetist control (Rodrigo & Tong), 241 (f)
- Middle ear effusion, chronic, after prolonged intubation (Cavaliere & Masieri), 641 (c)
- Midlatency auditory evoked potentials and purposeful movements after thiopentone bolus injection (Schwender *et al.*), 99
- Milrinone therapy following modified Fontan procedure (McBride & McMurray), 312
- Mivacurium and doxacurium versus vecuronium in the isolated forearm, recovery of (Campkin, Hood & Feldman), 501
- Mivacurium apnoea (Lightman), 835 (c)
- Mivacurium apnoea, reversal with neostigmine (Bell), 350 (c)
- Mivacurium, asystole associated with (Else), 926 (c)
- Mivacurium block, recovery with or without anticholinesterases following administration by continuous infusion (Maddineni, Mirakhur & McCoy), 946
- Mivacurium for endoscopy in dystrophia myotonica (England & Kitchin), 177 (c)
- Mivacurium, sensitivity to second dose of (Feldman *et al.*), 671
- Moclobemide and anaesthesia (McFarlane), 597
- Monitoring aid, the oesophageal and precordial stethoscope transducer as (Barthram & Taylor), 713
- Monitoring, breath; device (Drummond), 552 (c)
- Monitoring, intra-arterial blood gas; superiority over pulse oximetry in patients with acute respiratory failure (Böhrer *et al.*), 551 (c)
- Monitoring line failure (Barton: Le Poidevin), 457 (c)
- Monitoring, noninvasive, of respiratory volume: correlation and accuracy (Goodman), 76 (c)
- Monitoring, respiratory, for regional anaesthesia (Skjellerup), 1097 (c)
- Monitoring, respiratory, in patients undergoing regional anaesthesia (Risvall & Geraghty), 179 (c)
- Monitoring the concentration of inhaled nitric oxide; a simple method (Petros, Cox & Bohn), 317
- Monoamine oxidase inhibitors, new generation, and anaesthesia (McFarlane), 597
- Montgomery T-tube, a novel approach to insertion of (Ni Chonchubhair, O'Connor & O'Hagan), 605
- Morphine and diclofenac, effect on epidural blockade with bupivacaine (Scott, Forbes & Binning), 594
- Morphine: effect on gastric emptying (Bennett, Shah & Bembridge), 155 (f)
- Morphine, intra-articular, after arthroscopic knee surgery (Haynes *et al.*), 54 (f)
- Morphine, intra-articular, after arthroscopic meniscectomy, analgesic effect of (Dierking *et al.*), 627 (f)
- Morphine: respiratory depressant effect in three ethnic groups (Houghton *et al.*), 197
- Mortality after spinal and general anaesthesia for surgical fixation of hip fractures (Sutcliffe & Parker), 237 (f)
- Mortality, maternal (Lake), 649 (c)
- Motor signs of wakefulness during general anaesthesia with propofol, isoflurane and flunitrazepam/fentanyl and midlatency auditory evoked potentials (Schwender *et al.*), 476
- Mucopolysaccharidoses and anaesthesia; a review of airway problems in children (Walker *et al.*), 1078
- Multi-authorship and short listing for senior posts (Horton), 640 (c)
- Munchausen's syndrome. A case presenting as asthma requiring ventilation (Baker & Major), 1050
- Muscle effort, inspiratory: comparison of different modes of ventilatory support (Elliott *et al.*), 279
- Muscle rigidity in meningococcal meningitis (Manners), 544 (c)
- Muscle rigidity in meningococcal meningitis (Erratum) (Manners), 840
- Myalgia and suxamethonium (Burnell: Mirakhur), 87 (c)
- Myasthenia gravis, response to suxamethonium during propofol-fentanyl-N₂O/O₂ anaesthesia in a patient with (Vanlinthout, Robertson & Booi), 509
- Myocardial infarction in a parturient. A case report with emphasis on medication and management (Söderlin *et al.*), 870
- Nasal obstruction: influence on oxygen saturation during sleep and the early postoperative period (Serpell *et al.*), 538 (f)
- Nasogastric tube insertion; an unusual complication (Soroker, Ezri & Szmuk), 1105 (c)
- Nasogastric tubes, fine-bore, positioning of (King, Taylor & Smith), 265 (c)
- Nasopharyngeal cuffed airway in difficult tracheal intubation (Thomas), 643 (c)
- Nasopharyngeal tube, cuffed, as 'dedicated airway' in difficult intubation (Ralston & Charters), 133
- Nasotracheal intubation, gum elastic bougie for (Bhanumurthy & McCaughey), 824 (c)
- Nasotracheal intubation, X ray-guided, emergency, in a patient with a spinal epidural haematoma (Kawaguchi *et al.*), 411
- Nasotracheal tube, polyurethane (Wright *et al.*), 979
- Nausea and vomiting, postoperative, and phacomorphic glaucoma (Gupta *et al.*), 959
- Nausea and vomiting, postoperative, in patients exposed to positive intra-operative suggestions (Williams, Hind & Sweeney), 340 (f)
- Nausea, postoperative (Quinn *et al.*), 62 (f)
- Nausea, postoperative, clinical development of ondansetron for (Joslyn), 34(S)
- Nausea, postoperative, impact in the surgical setting (Hirsch), 30(S)
- Nausea, postoperative: physiology and pharmacology (Naylor & Inall), 2(S)
- Nausea, postoperative: risk factors (Kenny), 6(S)
- Nausea, postoperative, single dose intravenous ondansetron in prevention of (Pearman), 11(S)
- Nausea, postoperative, single dose intravenous ondansetron for the 24-hour treatment of (Clayton), 24(S)

- Nausea, postoperative, single oral dose ondansetron in prevention of (Rust & Cohen), 16(S)
- Near infrared cerebral spectroscopy in adults (Doblar, Lim & Kapur), 178 (c)
- Near infrared oximetry and near infrared spectroscopy (Owen-Reece *et al.*), 1102 (c)
- Near infrared spectroscopic detection of cerebral hypoxia (Williams *et al.*), 762
- Near infrared spectroscopy and near infrared oximetry (Owen-Reece *et al.*), 1102 (c)
- Near infrared spectroscopy (Haynes: Harris: Williams *et al.*), 75 (c)
- Neck, impaled; management of difficult airway access (Bullingham, Hampson-Evans & Palazzo), 866
- Needle compatibility and combined spinal-epidural anaesthesia (Uncles & Westbrook), 646 (c)
- Needle design and spinal headaches in elderly patients (Walsh & Jones), 88 (c)
- Needle, epidural, faulty (Millman), 270 (c)
- Needle, SMART: a new Doppler ultrasound-guided vascular access needle (Vucevic *et al.*), 889
- Needle, Sprotte, an experience with (Dresner & Hall), 1014 (c)
- Needle, Weiss; unexpected loss of resistance (Mackie, Cranfield & Boddu), 458 (c)
- Needles, atraumatic, advancing (Serpell & Carson), 261 (c)
- Needles, spinal, long, flow characteristics of (Patel *et al.*), 223
- Needles, spinal, pencil-point; failure to enter the subarachnoid space (Brighouse & Wilkins), 176 (c)
- Needles, spinal, Quincke-type; insertion characteristics and failure rates (Tarkkila, Huhtala & Salminen), 723 (f)
- Needles, Whitacre, 25 G and 27 G, for Caesarean section; a comparison (Smith *et al.*), 859
- Nefopam, effect on platelet function (Dordoni *et al.*), 1046
- Neonatal condition, the effect of propofol sedation in pregnancy on (Bacon & Razis), 1058
- Neonatal resuscitation: a tragedy in the wings (Graham), 180 (c)
- Neonate, nonbronchoscopic broncho-alveolar lavage in (Yogosakaran & Chan), 1014 (c)
- Neonate, respiratory complications due to inadequate analgesia following thoracotomy in (Cass & Howard), 879
- Neostigmine, reversal of mivacurium apnoea with (Bell), 350 (c)
- Neurofibromatosis, multiple, and silent, unstable, cervical spine injury (Lovell, Alexander & Grundy), 453 (c)
- Neuromuscular blockade of the fetus with pancuronium or pipecuronium for intra-uterine procedures (Fan, Susetio & Tsai), 284
- Neuromuscular stimulating experiments, effect of temperature on sensitivity of transducers used on human volunteers during (England, Wu & Feldman), 554 (c)
- Neuromuscular transmission monitoring, a preliminary clinical evaluation of magnetic stimulation of the ulnar nerve for (Iwasaki, Igarashi & Namiki), 814 (f)
- Neutral head position for placement of internal jugular vein catheters (Willeford & Reitan), 202
- Nitric oxide: basic science and clinical applications (Kam & Govender), 515
- Nitric oxide, inhaled, a simple method for monitoring the concentration of (Petros, Cox & Bohn), 317
- Nitrous oxide, haematological disturbances in anaesthetic personnel exposed to (Parić, Petrovečki & Marušić), 1022
- Nitrous oxide uptake during spontaneous and controlled ventilation (Bengtson, Bengtsson & Stenqvist), 25
- Nitrous oxide uptake, predictable, enables simple oxygen uptake monitoring during low flow anaesthesia (Bengtson, Bengtsson & Stenqvist), 29
- Nitrous oxide-oxygen-alfentanil anaesthesia for lower abdominal surgery, effect of epidural administration of alfentanil on intra-operative intravenous alfentanil requirements during (Haak-van der Lely *et al.*), 1034
- Noise pollution in the anaesthetic and intensive care environment (Kam, Kam & Thompson), 982
- Nonbronchoscopic broncho-alveolar lavage in a neonate (Yogosakaran & Chan), 1014 (c)
- Nurses, use of laryngeal mask airway by, during cardiopulmonary resuscitation (Martens: Baskett), 731 (c)
- Nurses, use of the laryngeal mask airway by, during cardiopulmonary resuscitation (Bogod), 3
- Obituaries
- Bowers, J. R., 655
 - Brown, W. M., 93
 - Bryden, D., 655
 - Buckley, J. C., 93
 - Gallimore, A. P., 370
 - Goldman, V. A., 93
 - Goldman, V. A., 372
 - Green, M. W. 'Jane', 655
 - Hall, I. D., 928
 - Helliwell, P. J., 655
 - Hopkin, D. A. B., 370
 - Knight, D. A., 370
 - North, J., 655
- Obesity and maternal mortality (Lake), 649 (c)
- Obstetric emergency anaesthetic drugs and the risk of microbial contamination (Cheam), 555 (c)
- Obstetric subdural block - further points (Bell & Taylor), 794
- Obstetrics: maternal mortality (Lake), 649 (c)
- Obstruction, respiratory, fatal, following insertion of a central venous line (Digby), 1013 (c)
- Obstruction, tracheal, distal, modified tracheal tube for (Poddar & Best), 736 (c)
- Obstructive airways disease, chronic; effects of modes of ventilatory support (Elliott *et al.*), 279
- Obturator, oesophageal, the use of tracheal tubes as (Cheam), 734 (c)
- ODAs, ambidextrous; cricoid pressure application (Veall & Swinhoe), 556 (c)
- Oedema, laryngeal, a marker of an 'at risk' airway? (Dexter), 826 (c)
- Oesophageal and precordial stethoscope transducer as a monitoring and teaching aid (Barthram & Taylor), 713
- Oesophageal detector device; an assessment of accuracy and ease of use by paramedics (Donahue), 863
- Oesophageal obturators, the use of tracheal tubes as (Cheam), 734 (c)
- Oesophagoscopy: a rare and fatal complication (Zubair, Patil & Alghamdi), 873
- Ohmeda 7800 ventilator and Ohmeda GMS absorber, condensation problem with (Highley), 1101 (c)
- Ohmeda anaesthetic gas scavenging system (Hazard Notice), 840
- Ohmeda Boyles 2000 anaesthetic machine (Hazard Notice), 183
- Ohmeda Excel 210 anaesthetic machine, fault with (Kidd & Hall: Davies), 83 (c)
- Ohmeda Rascal II, a new gas analyser for anaesthetic use (Lockwood *et al.*), 44
- Omeprazole and famotidine compared; acid aspiration prophylaxis in elective biliary surgery (Vila *et al.*), 909 (f)

- Omeprazole, oral, effect on disposition of lignocaine (Noble *et al.*), 497
- Ondansetron, clinical development for postoperative nausea and vomiting: current studies and future directions (Joslyn), 34(S)
- Ondansetron, intravenous, single dose, in the prevention of postoperative nausea and vomiting (Pearman), 11(S)
- Ondansetron, intravenous, single dose, for the 24-hour treatment of postoperative nausea and vomiting (Clayton), 24(S)
- Ondansetron, single oral dose, in the prevention of postoperative nausea and vomiting (Rust & Cohen), 16(S)
- Operating table levelling (Wilkins & Davies), 559 (c)
- Operative haemorrhage in association with ketorolac (Read & Bainton), 73 (c)
- Ophthalmoplegia, external, after total intravenous anaesthesia (Marsch & Schaefer), 525 (f)
- Opioid, intravenous, in comparison with continuous regional analgesia for routine postoperative pain control (Schug & Fry), 528 (f)
- Opioids, epidural, for postoperative analgesia, superiority of; fact or fallacy? (Cheam & Morgan), 1019
- Opioids, intravenous, pre-emptive analgesia from; no effect with alfentanil (Wilson *et al.*), 591
- Oral administration of midazolam as a premedicant for paediatric day-case anaesthesia (McCluskey & Meakin), 782
- Oral premedication, an unusual destination for (Walker), 839 (c)
- Org 9426 administration by continuous infusion and its reversibility with anticholinesterases (McCoy *et al.*), 940
- Organ donors, brain-dead, haemodynamic responses to surgery in (Hill, Mungrani & Sapsford), 835 (c)
- Organophosphate poisoning, paralytic ileus as a complication of atropine therapy following (Beards, Kraus & Lipman), 791
- Orotracheal intubation, cervical spine movement during; comparison of Belscope and Macintosh blades (Gajraj, Chason & Shearer), 772
- Orotracheal intubation complication on the Intensive Care Unit; apparent massive tongue swelling (Huehns, Yentis & Cumberworth), 414
- Orotracheal intubation in a patient with cervical spine injury (Morris), 258 (c)
- Orotracheal tubes, a new, simple device for fixing (Yahagi *et al.*), 916 (c)
- Oscillometric finger cuffs, blood pressure measurement using, in children and young adults (Lyew & Jamieson), 895
- Osteophyte, cervical, large; another cause of difficult fiberoptic intubation (Ranasinghe & Calder), 512
- Outpatient pain clinics; delays between referral and consultation (Davies, Crombie & Macrae), 661
- Oximetric cerebral monitoring in adults, possible limitations of (Germon *et al.*), 639 (c)
- Oximetry, near infrared, and near infrared spectroscopy (Owen-Reece *et al.*), 1102 (c)
- Oximetry, pulse *see* Pulse oximetry
- Oxygen analysers, 12, accuracy, alarm limits and rise times of (Lauber, Steiner & Zbinden), 1071
- Oxygen consumption and cardiovascular function, effect of weaning; comparison of continuous flow and demand valve systems (Ip Yam, Appadurai & Kox), 391
- Oxygen delivery and uptake, relationship between, in the critically ill (Steltzer *et al.*), 229
- Oxygen failure, a rare cause of (Kua & Tan), 650 (c)
- Oxygen generation: assessment of EMOX 911 (Wilkinson & Jackson), 1010 (c)
- Oxygen generation kit, user-assembled; laboratory assessment (Bhimsan, Rout & Murray), 419
- Oxygen inspired fraction during anaesthesia, calculation based on awake oxygen saturation (Mandal & Chaudhary), 726 (f)
- Oxygen mask, Venticair, a problem with (Waite & O'Brien: Middleton), 826 (c)
- Oxygen saturation, a simple method for maintenance of, following intravenous induction of anaesthesia with propofol (Ruggier *et al.*), 759
- Oxygen saturation, arterial, of women in labour, effects of Entonox and epidural analgesia on (Arfeen, Armstrong & Whitfield), 32
- Oxygen saturation, influence of nasal obstruction on, during sleep and the early postoperative period (Serpell *et al.*), 538 (f)
- Oxygen saturation, mixed venous, need for quality control in (Beards, Edwards & Nightingale), 886
- Oxygen tension monitoring, conjunctival, during liver transplantation (Alcock *et al.*), 394
- Oxygen transport effects of propofol infusion in critically ill adults (Nimmo, Mackenzie & Grant), 485
- Oxygen transport patterns in patients with acute respiratory distress syndrome (Steltzer *et al.*), 1039
- Oxygen uptake monitoring during low flow anaesthesia (Bengtson, Bengtsson & Stenqvist), 29
- Oxygenation and atelectasis in major surgery (Drummond: Jensen *et al.*), 640 (c)
- Oxygenation in patients undergoing total hip replacement; cemented versus uncemented components (Nolan), 293
- Pacemaker failure and peripheral nerve stimulation (Kellow: O'Flaherty & Adams), 181 (c)
- Packaging, drugs, a psychologist's view (Nott), 1100 (c)
- Paediatric anaesthesia; parents in the anaesthetic room (McEwen, Caldicott & Barker), 987 (f)
- Paediatric breathing system support, adjustable (Lloyd & Pye), 267 (c)
- Paediatric day-case anaesthesia, oral administration of midazolam as a premedicant for (McCluskey & Meakin), 782
- Paediatric day-case dental surgery, propofol as sole agent for (Moore & Underwood), 811 (f)
- Paediatric MRI and propofol (Burke & Pollock), 647 (c)
- Paediatric MRI and propofol (Sury: Van Hemelrijk, Van Aken & Vangerven), 174 (c)
- Paediatric pain chart (Edwards), 91 (c)
- Paediatric *see also* Babies; Children
- Paediatric surgery, the trigeminal-cardiac reflex in (Carrero, Chabás & Nalda), 741 (c)
- Paediatric use of Hewlett Packard M11908 pulse oximeter adult finger probe; incorrect readings (Safety Action Bulletin), 1107
- Pain after tonsillectomy, comparison of pre- and postoperative bupivacaine (Ørntoft *et al.*), 151 (f)
- Pain chart, paediatric (Edwards), 91 (c)
- Pain, chronic, electro-acupuncture therapy; brainstem auditory evoked response changes (Kumar *et al.*), 387
- Pain clinics, waiting lists in (Chmielewski), 1099 (c)
- Pain during injection of propofol. The effect of prior administration of thiopentone (Lee *et al.*), 817 (f)
- Pain, limb, phantom, and spinal anaesthesia (Alderson), 924 (c)
- Pain, overwhelming, transporting patients with (Notcutt), 145
- Pain scores during venous cannulation (Harrison & Walder), 1015 (c)
- Pain *see also* Analgesia; Postoperative pain
- Pain, severe, in both legs after spinal anaesthesia with hyperbaric 5% lignocaine solution (Sjöström & Bläss), 700
- Pain, waiting in; delays between referral and consultation in outpatient pain clinics (Davies, Crombie & Macrae), 661
- Pancuronium, neuromuscular blockade of the fetus with, for intra-uterine procedures (Fan, Susetio & Tsai), 284
- Paracetamol (propacetamol): intravenous administration for postoperative analgesia (Beaulieu), 739 (c)
- Paralysis, hypoglossal nerve, unilateral, following the use of the laryngeal mask airway (Nagai, Sakuramoto & Goto), 603
- Paralytic ileus as a complication of atropine therapy following severe organophosphate poisoning (Beards, Kraus & Lipman), 791
- Paramedics, accuracy and ease of use of the oesophageal detector device by (Donahue), 863
- Paraplegia, acute, following intrathecal phenol block in the presence of occult epidural malignancy (Morgan & Steller), 142
- Paraplegia, acute, following intrathecal phenol block (Nash: Stellar), 1011 (c)

- Paravertebral blockade in adults, plasma bupivacaine levels in (Snowden, Bower & Conacher), 546 (c)
- Parenteral catheters, a case for anticonfusion devices in (McAnulty & Sutton), 557 (c)
- Parenteral nutrition, manganese toxicity in a patient with cholestasis receiving (Taylor & Manara), 1013 (c)
- Parents in the anaesthetic room – parents' and anaesthetists' views (McEwen, Caldicott & Barker), 987 (f)
- Parturient, myocardial infarction in; a case report (Söderlin *et al.*), 870
- Patient controlled analgesia: a problem with a pump (Correction)(Nicholson), 182 (c)
- Patient controlled analgesia, intravenous, using the Baxter infusor, comparison with epidural diamorphine, following Caesarean section (Erratum) (Stoddart *et al.*), 274
- Patient controlled midazolam sedation for dental surgery (Rodrigo & Tong), 241 (f)
- Patient knowledge of anaesthesia and peri-operative care (Hume, Kennedy & Asbury), 715 (f)
- Patient position, phrenic nerve paralysis and interpleural analgesia (Gallart *et al.*), 175 (c)
- Patient-controlled analgesia and droperidol (Collum, Merritt & Orlikowski), 349 (c)
- Patient-controlled analgesia, another cause of failure of (Caldicott, Tehan & Jayaratnasingam), 456 (c)
- Patient-controlled analgesia device, disposable; bench test (Flatt & Hulme), 739 (c)
- Patient-controlled analgesia; handset for arthritic patients (Lim, Marjot & Simons), 738 (c)
- Patient-controlled analgesia infusion, antiemetic efficacy of metoclopramide when included in (Walder & Aitkenhead), 804 (f)
- Patient-controlled analgesia infusor, disposable, Baxter; performance under hyperbaric conditions (Radcliffe & Spencer), 796
- Patient-controlled analgesia; malfunction of a disposable device (Costigan: Rafferty), 352 (c)
- Patient-controlled analgesia: the Baxter PCA system; balloon rupture (Graham & Parsloe: Rafferty), 353 (c)
- Patient-controlled analgesia: the Baxter PCA system; balloon rupture, evidence of cause of (Seavell), 924 (c)
- Patient-controlled disposable analgesia system, Baxter (Arnstein), 354 (c)
- Patient-controlled epidural analgesia with sufentanil following Caesarean section: the effect of adrenaline and clonidine admixture (Vercauteren *et al.*), 767
- Patient-controlled sedation, intra-operative, and patient attitude to control (Osborne *et al.*), 287
- Patients' assessment of height and weight (Richards & McGeachie), 1008 (c)
- Patients: attitudes to postoperative analgesia (Oates, Snowden & Jayson), 755
- Patients' desire for information about anaesthesia: Australian attitudes (Farnill & Inglis), 162 (f)
- Patients' desire for information about anaesthesia: Australian attitudes (Hutchison & Lonsdale), 645 (c)
- Patient's knowledge of anaesthesia (Lipp), 1104 (c)
- Patients' knowledge of anaesthetic practice and the rôle of anaesthetists (Swinhoe & Groves), 165 (f)
- Patient's knowledge of anaesthetists (Gajraj & Bala), 559 (c)
- Patients' perception of the anaesthetist and anaesthesia (Whitty, Goodwin & Shaw: Ali, Vivekanandan & Tierney), 644 (c)
- Patients with overwhelming pain, transporting of (Notcutt), 145
- PCA 3300 syringe pump, Graseby (Safety Action Bulletin), 273
- Percutaneous dilatational tracheostomy, airway management during (Pateman & Read), 1094 (c)
- Percutaneous dilatational tracheostomy, tracheal tube placement during (Luntley & Kirkpatrick), 736 (c)
- Percutaneous endoscopic guided tracheostomy, and the laryngeal mask airway (Ip-Yam & Shaw), 733 (c)
- Percutaneous tracheostomy and the laryngeal mask airway (Brimacombe, Clarke & Simons), 358 (c)
- Percutaneous tracheostomy: complication, laryngotracheal stenosis (McFarlane *et al.*), 38
- Percutaneous tracheostomy, repeat (Bass & Field), 649 (c)
- Peribulbar block, the effect of hyaluronidase on (Crawford & Kerr), 907 (f)
- Peribulbar single medial injection anaesthesia using prilocaine (Brahma *et al.*), 1003 (f)
- Peri-ocular regional anaesthesia, routine use of the perconjunctival route for administration of (Hamilton), 176 (c)
- Peri-operative care, patient knowledge of (Hume, Kennedy & Asbury), 715 (f)
- Peri-operative effect of major gastrointestinal surgery on serum magnesium (Sanchez-Capuchino & McConachie), 912 (f)
- Peri-operative presentation of an intracerebral tumour (Spivey & Wait), 268 (c)
- Peripheral nerve stimulation, a complication of inappropriate use of (Hall), 925 (c)
- Peripheral nerve stimulation and pacemaker failure (Kellow: O'Flaherty & Adams), 181 (c)
- Pethidine: local anaesthetic effects in volunteers (Oldroyd, Tham & Power), 503
- Pethidine, prilocaine and intravenous regional anaesthesia (Heath), 554 (c)
- Phantom limb pain and spinal anaesthesia (Alderson), 924 (c)
- Pharmacology of postoperative nausea and vomiting (Naylor & Inall), 2(S)
- Pharynx, laryngeal mask for laser surgery to (Brimacombe & Sher), 1009 (c)
- Phenol block, intrathecal, acute paraplegia following, in presence of occult epidural malignancy (Morgan & Steller), 142
- Phenol block, intrathecal, acute paraplegia following (Nash: Stellar), 1011 (c)
- Phrenic nerve paralysis, interpleural analgesia and patient position (Gallart *et al.*), 175 (c)
- Physiology of postoperative nausea and vomiting (Naylor & Inall), 2(S)
- Pierre-Robin syndrome, intubation via a laryngeal mask of a one-day-old baby via (Wheatley & Stainthorpe), 733 (c)
- Pipecuronium, neuromuscular blockade of the fetus with, for intra-uterine procedures (Fan, Susetio & Tsai), 284
- Plasma bupivacaine levels in paravertebral blockade in adults (Snowden, Bower & Conacher), 546 (c)
- Plasma concentrations of alfentanil following epidural administration (Haak-van der Lely *et al.*), 850
- Plasmalyte 148 compared with 0.9% saline for intra-operative fluid replacement (McFarlane & Lee), 779
- Platelet function, effect of ketorolac, ketoprofen and nefopam on (Dordoni *et al.*), 1046
- Pleural effusions and anaesthesia (Lee & Critchley), 178 (c)
- Pleural effusions and anaesthesia (Bromley & Cottam), 558 (c)
- Pleural effusions and anaesthesia (Mahoney, Hassan & Conacher), 650 (c)
- Pleural pressure measurement by epidural catheter (Kawamata *et al.*), 208
- Pneumomyelogram, traumatic; implications for the anaesthetist (Day, Nolan & Tarver), 1061
- Pneumothorax, tension, decreased cardiac index as an indicator of, in the ventilated patient (Beards & Lipman), 137
- Poisoning, ethylene glycol antifreeze; case reports and review of treatment (Walder & Tyler), 964
- Poisoning, organophosphate, severe; paralytic ileus as a complication of atropine therapy (Beards, Kraus & Lipman), 791
- Pollution, noise, in the anaesthetic and intensive care environment (Kam, Kam & Thompson), 982
- Polyurethane nasotracheal tube (Wright *et al.*), 979
- Porphyria, elevated, following propofol anaesthesia in acute intermittent porphyria (Elcock & Norris), 957
- Portable suction devices (Arnstein & Smith), 260 (c)
- Postintubation uvular necrosis (Commins *et al.*), 457 (c)
- Postintubation uvular necrosis (Clark), 925 (c)
- Postoperative analgesia failure; attitudes of ward staff and patients (Oates, Snowden & Jayson), 755

- Postoperative analgesia following spinal or epidural anaesthesia for Caesarean section, a comparison of (Lam, Broome & Matthews), 65 (f)
- Postoperative analgesia following spinal or epidural anaesthesia for Caesarean section, a comparison of (Erratum) (Lam, Broome & Matthews), 372
- Postoperative analgesia, intravenous administration of paracetamol for (Beaulieu), 739 (c)
- Postoperative analgesia, ketorolac for (Parmar), 354 (c)
- Postoperative analgesia, the superiority of epidural opioids for; fact or fallacy? (Cheam & Morgan), 1019
- Postoperative arrhythmias; magnesium flux and cardiac surgery (Vyvyan, Mayne & Cutfield), 245 (f)
- Postoperative doxapram therapy, the Baxter-controlled analgesia system for (Forde & Spittal), 649 (c)
- Postoperative nausea and vomiting, clinical development of ondansetron for (Joslyn), 34(S)
- Postoperative nausea and vomiting, impact in the surgical setting (Hirsch), 30(S)
- Postoperative nausea and vomiting in patients exposed to positive intra-operative suggestions (Williams, Hind & Sweeney), 340 (f)
- Postoperative nausea and vomiting; risk factors (Kenny), 6(S)
- Postoperative nausea and vomiting, single dose intravenous ondansetron in prevention of (Pearman), 11(S)
- Postoperative nausea and vomiting, single oral dose ondansetron in prevention of (Rust & Cohen), 16(S)
- Postoperative nausea and vomiting, single dose intravenous ondansetron for the 24-hour treatment of (Claybon), 24(S)
- Postoperative nausea and vomiting, the physiology and pharmacology of (Naylor & Inall), 2(S)
- Postoperative pain, acute, a survey of the intended management of, by newly qualified doctors (Gould, Upton & Collins), 807 (f)
- Postoperative pain control: continuous regional analgesia in comparison with intravenous opioid (Schug & Fry), 528 (f)
- Postoperative pain following cleft lip surgery in infants, infra-orbital nerve block for relief of (Ahuja *et al.*), 441 (f)
- Postoperative pain, influence of timing of preoperative alfentanil on (Mansfield, Meikle & Miller), 1091 (f)
- Postoperative pain: no effect with alfentanil pre-emptive analgesia (Wilson *et al.*), 591
- Postoperative pain: patient's knowledge of anaesthesia (Lipp), 1104 (c)
- Postoperative pain relief in children. A comparison between caudal bupivacaine and intramuscular diclofenac sodium (Ryhänen *et al.*), 57 (f)
- Postoperative period, early, influence of nasal obstruction on oxygen saturation during (Serpell *et al.*), 538 (f)
- Postoperative sequelae: nausea and vomiting (Quinn *et al.*), 62 (f)
- Postoperative shivering intensity is unrelated to axillary temperature (Crossley & Mahajan), 205
- Postoperative stridor, late, and the laryngeal mask airway (Nair & Thompson), 449 (c)
- Postoperative transient hemihyphaesthesia and severe headache associated with caffeine withdrawal (Hampl, Stotz & Schneider), 266 (c)
- Postpartum meningitis (Bromage), 260 (c)
- Postpartum stomach - when is it safe? (Bogod), 1
- Postspinal headache, prevention of; a new technique (Bar), 458 (c)
- Precordial stethoscope transducer as a monitoring and teaching aid (Barthram & Taylor), 713
- Pregnancy, anaphylaxis in; the right treatment? (Edmondson & Skilton), 454 (c)
- Pregnancy and myocardial infarction (Söderlin *et al.*), 870
- Pregnancy, effect of propofol sedation on neonatal condition (Bacon & Razis), 1058
- Pregnant women of more than 30 weeks gestation, sleeping positions adopted by (Mills & Chaffe), 249 (f)
- Premedication, oral midazolam, for paediatric day-case anaesthesia (McCluskey & Meakin), 782
- Premedication, intramuscular, for day-case cataract surgery; midazolam compared with dexmedetomidine (Virkkilä *et al.*), 853
- Premedication, oral, an unusual destination for (Walker), 839 (c)
- Pre-operative anxiety - a single blind 'crossover' study (Bailey & Calder), 1010 (c)
- Pre-operative investigation of patients with a history of anaphylactic reactions (Thorn), 650 (c)
- Pre-operative visits - the 'printy' approach (Urquhart), 268 (c)
- Pre-oxygenation: a comparison of two techniques using a Bain system (Rooney), 629 (f)
- Pre-oxygenation, routine, using a Hudson mask; comparison with a conventional technique (Hett *et al.*), 157 (f)
- Prilocaine, generalised convulsions after intravenous regional anaesthesia with (Kern & Gamulin), 642 (c)
- Prilocaine, pethidine and intravenous regional anaesthesia (Heath), 554 (c)
- Prilocaine used in single medial injection peribulbar anaesthesia (Brahma *et al.*), 1003 (f)
- Priming solutions, crystalloid or colloid, a comparison; intra-ocular pressure during cardiopulmonary bypass (Abbott, McLaren & Algie), 343 (f)
- 'Printy' approach to pre-operative visits (Urquhart), 268 (c)
- Progesterone metabolism is changed by serum from critically ill humans (Park, Larroque & Maurel), 347 (c)
- Prone position and the laryngeal mask (Lim & Cone), 542 (c)
- Prone position, laryngeal mask in (Milligan), 449 (c)
- Prone positions, surgical, effect on lung volumes, in volunteers (Mahajan *et al.*), 583
- Propofol anaesthesia in acute intermittent porphyria, elevated porphyrins following (Elcock & Norris), 957
- Propofol and alfentanil, intubation following (Bailey & Geraghty; Beck *et al.*), 348 (c)
- Propofol and Intralipid cause creaming of serum from critically ill patients (Gempeler *et al.*), 17
- Propofol and paediatric MRI (Burke & Pollock), 647 (c)
- Propofol and paediatric MRI (Sury: Van Hemelrijck, Van Aken & Vangerven), 174 (c)
- Propofol and thiopentone, a comparison; incidence of postoperative shivering (Singh *et al.*), 996 (f)
- Propofol and well-being (Sanders & Whitehead; Winwood), 172 (c)
- Propofol as sole agent for paediatric day-case dental surgery (Moore & Underwood), 811 (f)
- Propofol: drawing up (Warwick & Blake), 172 (c)
- Propofol, drawing up (Arnold & Bilski), 738 (c)
- Propofol during anaesthesia for craniotomy; comparison of 2% and 1% formulations (Dewandre *et al.*), 8
- Propofol, effect on gastric emptying during maintenance of anaesthesia for minor surgery (Bennett, Bembridge & Shah), 675
- Propofol, growth of micro-organisms in (Scott), 266 (c)
- Propofol infusion anaesthesia and immune response in minor surgery (Pirttikangas *et al.*), 13
- Propofol infusion in critically ill adults, haemodynamic and oxygen transport effects of (Nimmo, Mackenzie & Grant), 485
- Propofol intravenous induction of anaesthesia; a simple method for maintenance of oxygen saturation (Ruggier *et al.*), 759
- Propofol, low-dose, the subjective effects of (Whitehead *et al.*), 490
- Propofol, motor signs of wakefulness during general anaesthesia with Isoflurane, motor signs of wakefulness during general anaesthesia with (Schwender *et al.*), 476
- Propofol, pain during injection of; effect of prior administration of thiopentone (Lee *et al.*), 817 (f)
- Propofol, patient-controlled, compared with propofol by continuous infusion, for intra-operative sedation (Osborne *et al.*), 287
- Propofol sedation in pregnancy; effect on neonatal condition (Bacon & Razis), 1058

- Propofol, white veins after (Findlay), 838 (c)
- Propofol/fentanyl anaesthesia for cardiac surgery (Hickey: Phillips, McMurray & Mirakhur), 174 (c)
- Propofol-fentanyl anaesthesia for cardiac surgery (Hindle & Shah: Phillips *et al.*), 445 (c)
- Propofol/fentanyl general anaesthesia, effect of surgical stimulation on auditory evoked potentials during (Schwender *et al.*), 572
- Propofol-fentanyl-N₂O/O₂ anaesthesia in a patient with myasthenia gravis, response to suxamethonium during (Vanlinthout, Robertson & Booi), 509
- Proximal humeral head fracture; unusual complication of cardiopulmonary resuscitation (Kam & Kam), 1055
- Psychologist's view of drug packaging (Nott), 1100 (c)
- Pulse oximeter adult finger probe, Hewlett Packard M11908, incorrect readings when used on paediatric patients (Safety Action Bulletin), 1107
- Pulse oximeter probe; glove finger for fixing (Prasad, Puri & Chari), 831 (c)
- Pulse oximetry in children, a modified sensor for (Stone), 546 (c)
- Pulse oximetry in children, modified sensor for (Newson), 831 (c)
- Pulse oximetry: incorrect use leading to failure to fail safe (Ordman & Samra), 927 (c)
- Pulse oximetry monitoring during laparoscopic surgery, reliability of (Nyarwaya, Mazoit & Samii), 775
- Pulse oximetry, radial artery occlusion detected by (Munro & Broome), 1102 (c)
- Pulse oximetry, superiority of intra-arterial blood gas monitoring over, in patients with acute respiratory failure (Böhrer *et al.*), 551 (c)
- Pump, PCA, a problem with (Correction)(Nicholson), 182 (c)
- Pumps: a comparison of the performance of two types of infusion device (Auty), 177 (c)
- Pumps *see also* Syringe pumps,
- Puncture of the laryngeal mask airway cuff (Penhant, Gajraj & Griffith), 448 (c)
- Pupils, dilated, fixed, and alcuronium infusions (Goldsmith & Scott), 265 (c)
- Quality control needed in measurement of mixed venous oxygen saturation (Beards, Edwards & Nightingale), 886
- Quality of life after multiple trauma requiring intensive care (Thiagarajan *et al.*), 211
- Quality of life in survivors; a cost-utility analysis of intensive therapy (Ridley, Biggam & Stone), 192
- Quincke-type spinal needles; insertion characteristics and failure rates (Tarkkila, Huhtala & Salminen), 723 (f)
- R 80122, haemodynamic effects of, immediately after cardiopulmonary bypass (Herregods *et al.*), 719 (f)
- Radial artery occlusion detected by pulse oximetry (Munro & Broome), 1102 (c)
- Read Codes: application to anaesthesia (Banks), 324
- Rebreathing in non-absorber breathing systems, the terminology of deadspace and (Barrie & Beatty), 351 (c)
- Records, anaesthetic, auditing of (Dennis & Reid), 353 (c)
- Recovery, delayed, from anaesthesia, and Rett syndrome (Konarzewski & Misso), 357 (c)
- Recovery from pre-operative sedation with clonidine – brain stem auditory evoked response (Kumar *et al.*), 533 (f)
- Recovery of mivacurium and doxacurium versus vecuronium in the isolated forearm (Campkin, Hood & Feldman), 501
- Recovery of mivacurium block with or without anticholinesterases following administration by continuous infusion (Maddineni, Mirakhur & McCoy), 946
- Recovery, postoperative, effects of background stress and anxiety on (Liu, Barry & Weinman), 382
- Regional anaesthesia, intravenous, with prilocaine, generalised convulsions after (Kern & Gamulin), 642 (c)
- Regional anaesthesia, peri-ocular, routine use of the perconjunctival route for administration of (Hamilton), 176 (c)
- Regional anaesthesia, respiratory monitoring in patients undergoing (Risidall & Geraghty), 179 (c)
- Regional anaesthesia, respiratory monitoring for (Skjellerup), 1097 (c)
- Regional intravenous anaesthesia; prilocaine, pethidine (Heath), 554 (c)
- Regional versus general anaesthesia for Caesarean section (Scott), 86 (c)
- Renin-angiotensin system and ACE inhibitors (Kellow), 613
- Research and publication as a component of the curriculum vitae (Goodman), 1006 (c)
- Research: paying the piper – calling the tune? (Beatty & Campbell), 931
- Resistance, apparent, to thiopentone; a continuing problem (Ramsay), 923 (c)
- Resistance, respiratory, comparative effects of laryngeal mask and tracheal tube on, in anaesthetised patients (Boisson-Bertrand *et al.*), 846
- Respiratory arrest following extradural sufentanil (Russell & Reynolds), 446 (c)
- Respiratory complications due to inadequate analgesia following thoracotomy in a neonate (Cass & Howard), 879
- Respiratory depressant effect of morphine in three ethnic groups (Houghton *et al.*), 197
- Respiratory distress during Caesarean section under spinal anaesthesia; anaphylactoid reaction to Syntocinon (Morriss *et al.*), 41
- Respiratory distress syndrome, acute, right ventricular function and oxygen transport patterns in patients with (Steltzer *et al.*), 1039
- Respiratory failure, acute; superiority of intra-arterial blood gas monitoring over pulse oximetry (Böhrer *et al.*), 551 (c)
- Respiratory monitoring for regional anaesthesia (Skjellerup), 1097 (c)
- Respiratory monitoring in patients undergoing regional anaesthesia (Risidall & Geraghty), 179 (c)
- Respiratory obstruction, fatal, following insertion of a central venous line (Digby), 1013 (c)
- Respiratory volume, noninvasive monitoring of (Goodman), 76 (c)
- Resterilisation, inappropriate, critical incident due to (Bell & Morgan), 269 (c)
- Resuscitation, cardiopulmonary, an unusual complication of (George & Tighe), 742 (c)
- Resuscitation, cardiopulmonary, use of the laryngeal mask airway by nurses during (Bogod), 3
- Resuscitation, cardiopulmonary, use of the laryngeal mask airway by nurses during (Martens: Baskett), 731 (c)
- Resuscitation, neonatal; a tragedy in the wings (Graham), 180 (c)
- Rett syndrome and delayed recovery from anaesthesia (Konarzewski & Misso), 357 (c)
- Risk factors for postoperative nausea and vomiting (Kenny), 6(S)
- Ritodrine toxicity during interhospital transport (Burden & Brighthouse), 546 (c)
- Rocuronium (Org 9426) administration by continuous infusion and its reversibility with anticholinesterases (McCoy *et al.*), 940
- Rose name: Dr John Snow (Strunin & Strunin), 92 (c)
- S & W Vickers DMS 600 and DMS 700 series defibrillators: modification to the carrying handle (Safety Action Bulletin), 747
- Safety Action Bulletins, 273, 563, 747, 1107
- Safety of space blankets (Crooke & McCann), 547 (c)
- Saline 0.9% compared with Plasmalyte 148 for intra-operative fluid replacement (McFarlane & Lee), 779
- Scalp vein cannulation, air in the cavernous sinus following (Brook & Moss), 219
- Scapular and proximal humeral head fractures. An unusual complication cardiopulmonary resuscitation (Kam & Kam), 1055

- Scavenging, T-piece; simple alternatives (van Hasselt & Phillips), 263 (c)
- Schwartz-Jampel syndrome, anaesthesia in a child with (Ray & Rubin), 600
- Sedation and consciousness with low-dose propofol, evaluation of dimensions of (Whitehead *et al.*), 490
- Sedation for ventilation in the critically ill. A role for isoflurane? (Willatts & Spencer), 422
- Sedation, midazolam, for dental surgery, comparison of patient and anaesthetist control (Rodrigo & Tong), 241 (f)
- Sedation, patient-controlled, intra-operative; patient attitude to control (Osborne *et al.*), 287
- Sedation, pre-operative, with clonidine, recovery from; brain stem auditory evoked response (Kumar *et al.*), 533 (f)
- Sedation, propofol, in pregnancy; effect on neonatal condition (Bacon & Razis), 1058
- Senior posts, multi-authorship and short listing for (Horton), 640 (c)
- Senior posts, shortlisting for (Stoneham), 1106 (c)
- Senior registrar posts, importance of curriculum vitae in appointment to (Conn & Asbury), 623 (f)
- Sensor, modified, for pulse oximetry in children (Stone), 546 (c)
- Sepsis syndrome following intubation (Gamlin, Caldicott & Shah), 883
- Sepsis syndrome, incidence of Gram-negative bacteraemia in; implications for immunotherapy (Willatts, Speller & Winter), 751
- Serum from critically ill humans changes the metabolism of progesterone (Park, Larroque & Maurel), 347 (c)
- Serum from critically ill patients, propofol and Intralipid cause creaming of (Gempeler *et al.*), 17
- Sevoflurane anaesthesia, circulating fluoride changes and hepatorenal function following (Newman *et al.*), 936
- Sevoflurane anaesthesia for major intra-abdominal surgery (Quinn *et al.*), 567
- Shivering intensity, postoperative, is unrelated to axillary temperature (Crossley & Mahajan), 205
- Shivering, postoperative; a comparison of thiopentone with propofol (Singh *et al.*), 996 (f)
- Short listing for senior posts (Horton), 640 (c)
- Shortlisting for senior posts (Stoneham), 1106 (c)
- Simulations, basic, for anaesthesia; a pilot study of the ACCESS system (Byrne, Hilton & Lunn), 376
- Sinus, cavernous, air in, following scalp vein cannulation (Brook & Moss), 219
- Skin prick tests in aetiological diagnosis; anaphylactic/anaphylactoid reactions to anaesthetic and associated agents (Pepys *et al.*), 470
- Sleeping positions adopted by pregnant women of more than 30 weeks gestation (Mills & Chaffe), 249 (f)
- SMART needle; a new Doppler ultrasound-guided vascular access needle (Vucevic *et al.*), 889
- Smoking habits, postoperative, the effect of suggestion during general anaesthesia on (Hughes *et al.*), 126
- Smoking reduction and tape suggestion (Myles: Hughes *et al.*), 917 (c)
- Soda lime, problems with (James), 1101 (c)
- Soda lime, problems with (Bell: Liley), 550 (c)
- Sparklet carbon dioxide Resuscitator (Wrigley & Nandi), 148
- Spectroscopy, near infrared, cerebral, in adults (Doblar, Lim & Kapur), 178 (c)
- Spectroscopy, near infrared (Haynes: Harris: Williams *et al.*), 75 (c)
- Spectroscopy, near infrared, in detection of cerebral hypoxia (Williams *et al.*), 762
- Spinal anaesthesia, acute respiratory distress during Caesarean section under; anaphylactoid reaction to Syntocinon (Morris *et al.*), 41
- Spinal anaesthesia and phantom limb pain (Alderson), 924 (c)
- Spinal anaesthesia for patients with previous lower limb amputations (Tessler & Kleiman), 439 (f)
- Spinal anaesthesia: how useful is it in day case surgery? (Seigne), 1094 (c)
- Spinal anaesthesia in gynaecological day surgery, lignocaine for (Liew, Tay & Thomas), 633 (f)
- Spinal anaesthesia with hyperbaric lignocaine 5% solution, severe pain in both legs after (Sjöström & Bläss), 700
- Spinal and general anaesthesia for surgical fixation of hip fractures, mortality after (Sutcliffe & Parker), 237 (f)
- Spinal cord compression immediately following, but unrelated to, epidural analgesia (Mills, Howell & Richmond), 954
- Spinal epidural combined anaesthesia, cardiorespiratory arrest following (Collier: Hough, Bloor & Brighouse), 259 (c)
- Spinal epidural haematoma, emergency X ray-guided nasotracheal intubation in a patient with (Kawaguchi *et al.*), 411
- Spinal headaches in elderly patients; does needle design matter? (Walsh & Jones), 88 (c)
- Spinal needles, long, flow characteristics of (Patel *et al.*), 223
- Spinal needles, pencil-point; failure to enter the subarachnoid space (Brighouse & Wilkins), 176 (c)
- Spinal needles, Quincke-type; insertion characteristics and failure rates (Tarkkila, Huhtala & Salminen), 723 (f)
- Spinal or epidural anaesthesia for Caesarean section, a comparison of postoperative analgesia following (Lam, Broome & Matthews), 65 (f)
- Spinal or epidural anaesthesia for Caesarean section, a comparison of postoperative analgesia following (Erratum) (Lam, Broome & Matthews), 372
- Spinal problems, cervical, and fiberoptic intubation (Ball), 737 (c)
- Spinal/epidural combined anaesthesia for Caesarean section (Bickford Smith: Russell, O'Sullivan & Reynolds: Eldridge, Popat & Carrie: Myint, Bailey & Milne: Bogod), 83 (c)
- Spinal/epidural combined anaesthesia, cardiorespiratory arrest after (Camann), 177 (c)
- Spinal/epidural combined anaesthesia for Caesarean section (Gamil), 545 (c)
- Spinal-epidural combined anaesthesia, and needle compatibility (Uncles & Westbrook), 646 (c)
- Spine, cervical, excursions during tracheal intubation: blind oral intubation compared with direct laryngoscopy (Fitzgerald *et al.*), 111
- Spine, cervical, immobilisation techniques; effect on laryngoscopy (Heath), 843
- Spine, cervical, injuries; emergency airway management (Criswell, Parr & Nolan), 900 (f)
- Spine cervical injury, unstable, silent, in multiple neurofibromatosis (Lovell, Alexander & Grundy), 453 (c)
- Spine, cervical; movement during orotracheal intubation; comparison of the Belscope and Macintosh blades (Gajraj, Chason & Shearer), 772
- Spine, cervical, stabilisation, and direct laryngoscopy (Wood *et al.*), 77 (c)
- Spine injury, cervical orotracheal intubation in a patient with (Morris), 258 (c)
- Sprotte needle, an experience with (Dresner & Hall), 1014 (c)
- Staff, ward, attitudes to postoperative analgesia (Oates, Snowdon & Jayson), 755
- Stenosis, laryngotracheal; a serious complication of percutaneous tracheostomy (McFarlane *et al.*), 38
- Stenosis, laryngotracheal, after percutaneous tracheostomy (Charters, Mannar & Jones), 825 (c)
- Sterile anaesthetist? (Lam & Green), 745 (c)
- Sterilisation, laparoscopic, analgesia after; effect of 2% lignocaine gel applied to Filshie clips (Barclay *et al.*), 68 (f)
- Sterilisation of gum elastic bougies (Letheren), 921 (c)
- Stethoscope transducer, oesophageal and precordial, as a monitoring and teaching aid (Barthram & Taylor), 713
- Stomach, postpartum; when is it safe? (Bogod), 1
- Streptokinase and heparin, lingual haematoma following treatment with (Williams, Jani & McGlashan), 417
- Streptokinase therapy, lingual haematoma following (Eggers & Mason), 922 (c)

- Stress, background, effect on postoperative recovery (Liu, Barry & Weinman), 382
- Stridor, postoperative, late, and the laryngeal mask airway (Nair & Thompson), 449 (c)
- Stylets for small tracheal tubes (Black & Tratman), 549 (c)
- Subarachnoid space, failure of pencil-point spinal needles to enter (Brighouse & Wilkins), 176 (c)
- Subarachnoid space location, an aid to (Bird), 923 (c)
- Subdural block - further points (Bell & Taylor), 794
- Suction devices, portable (Arnstein & Smith), 260 (c)
- Suction devices, portable (Filshie & Filshie), 922 (c)
- Sufentanil: comparison of addition of three different doses to 0.125% bupivacaine given epidurally during labour (Vertommen, Lemmens & Van Aken), 678
- Sufentanil, epidural, for thoracotomy; comparison of lumbar with thoracic (Haak-van der Lely *et al.*), 119
- Sufentanil, extradural, respiratory arrest following (Russell & Reynolds), 446 (c)
- Sufentanil, patient-controlled analgesia with, following Caesarean section; effect of adrenaline and clonidine admixture (Vercauteren *et al.*), 767
- Sufentanil versus bupivacaine during thoracic surgery (Haak-van der Lely *et al.*), 116
- Suggestion during general anaesthesia, effect on postoperative smoking habits (Hughes *et al.*), 126
- Suggestion, tape, and smoking reduction (Myles: Hughes *et al.*), 917 (c)
- Suggestions, positive, intra-operative, postoperative nausea and vomiting in patients exposed to (Williams, Hind & Sweeney), 340 (f)
- Supraventricular tachycardia, fetal, anaesthesia for Caesarean section in a patient receiving high dose amiodarone for (Fulgencio & Hamza), 406
- Surgeon-anaesthetist relationship; levelling out (Wilkins & Davies), 559 (c)
- Surgery, aortic, epidural bupivacaine for; effect of dilution on quality of analgesia (Slade), 21
- Surgery, biliary, elective, acid aspiration prophylaxis in (Vila *et al.*), 909 (f)
- Surgery, cardiac, and magnesium flux (Vyvyan, Mayne & Cutfield), 245 (f)
- Surgery, cardiac, propofol/fentanyl anaesthesia for (Hickey: Phillips, McMurray & Mirakhur), 174 (c)
- Surgery, cleft lip, in infants, infra-orbital nerve block for relief of postoperative pain following (Ahuja *et al.*), 441 (f)
- Surgery, dental, a comparison of patient and anaesthetist controlled midazolam sedation for (Rodrigo & Tong), 241 (f)
- Surgery, dental, day-case, paediatric, propofol as sole agent for (Moore & Underwood), 811 (f)
- Surgery, haemodynamic responses to, in brain-dead organ donors (Hill, Munglani & Sapsford), 835 (c)
- Surgery, laparoscopic; reliability of pulse oximetry and end-tidal carbon dioxide monitoring (Nyarwaya, Mazoit & Samii), 775
- Surgery, major, atelectasis and oxygenation in (Drummond: Jensen *et al.*), 640 (c)
- Surgery, minor, a comparison of the effect on gastric emptying of alfentanil or morphine (Bennett, Shah & Bembridge), 155 (f)
- Surgery, minor, a comparison of the effect on gastric emptying of either enflurane or propofol given during maintenance of anaesthesia for (Bennett, Bembridge & Shah), 675
- Surgery, minor, propofol infusion anaesthesia and immune response in (Pittikangas *et al.*), 13
- Surgery, paediatric, the trigeminal-cardiac reflex in (Carrero, Chabás & Nalda), 741 (c)
- Surgery, thoracic, sufentanil versus bupivacaine during (Haak-van der Lely *et al.*), 116
- Surgical emphysema and laparoscopic surgery (Massey & Balaji), 356 (c)
- Surgical fixation of hip fractures, mortality after spinal and general anaesthesia for (Sutcliffe & Parker), 237 (f)
- Surgical setting, impact of postoperative nausea and vomiting in (Hirsch), 30(S)
- Suxamethonium, abnormal response to, in a patient receiving magnesium therapy (Ip-Yam & Allsop), 355 (c)
- Suxamethonium and myalgia (Burnell: Mirakhur), 87 (c)
- Suxamethonium apnoea and the isolated leg (Mitchell & Harrop-Griffiths), 315
- Suxamethonium blockade, curare modification of (Hood, Campkin & Feldman), 682
- Suxamethonium, label information for, in the USA (Smith), 1101 (c)
- Suxamethonium, new product label information for, in the USA: here next? (McHugh), 647 (c)
- Suxamethonium, response to, during propofol-fentanyl-N₂O/O₂ anaesthesia in a patient with myasthenia gravis (Vanlinthout, Robertson & Booi), 509
- Syntocinon, anaphylactoid reaction to; acute respiratory distress during Caesarean section under spinal anaesthesia (Morris *et al.*), 41
- Syntocinon, anaphylactoid reaction to? (Spears & Liu), 550 (c)
- Syringe drivers, ambulatory, Graseby MS16A and MS26 (Hazard Notice), 930
- Syringe pump, Graseby 3300 PCA (Safety Action Bulletin), 273
- Syringe pumps, Becton Dickinson Program 1 and 2, manufactured before 1990: upgrade facility to high risk category recommendations (Safety Action Bulletin), 747
- Syringe pumps, Graseby (Hazard Notice), 273
- Syringe pumps (Vi-tal); withdrawal of technical support and spares (Safety Action Bulletin), 563
- Tachycardia, supraventricular, fetal anaesthesia for Caesarean section in a patient receiving high dose amiodarone for (Fulgencio & Hamza), 406
- Tamponade, cardiac, in an infant; a rare complication of central venous catheterisation (Cherng *et al.*), 1052
- Tape suggestion and smoking reduction (Myles: Hughes *et al.*), 917 (c)
- Teaching aid, the oesophageal and precordial stethoscope transducer as (Barthram & Taylor), 713
- Teaching fibreoptic intubation. Effect of alfentanil on the haemodynamic response (Hartley, Morris & Vaughan), 335 (f)
- Teaching fibreoptic intubation in anaesthetised patients (Schaefer *et al.*), 331 (f)
- TEC 6 filler system, and desflurane (Uncles, Sibell & Conway), 547 (c)
- Teeth, false, home-made, undeclared, a case of (Shirley), 651 (c)
- Teeth, incisor, maxillary, forces acting on, during laryngoscopy using the Macintosh laryngoscope (Bux *et al.*), 1064
- Temperature, axillary, and the intensity of postoperative shivering (Crossley & Mahajan), 205
- Temperature: effect on sensitivity of transducers used on human volunteers during neuromuscular stimulating experiments (England, Wu & Feldman), 554 (c)
- Tetanus, severe, dantrolene in (Edmondson), 459 (c)
- Therapist nebulising humidifier (Hazard Notice), 273
- Thiopentone added to methohexitone; effect on induction characteristics (Raphael & Bexton), 338 (f)
- Thiopentone and propofol, a comparison, with respect to the incidence of postoperative shivering (Singh *et al.*), 996 (f)
- Thiopentone, apparent resistance to; a continuing problem (Ramsay), 923 (c)
- Thiopentone bolus injection, auditory evoked potentials and purposeful movements after (Schwender *et al.*), 99
- Thiopentone, prior administration of, and the effect on pain during injection of propofol (Lee *et al.*), 817 (f)
- Thoracic epidural sufentanil compared with lumbar epidural sufentanil for thoracotomy (Haak-van der Lely *et al.*), 119

- Thoracic surgery, sufentanil versus bupivacaine during (Haak-van der Lely *et al.*), 116
- Thoracic trauma, difficult intubation following (Groves, Edwards & Hood), 698
- Thoracotomy: comparison of lumbar with thoracic epidural sufentanil (Haak-van der Lely *et al.*), 119
- Thoracotomy, differential lung ventilation as an alternative to one-lung ventilation during (Baraka), 881
- Thoracotomy in a neonate, respiratory complications due to inadequate analgesia following (Cass & Howard), 879
- Throat, sore, and the laryngeal mask airway (Dingley, Whitehead & Wareham), 251 (f)
- Thyroid crisis and dantrolene (Ebert), 924 (c)
- Thyroid storm as a cause of loss of consciousness following anaesthesia for emergency Caesarean section (Pugh, Lalwani & Awal), 35
- Tongue swelling, massive, apparent; complication of orotracheal intubation on the Intensive Care Unit (Huehns, Yentis & Cumberworth), 414
- Tonsillectomy, pain after; comparison of pre-and postoperative bupivacaine (Ørntoft *et al.*), 151 (f)
- Topical anaesthesia: effect on motor performance of vocal cords as assessed by tussometry (Mahajan *et al.*), 1028
- T-piece scavenging: simple alternatives (van Hasselt & Phillips), 263 (c)
- Tracheal agenesis (Manschot, van der Anker & Tibboel), 788
- Tracheal airway tube, modified, for distal tracheal obstruction in a baby (Poddar & Best), 736 (c)
- Tracheal intubation *see* Intubation.
- Tracheal tube and laryngeal mask airway compared; intra-ocular pressure changes in patients with glaucoma (Barclay *et al.*), 159 (f)
- Tracheal tube and laryngeal mask, comparative effects of, on respiratory resistance in anaesthetised patients (Boisson-Bertrand *et al.*), 846
- Tracheal tube; correct placement (Sun), 1095 (c)
- Tracheal tube, explosion of, during tracheostomy (Michels & Stott), 1104 (c)
- Tracheal tube ignition during tracheostomy (Wilson, Igbaseimokumo & Martin), 734 (c)
- Tracheal tube placement during percutaneous dilational tracheostomy (Luntley & Kirkpatrick), 736 (c)
- Tracheal tube wall defect, leak due to (Palmer: Balchin), 648 (c)
- Tracheal tubes: estimation of correct length (Cartwright), 181 (c)
- Tracheal tubes: getting the length right (Soni & Paes), 549 (c)
- Tracheal tubes, reinforced, hazard of (Webb: Jayarajah & Cole: Balchin), 918 (c)
- Tracheal tubes, small, stylets for (Black & Tratman), 549 (c)
- Tracheal tubes, three types, for use in laryngeal mask assisted blind orotracheal intubation (Lim, Tay & Thomas), 255 (f)
- Tracheal tubes: use as oesophageal obturators (Cheam), 734 (c)
- Tracheo-oesophageal fistula, late presentation of (Teasdale & Nielsen), 307
- Tracheostomy, dilatational, percutaneous, airway management during (Pateman & Read), 1094 (c)
- Tracheostomy, dilatational, percutaneous, tracheal tube placement during (Luntley & Kirkpatrick), 736 (c)
- Tracheostomy, dislodged, complications of (Vyvyan), 558 (c)
- Tracheostomy, explosion of tracheal tube during (Michels & Stott), 1104 (c)
- Tracheostomy, ignition of the tracheal tube during (Wilson, Igbaseimokumo & Martin), 734 (c)
- Tracheostomy, percutaneous; a complication, laryngotracheal stenosis (McFarlane *et al.*), 38
- Tracheostomy, percutaneous, and the laryngeal mask airway (Brimacombe, Clarke & Simons), 358 (c)
- Tracheostomy, percutaneous, complication of (Masterson & Smurthwaite), 452 (c)
- Tracheostomy, percutaneous, endoscopic guided, and the laryngeal mask airway (Ip-Yam & Shaw), 733 (c)
- Tracheostomy, percutaneous, laryngotracheal stenosis after (Charters, Mannar & Jones), 825 (c)
- Tracheostomy, percutaneous, repeat (Bass & Field), 649 (c)
- Trainee anaesthetists: factors important in determining their quality of life (Masterson, Ashcroft & Shah), 991 (f)
- Training: awake versus asleep fibreoptic intubation (Ball), 921 (c)
- Training: back to basics? (Harmer), 749
- Training: capnography for teaching airway management (Kennedy & Lim), 1096 (c)
- Training in use of oesophageal detector device (Donahue), 863
- Training: paying the piper - calling the tune? (Beatty & Campbell), 931
- Training: pilot study of the ACCESS system for basic simulations (Byrne, Hilton & Lunn), 376
- Transducers used on human volunteers during neuromuscular stimulating experiments, effect of temperature on sensitivity of (England, Wu & Feldman), 554 (c)
- Transfer, interhospital (Curry), 1008 (c)
- Transfer, interhospital, international (Weller), 1007 (c)
- Transfer, interhospital, standards for (Sheikh, Grimes & Nielsen), 1007 (c)
- Transfer, interhospital; the need for standards (Oakley), 565
- Transplantation, liver, a new method of veno-venous bypass during (Scherer *et al.*), 398
- Transplantation, liver, conjunctival oxygen tension monitoring during (Alcock *et al.*), 394
- Transplantation, liver; hypomagnesaemia and cardiac arrhythmias (Ranasinghe & Mallett), 403
- Transport, interhospital, ritodrine toxicity during (Burden & Brighouse), 546 (c)
- Transporting patients with overwhelming pain (Notcutt), 145
- Trauma, multiple, requiring intensive care, quality of life after (Thiagarajan *et al.*), 211
- Trauma, thoracic, difficult intubation following (Groves, Edwards & Hood), 698
- Traumatic pneumomyelogram. Implications for the anaesthetist (Day, Nolan & Tarver), 1061
- Trigeminal-cardiac reflex in paediatric surgery (Carrero, Chabás & Nalda), 741 (c)
- Triservice anaesthetic apparatus: can a drawover vaporizer be a pushover? (Taylor & Restill), 892
- T-tube, Montgomery, a novel approach to insertion of (Ni Chonchubhair, O'Connor & O'Hagan), 605
- Tube, endobronchial, double-lumen, Mallinckrodt, incorrectly labelled (Pritchard: Balchin), 744 (c)
- Tube, feeding, confirmation of position; how about capnography? (Asai & Stacey), 451 (c)
- Tube, nasotracheal, polyurethane (Wright *et al.*), 979
- Tube, pilot, of the laryngeal mask airway (Richards: Woods), 450 (c)
- Tube, sampling, capnograph; fixation to a Hudson mask (Asai), 745 (c)
- Tubes, gas sampling, more problems with (Walsh & Page: Parry), 1012 (c)
- Tubes, nasogastric, fine-bore, positioning of (King, Taylor & Smith), 265 (c)
- Tubes, orotracheal, a new, simple device for fixing (Yahagi *et al.*), 916 (c)
- Tubes, reinforced, for oral intubations (Cartwright), 181 (c)
- Tubes *see also* Tracheal tubes,
- Tumour, intracerebral, peri-operative presentation of (Spivey & Wait), 268 (c)
- Tussometry, effect of topical anaesthesia on motor performance of vocal cords as assessed by (Mahajan *et al.*), 1028

- Ulnar nerve, magnetic stimulation of, for monitoring neuromuscular transmission; preliminary clinical evaluation (Iwasaki, Igarashi & Namiki), 814 (f)
- Upper airway *see* Airway.
- Ureteral dilator and a guide wire used as an aid to awake fiberoptic intubation (Telford *et al.*), 691
- USA, label information for suxamethonium in (Smith), 1101 (c)
- USA, new product label information for suxamethonium in; here next? (McHugh), 647 (c)
- Uvula necrosis (Clark), 925 (c)
- Uvular necrosis, postintubation (Commins *et al.*), 457 (c)
- Valve, rebreathing non-rebreathing (Day & Nolan), 456 (c)
- Vaporizer, drawover; can it be a pushover? (Taylor & Restill), 892
- Vaporizer filler, keyed, new (Wittmann *et al.*), 710
- Vascular resistance, systemic, continuous measurement of (O'Dwyer *et al.*), 587
- Vasoactive drug administration, interference of continuous venovenous haemofiltration with (Böhrer *et al.*), 742 (c)
- Vecuronium, recovery of mivacurium and doxacurium versus, in the isolated forearm (Campkin, Hood & Feldman), 501
- Venous cannulation, pain scores during (Harrison & Walder), 1015 (c)
- Venous oxygen saturation, need for quality control in (Beards, Edwards & Nightingale), 886
- Venous puncture detector, simple (Tripathi & Pandey), 226
- Veno-venous bypass during human orthotopic liver transplantation (Scherer *et al.*), 398
- Venovenous haemofiltration, continuous; interference with vasoactive drug administration (Böhrer *et al.*), 742 (c)
- Ventilator oxygen mask, a problem with (Waite & O'Brien; Middleton), 826 (c)
- Ventilation, asthma requiring; Munchausen's syndrome (Baker & Major), 1050
- Ventilation, high frequency jet, prolonged, and milrinone therapy following modified Fontan procedure (McBride & McMurray), 312
- Ventilation in the critically ill, sedation for; role for isoflurane (Willatts & Spencer), 422
- Ventilation, long-term, effect of insufflation leaks in (Watt & Fraser), 328 (f)
- Ventilation, lung, differential, as an alternative to one-lung ventilation during thoracotomy (Baraka), 881
- Ventilation, one-lung, during thoracotomy, differential lung ventilation as alternative to (Baraka), 881
- Ventilation, spontaneous and controlled, nitrous oxide uptake during (Bengtson, Bengtsson & Stenqvist), 25
- Ventilation, the effect of insufflation leaks upon; comparison of ventilators (Watt & Fraser), 320
- Ventilator, Manley, incorrect setting of (Benson, Patla & Farouqi; Woods), 544 (c)
- Ventilator, Ohmeda 7800, condensation problem with (Highley), 1101 (c)
- Ventilators, Manley, incorrect settings on (Hartopp), 916 (c)
- Ventilatory support, noninvasive comparison of different modes (Elliott *et al.*), 279
- Ventricular function and oxygen transport patterns in patients with acute respiratory distress syndrome (Steltzer *et al.*), 1039
- 'Vial' poetry (Graham), 652 (c)
- Visits, pre-operative; the 'printy' approach (Urquhart), 268 (c)
- Visual aid: use in checking of anaesthetic machines (Groves, Edwards & Carr), 122
- Vi-tal Syringe pumps: withdrawal of technical support and spares (Safety Action Bulletin), 563
- Vocal cords, effect of topical anaesthesia on motor performance of, as assessed by tussometry (Mahajan *et al.*), 1028
- Vocal cords, the distance between the laryngeal mask airway grille and (Silk, Hill & Calder; Asai, Latto & Vaughan), 170 (c)
- Volunteers, human, effect of temperature on sensitivity of transducers used on (England, Wu & Feldman), 554 (c)
- Vomiting and nausea, postoperative, in patients exposed to positive intra-operative suggestions (Williams, Hind & Sweeney), 340 (f)
- Vomiting, postoperative (Quinn *et al.*), 62 (f)
- Vomiting, postoperative, and phakomorphous glaucoma (Gupta *et al.*), 959
- Vomiting, postoperative, clinical development of ondansetron for (Joslyn), 34(S)
- Vomiting, postoperative, impact in the surgical setting (Hirsch), 30(S)
- Vomiting, postoperative; physiology and pharmacology (Naylor & Inall), 2(S)
- Vomiting, postoperative; risk factors (Kenny), 6(S)
- Vomiting, postoperative, single dose intravenous ondansetron in prevention of (Pearman), 11(S)
- Vomiting, postoperative, single dose intravenous ondansetron for the 24-hour treatment of (Clayton), 24(S)
- Vomiting, postoperative, single oral dose ondansetron in prevention of (Rust & Cohen), 16(S)
- Vygon disposable PCA device; bench test (Flatt & Hulme), 739 (c)
- Waiting lists in pain clinics (Chmielewski), 1099 (c)
- Wakefulness during general anaesthesia with propofol, isoflurane and flunitrazepam/fentanyl, motor signs of (Schwender *et al.*), 476
- Weaning aid: nebulised lignocaine (Spivey, Campbell & Forrest), 182 (c)
- Weight, patients' assessment of (Richards & McGeachie), 1008 (c)
- Weiss needle: unexpected loss of resistance (Mackie, Cranfield & Boddu), 458 (c)
- Well-being and propofol (Sanders & Whitehead; Winwood), 172 (c)
- Whitacre needles, 25 G and 27 G for Caesarean section; a comparison (Smith *et al.*), 859

Key word Index, Volume 49, (1994)

- Acupuncture, 387
- Adult respiratory distress syndrome, 432 (f)
- Agglutination, soya bean extract, 17
- Airway obstruction, 538 (f)
- Airway, obstruction, 1078
- Airway resistance, 846
- Allergy, 41
- Allergy, intradermal tests, 470